

1609/451

C A T A L O G U E

OF

P L A N T S,

&c. &c.

IN THE

DUBLIN SOCIETY'S BOTANIC GARDEN,

AT GLASNEVIN, viz:

ARBORETUM,  
FRUTICETUM,

GRAMINA VERA,  
HORTUS TINCTORIUS.

---

N. B.—The HERBARIUM, ESCARIUM, FOENARIUM, HORTUS MEDICUS,  
CREEPERS AND CLIMBERS, PECUDARIUM, &c. will be given in  
our next Publication, as the Catalogues could not  
be made out in due time for this Volume.

---

Dublin:

PRINTED BY GRAISBERRY & CAMPBELL, 10, BACK-LANE.

AND SOLD BY D. GRAISBERRY, 33, CAPEL-STREET.

1800.

CATALOGUE

PLANTS



IN THE

DUBLIN SOCIETY'S BOTANIC GARDEN

BY CLARENCE, 1830

GRASSHOPPER  
HORNET

GRASSHOPPER  
HORNET

W. B. The Grasshopper, Kilmacshannon, Co. Wick. Horner's  
Grasshopper, Kilmacshannon, Co. Wick. Horner's  
Grasshopper, Kilmacshannon, Co. Wick. Horner's  
Grasshopper, Kilmacshannon, Co. Wick. Horner's

Edinburgh:

PRINTED BY GRASSHOPPER & CO. 1830

AND SOLD BY D. GRASSHOPPER, 11, N. B. STREET.

1830



# CATALOGUE

OF No. 2.

In the Map of the Dublin Society's Botanic Garden at Glasnevin, containing the ARBORETUM, or Systematic arrangement of Trees.

NOTE. The Classes are distinguished by tall Marks, each class in a separate PLOT, surrounded by a Gravel Walk, and the Marks of the Species and Varieties, are in the Form of CROSSES, with BLACK and RED Letters on a WHITE GROUND, the Crosses begin about the S. E. End of the Garden.

## PENTANDRIA.

- ULMUS campestris v. aur. Common Elm
- v. fol. aur. var. Gold blotched ditto
- v. fol. arg. var. Silver blotched ditto
- v. frax. Cornish Elm
- v. latifol. Welch ditto
- v. glab. Smooth ditto
- v. fol. aur. var. Gold blotched ditto
- v. fungen. Dutch ditto
- Americana v. rub. Red American ditto
- v. alb. White ditto
- v. pendul. Weeping ditto
- pumila Dwarf ditto
- nemoralis Horn-beam leaved ditto
- non descript. fol. rugos. Rough leaved ditto

## HEPTANDRIA.

- Æsculus Hippo-castanum Common horse chesnut
- v. fol. aur. var. Gold blotched ditto

B

Æsculus

## BOTANICAL

- Æsculus Hippocastanum* v. *fol.* Silver blotched horse chestnut  
*arg. var.*  
 ——— *flava.* Yellow flowered ditto  
 ——— *Pavia.* Scarlet ditto  
 ——— *nova species.*

## DECANDRIA.

- Sophora tetraptera.* Winged podded Sophora.

## ICOSANDRIA.

- Prunus Padus.* Common bird cherry.  
 ——— v. *minor.* Dwarf ditto  
 ——— *rubra.* Cornish ditto  
 ——— *Virginiana.* American ditto  
 ——— *Caroliniana.* Evergreen ditto  
 ——— *Lusitanica.* Portugal laurel  
 ——— v. *fol. aur. var.* Gold blotched ditto  
 ——— *Lauro-cerasus.* Common laurel  
 ——— v. *angust.* Slender leaved ditto  
 ——— v. *fol. aur. var.* Gold blotched ditto  
 ——— *Mahaleb.* Perfumed cherry  
 ——— *Armeniaca.* Common apricot tree  
 ——— v. *fol. aur. mac.* Gold blotched ditto  
 ——— *pumila.* Dwarf Canadian cherry  
 ——— *Cerasus.* Cultivated ditto  
 ——— v. *fol. aur. var.* Gold blotched ditto  
 ——— v. *virg. fol. pen.* Weeping leaved ditto  
 ——— v. *ramos. pen.* Weeping branched ditto  
 ——— v. *fl. plen.* Double flowered ditto  
 ——— *avium.* Small fruited ditto  
 ——— *Pensylvanica.* Upright ditto  
 ——— *nigra.* Black ditto  
 ——— *domestica.* Common plum tree  
 ——— v. *fol. aur. mac.* Gold blotched ditto  
 ——— v. *fol. arg.* Silver blotched ditto  
 ——— *infinitia.* Common Bullace tree  
 ——— *spinosa.* Sloe tree

*Prunus*



# CATALOGUE.

3

*Prunus Sibirica.* Siberian Cherry  
*— salicina.*

## POLYANDRIA.

*Tilia Europea.* Lime tree  
*— v. corallina.* Red twigged ditto  
*— v. parvifol.* Small leaved ditto  
*— Americana,* Broad leaved ditto  
*— alba.* White ditto  
*Liriodendron Tulipifera.* Tulip tree  
*Magnolia grandiflora.* Common laurel leaved Magnolia  
*— v. obovata.* Broad leaved ditto [lia  
*— v. lancrol.* Long leaved ditto  
*— glauca.* Deciduous swamp ditto  
*— v. longif.* Evergreen ditto  
*— acuminata.* Blue ditto  
*— tripetala.* Umbrella ditto

## DIADELPHIA.

*Robinia Pseud-Acacia.* Common Acacia.

## MONOECIA.

*Betula alba.* Common Birch  
*— v. pend.* Weeping ditto  
*— populifolia.* Poplar leaved birch tree  
*— nigra.* Black ditto  
*— papyracea.* Paper ditto  
*— lenta.* Soft ditto  
*— excelsa.* Tall ditto  
*— nana.* Smooth dwarf ditto  
*— pumila.* Hairy ditto  
*— oblongata.* Oblong leaved ditto  
*— v. ellipt.* Oval leaved ditto  
*— Alnus.* Common alder tree  
*— v. pinnatif.* Cut leaved ditto

B 2

Betula

Betula serulata.	Notched leaved ditto.
— incana.	Glaucous leaved ditto
— <i>v. angul.</i>	Elm leaved ditto
— Americana.	American ditto
— Sibirica.	Siberian ditto
— crispa.	Curled leaved ditto
Morus alba.	White mulberry tree
— nigra.	Common ditto
— papyrifera.	Paper ditto
— rubra.	Red ditto
Quercus Phellos	Common willow leaved oak tree
— <i>v. sericea</i>	Dwarf ditto.
— Ilex.	Common evergreen ditto
— <i>v. serrata.</i>	Saw leaved ditto
— <i>v. oblong.</i>	Long leaved ditto
— gramuntia.	Holly leaved ditto
— Suber.	Cork tree
— coccifera.	Kermes oak tree
— virens.	Live ditto
— Prinos.	Broad chestnut leaved ditto.
— <i>v. oblong.</i>	Long ditto
— aquatica.	Common water oak tree
— <i>v. heteroph.</i>	Various leaved ditto
— <i>v. long.</i>	Long leaved ditto
— <i>v. undul.</i>	Entire leaved ditto
— <i>v. attenuata.</i>	Narrow leaved ditto
— nigra.	Black oak tree
— rubra.	Broad leaved red campion do.
— <i>v. coccinea.</i>	Scarlet ditto
— <i>v. mont.</i>	Mountain ditto
— discolor.	Downy leaved ditto
— alba.	White ditto
— Eufolius.	Small prickly cup'd ditto
— Robur.	Female oak
— <i>v. jeff.</i>	Common ditto
	Quercus

## CATALOGUE.

5

Quercus Robur <i>v. humilis.</i>	Dwarf ditto
_____ <i>v. fol. perrennant.</i>	Turner's ditto
_____ <i>v. fol. arg. var.</i>	Silver blotched ditto
_____ <i>Ægilops.</i>	Great prickly cup'd ditto
_____ <i>Cerris.</i>	Common Turkey ditto
_____ <i>v. bullat.</i>	Rough leaved ditto
Quercus Cerris.	Narrow leaved oak
_____ <i>v. fol. perrennant.</i>	Bagnol ditto
_____ <i>v. fol. subtar alb.</i>	Luccombe ditto
_____ <i>v. fol. pinnatif.</i>	Winged leaved ditto
_____ <i>tinctoria.</i>	Dyer's oak
Salisburia adiantifolia <i>vulg. Gink.</i>	Maiden hair tree
Juglans regia.	Common walnut tree
_____ <i>alba.</i>	White hickory
_____ <i>nigra.</i>	Black walnut tree
_____ <i>cinerea.</i>	Shell bark ditto
_____ <i>angustifolia.</i>	Illinoise ditto
Fagus Castanea	Narrow leaved common chestnut
_____ <i>v. fol. aur var.</i>	Gold blotched ditto
_____ <i>pumila.</i>	Dwarf chestnut tree
_____ <i>ferruginea.</i>	American beech tree
_____ <i>sylvatica.</i>	Common ditto
_____ <i>v. purp.</i>	Purple ditto
_____ <i>v. cuprifol.</i>	Copper leaved ditto
Carpinus Betulus.	Common hornbeam tree
_____ <i>v. incisa.</i>	Cut leaved ditto
_____ <i>v. fol. aur. var.</i>	Gold blotched ditto
_____ <i>v. quercif.</i>	Oak leaved ditto
_____ <i>Ostrya.</i>	Hop ditto
_____ <i>Virginiana.</i>	Flowering ditto
Plantanus Orientalis.	Oriental plane tree
_____ <i>v. acerifol.</i>	Spanish ditto
_____ <i>v. undul.</i>	Wave leaved ditto
_____ <i>Occidentalis.</i>	American ditto
_____ <i>v. sub. glab.</i>	Smooth ditto

Pinus



<i>Pinus sylvestris.</i>	Common Scotch fir
— <i>v. fol. var.</i>	Variegated ditto
— <i>v. Tatarica.</i>	Tartarian pine tree
— <i>v. mont.</i>	Mountain, or Mugho ditto
— <i>v. disparicat.</i>	Hudson's Bay ditto
— <i>v. marit.</i>	Sea ditto
— Pinaster.	Pinaster, or cluster ditto
— inops.	Jersey ditto
— resinosa.	American pitch tree
— Halepensis.	Aleppo pine tree
— pinea.	Stone ditto
— toræa.	Frankincense ditto
— <i>v. rigida.</i>	Three leaved Virginian ditto
— <i>v. variab.</i>	Two and three leaved ditto
— <i>v. alopecur.</i>	Foxtail ditto
— palustris.	Swamp ditto
— Cembra.	Siberian stone ditto
— Strobilus.	Weymouth pine
— Cedrus.	Cedar of Lebanon
— pendula.	Black larch tree
— Larix.	Common white ditto
— picea.	Silver fir tree
— balsamea.	Balm of Gilead ditto
— Canadensis.	Hemlock spruce fir tree
— nigra.	Black ditto
— Abies.	Norway ditto
— alba.	White spruce fir tree

## DIOECIA.

<i>Salix alba.</i>	White willow.
— <i>purpurea.</i>	Purple ditto
— <i>pentandra.</i>	Sweet ditto
— <i>hermaphrodica.</i>	Shining ditto
— <i>Babylonica.</i>	Weeping ditto
— <i>triandra.</i>	Smooth ditto

Salix

# CATALOGUE.

7

<i>Salix fragilis.</i>	Crack ditto
— <i>amygdalina.</i>	Almond leaved ditto
— <i>hastata.</i>	Halbert leaved ditto
<i>Populus alba.</i>	Common white poplar
— <i>v. nigra.</i>	Great white Abele tree
— <i>tremula.</i>	Aspen tree
— <i>v. pend.</i>	Weeping ditto
— <i>nigra.</i>	Black poplar
— <i>Chesteriensis.</i>	Chester ditto
— <i>dilatata.</i>	Lombardy, or Po poplar
— <i>balsamifera.</i>	Common Tacamahac ditto
— <i>v. nova.</i>	
— <i>candicans.</i>	Heart leav'd ditto
— <i>laevigata.</i>	Smooth ditto
— <i>monolifera.</i>	Canadian ditto
— <i>Græca.</i>	Athenian ditto
— <i>Curtifl.</i>	
— <i>heterophylla.</i>	Various leav'd ditto
— <i>angulata.</i>	Carolina ditto
— <i>Canadensis.</i>	Canadian ditto
<i>Taxus baccata.</i>	Common yew tree
— <i>elongata.</i>	Long leav'd ditto
— <i>nucifera.</i>	Nut bearing ditto

## POLYGAMIA.

<i>Acer Tataricum.</i>	Tartarian maple
— <i>Pseudo—Planatus.</i>	Great maple, or sycamore
— <i>v. fruib. coccin.</i>	Scarlet berried ditto
— <i>v. fol. aur. var.</i>	Gold blotched ditto
— <i>v. fol. arg. var.</i>	Silver blotched ditto
— <i>rubrum</i>	Scarlet flowered maple
— <i>v. pallidum.</i>	Pale flowered ditto
— <i>saccharinum.</i>	Sugar ditto
— <i>Platanoides.</i>	Norway ditto
— <i>v. laciniato.</i>	Cut leav'd ditto

Acer

Acer montanum.	Mountain ditto
— Pensylvanicum.	Pensylvanian ditto
— campestre.	Common ditto
— var. fol. arg. var.	Silver blotched ditto
— Opalus.	Italian ditto
— hybridum.	Hybrid ditto
— Monspesulanum.	Montpellier ditto
— Creticum.	Cretan ditto
— Negundo.	Ash leav'd ditto
Gleditsia triacanthos.	Three thorned acacia
— v. monor.	Single seeded, or water ditto
— v. horrida.	Strong spined ditto
Fraxinus excelsior.	Common ash tree
— v. pend.	Weeping ditto
— v. diversif.	Various leav'd ditto
— v. integrif.	Entire leav'd ditto
— v. fol. crisp.	Curled leaved ditto
— v. pumila.	Dwarf ditto
— v. fol. aur.	Gold blotched ditto
— v. fol. arg.	Silver blotched ditto
— v. cortice striat.	Striped barked ditto
— v. nigricant.	Chinese ditto
— Ornus.	Flowering ditto
— rotundifolia.	Manna ditto
— Americana.	American ditto
— v. alb.	American white ditto

No. 3.

Containing the PROPRIETUM or SYSTEMATIC ARRANGEMENT of SHRUBS.

NOTE.—The Classes are distinguished by tall Marks, each Class in a separate Plot, surrounded by a Gravel Walk, and the Marks of the Species and Varieties are in the Form of CROSSES, with BLACK and RED LETTERS on a WHITE GROUND, and the CROSSES begin about the East End of the Garden.

DIANDRIA,

Jasminum fruticans.	Common yellow jasmine
— v. fol. aur. var.	Gold blotched ditto
— v. Lufian.	Portugal ditto
— humile.	Italian yellow ditto
— officinale.	Common white ditto
— v. fol. aur. var.	Gold blotched ditto
— v. fol. arg. var.	Silver blotched ditto
Ligustrum vulgare.	Common privet
— v. fol. aur. var.	Gold striped ditto
— v. fol. arg. var.	Silver striped ditto
— v. semper vir.	Evergreen ditto
Phillyrea media	Phillyrea
— v. virgata.	Long branch'd ditto
— v. pend.	Drooping ditto.
— v. oleafolia.	Olive leav'd ditto
— v. buxifol.	Box leav'd ditto

*Phillyrea angustifolia.* Common narrow leav'd ditto

— *v. rosmarinif.* Rosemary leav'd ditto

— *v. brachiata.* Dwarf ditto

— *latifolia.* Smooth broad leav'd ditto

— *v. fol. varieg.* Variegated ditto

— *v. spinosa.* Prickly broad leav'd ditto

— *v. obliqua.* Ilex leav'd ditto.

— *v. fol. aur. var.* Gold blotched ditto

*Olea Europea.* Common olive

— *Americana.* American ditto

*Chionanthus Virginica.* Broad leav'd fringe tree

— *v. angust.* Narrow leav'd ditto

*Syringa vulgaris v. cerul.* Common blue lilac

— *v. violac.* Common purple ditto

— *v. alb.* Common white ditto

— *v.* William's ditto

— *Perfica.* Blue Persian ditto

— *v. alb.* White Persian ditto

— *v. laciniat.* Cut leav'd Persian ditto

*Veronica decussata.* Cross leav'd speedwell

*Rosmarinus officinalis.* Common rosemary

— *v. fol. aur. var.* Gold striped ditto

*Salvia Cretica.* Cretan sage

— *officinalis.* Garden ditto

— *v. fol. aur. var.* Gold blotched ditto

— *v. fol. aur. var.* Silver blotched ditto

— *triloba.* Three lobed ditto

### TRIANDRIA.

*Cneorum tricoccum.* Widdow wail

### TETRANDRIA.

*Cephalanthus Occidentalis.* American button wood

*Mitchella repens.* Creeping Mitchella

*Buddlea globosa.* Round headed Buddlea

*Callicarpa Americana.* Johnsongia

Plantage



# CATALOGUE.

11

Plantago Cynops.	Shrubby plantain
Cornus florida.	Great flower'd dogwood
— v. fol. aur. var.	Gold blotched ditto
— mascula.	Cornelian ditto
— alba.	White berried ditto
— sanguinea.	Common ditto
— v. fol. aur. var.	Gold blotched ditto
— sericea.	Blue berried ditto
— paniculata.	New Holland ditto
— alternifolia.	Red twig'd alternate leav'd do.
— v. virescens.	Green twig'd ditto
— circinata.	Siberian ditto
Ptelea trifoliata.	Shrubby trefoil
Elæagnus angustifolia.	Narrow leav'd oleaster
Hamamelis Virginica.	Witch hazel
Ilex Aquifolium.	Common holly
— v. heterophylla.	Various leav'd ditto
— v. crassifol.	Thick leav'd ditto
— v. recurva.	Slender leav'd ditto
— v. angust.	Maple leav'd ditto
— v. inermis.	True Dutch ditto
— v. fruct. flav.	Yellow berried ditto
— v. fruct. alb.	White berried ditto
— v. fol. arg.	Silver blotched ditto
— v. fol. aur.	Gold blotched ditto
— v. serot.	Hedge-hog ditto
— v. serot. fol. aur.	Gold blotched ditto
— v. serot. fol. arg.	Silver blotched ditto
— opaca.	Carolina ditto
— prinoides.	Deciduous ditto
— Cassine.	Broad leav'd ditto
— v. angust.	Narrow leav'd ditto
— v. minor.	Small ditto
— v. dentata.	Toothed ditto
— vomitoria.	South sea tea
— Perado.	Thick leav'd smooth holly

## PENTANDRIA.

Azalea nudiflora.	Deep scarlet Azalea
— <i>v. rutilans.</i>	Deep red ditto
— <i>v. carnea.</i>	Pale red ditto
— <i>v. alba.</i>	Early white ditto
— <i>v. bicolor.</i>	Red and white ditto
— <i>v. papilionacea.</i>	Variegated ditto
— <i>v. phanicea.</i>	
— <i>v. purpurescens.</i>	
— <i>v. crispa.</i>	
— <i>v. fastigiata.</i>	
— <i>v. partita.</i>	Downy Azalea
— viscosa.	Common white ditto
— <i>v. vittata.</i>	Striped flowered ditto
— <i>v. filia.</i>	Narrow petal'd white ditto
— <i>v. floribund.</i>	Clustered flowered ditto
— <i>v. glauca.</i>	Glaucous ditto
— <i>v. salicifol.</i>	Willow leav'd ditto
— Pontica.	Yellow Azalea
— procumbens.	Procumbent ditto
Lonicera dioica.	Glaucous honeysuckle
— Caprifolium.	Italian early white ditto
— <i>v. rub.</i>	Italian early red ditto
— sempervirens.	Great trumpet ditto
— <i>v. minor.</i>	Small trumpet ditto
— grata.	Evergreen ditto
— implexa.	Minorca ditto
— Periclymenum.	Common woodbine
— <i>v. ferotinum.</i>	Late red woodbine
— <i>v. Belgicum.</i>	Dutch ditto
— <i>v. quercifol.</i>	Oak leav'd ditto
— <i>v. quercif. fol. var.</i>	Silver striped ditto
— Nigra.	Black berried upright ditto
— Tatarica.	Tartarian ditto
— Xylosteum.	Fly ditto

Lonicera

<i>Lonicera Pyrenaica.</i>	Pyrenian upright ditto
—— <i>alpigena.</i>	Red berried ditto
—— <i>cærulea.</i>	Blue berried ditto
—— <i>Symphoricarpoa.</i>	Shrubby St. Peter's wort
—— <i>Dierville.</i>	Yellow flowered upright honey-
—— <i>Balearica.</i>	Minorca ditto [suckle]
<i>Solanum dulcamara.</i>	Common woody nightshade
—— <i>v. fol. varieg.</i>	Silver striped ditto
<i>Lycium Barbarum.</i>	Willow leav'd box-thorn
—— <i>v. Chinense.</i>	Chinese ditto
—— <i>Europeum.</i>	European ditto
<i>Bumelia tenax.</i>	} Silvery leav'd iron wood
<i>Sideroxylon tenax.</i>	
—— <i>Lycioides.</i>	Willow leav'd ditto
<i>Rhamnus catharticus.</i>	Purging buck-thorn
—— <i>infectorius.</i>	Yellow berried ditto
—— <i>saxatilis.</i>	Rock ditto
—— <i>Frangula.</i>	Berry bearing alder
—— <i>latifolius.</i>	Azorian Rhamnus
—— <i>alnifolius.</i>	Alder leav'd ditto
—— <i>Alaternus.</i>	Common Alaternus
—— <i>v. fol. arg.</i>	Silver blotched ditto
—— <i>v. angust.</i>	Jagged leav'd ditto
—— <i>Sibiricus.</i>	Siberian ditto
—— <i>volubilis.</i>	Twining Rhamnus, or supple.
—— <i>Paliurus.</i>	Common Christ's thorn [jack
<i>Ceanothus Americanus.</i>	New Jersey tea
<i>Celastrus scandens.</i>	Climbing staff tree
<i>Myrsine Africana.</i>	African Myrsine
—— <i>retusa.</i>	Tamaja
<i>Euonymus Europea.</i>	Common spindle tree
—— <i>v. fruct. alb.</i>	White fruited ditto
—— <i>v. fruct. pallid.</i>	Pale fruited ditto
—— <i>v. fol. aur. var.</i>	Gold blotched ditto
—— <i>latifolia.</i>	Broad leav'd ditto
—— <i>verrucosa.</i>	Warted ditto

Euonymus.

Euonymus atropurpurea	Purple flowered ditto
— Americana	Evergreen ditto
Itea Virginica	Virginean Itea
Ribes rubrum	Red currant
— v. fol. arg. var.	Silver blotched red ditto
— album	White currant
— v. fol. arg. var.	Silver blotched ditto
— spicatum	
— alpinum	Alpine ditto
— v. fol. aur. mac.	Gold blotched ditto
— nigrum	Black currant
— glandulosum	Glandulous ditto
— floridum	American ditto
— diacantha	Two spined gooseberry
— Grossularia	Common ditto
— Uva-Crispa	Smooth fruited ditto
— oxyacanthoides	Hawthorn leav'd ditto
— v. fol. aur. var.	Gold blotched ditto
— v. fol. arg. var.	Silver ditto
— Cynosbati	Prickly fruited currant
— petraeum	
Hedera Helix	Common ivy
— v. fol. arg. var.	Silver blotched ditto
— v. fol. aur. var.	Gold blotched ditto
— latifolia	Broad leav'd ditto
Vitis vinifera	Common vine
— Labrusca	Downy leaved ditto
— vulpina	Fox grape
— laciniosa	Parsley leav'd vine
— hederacea	Ivy leav'd ditto
— arborea	Pepper ditto
Vinca minor v. fl. alb.	White flowered small periwinkle
— v. fl. caerulea	Blue flowered ditto
— v. fl. purp.	Purple flowered ditto
— v. fl. subplena	Semidouble flowered small ditto
— v. fl. aur. alb.	Gold blotched white flowered do.

Vinea



- Vinca minor* v. fol. arg. alb. Silver blotched white flow. do.  
 ——— v. fol. aur. cerul. Gold blotched blue flowered do.  
 ——— v. fol. arg. cerul. Silver blotched blue flowered do.  
 ——— major. Great blue flowered ditto  
*Periploca Græca.* Virginian silk  
*Salsola fruticosa.* Stone crop tree  
*Bupleurum fruticosum.* Shrubby hare's ear  
*Rhus Coriaria.* Elm leaved sumach  
 ——— *Typhina.* Virginian ditto  
 ——— glaber. Scarlet ditto  
 ——— elegans. Carolina ditto  
 ——— vernix. Varnish ditto  
 ——— radicans. Common upright poison oak  
 ——— v. lucida. Small leav'd ditto  
 ——— *Toxicodendron.* Trailing ditto  
 ——— aromaticum. Aromatic sumach  
 ——— *saueolens.* Sweet ditto  
 ——— cotinus. Venetian ditto  
 ——— copallinus. Lentiscus leav'd ditto  
*Viburnum Tinus.* Laurestinus  
 ——— v. lucidum. Shining ditto  
 ——— v. virgatum. Common ditto  
 ——— v. strictum. Upright ditto  
 ——— v. fol. aur. var. Gold blotched ditto  
 ——— v. fol. arg. var. Silver blotched ditto  
 ——— nudum. Oval leav'd Viburnum  
 ——— cassinoides. Thick leav'd ditto  
 ——— nitidum. Shining leav'd ditto  
 ——— levigatum. Cassinoberry bush  
 ——— prunifolium. Plum leav'd Viburnum  
 ——— Lentago. Pear leav'd ditto  
 ——— dentatum. Shining tooth-leav'd ditto  
 ——— v. pub. Downy tooth-leaved ditto  
 ——— v. fol. aur. var. Gold blotched ditto  
 ——— acerifolium. Maple leav'd ditto  
 ——— Lantana. Common wayfaring tree

Viburnum



<i>Viburnum Lantana</i> v. <i>grand.</i>	Large leav'd ditto
— v. <i>fol. aur. var. bl.</i>	Gold blotched ditto
— <i>Opulus.</i>	Marsh gilder rose
— v. <i>American.</i>	Red twig'd ditto
— v. <i>rosea.</i>	Snow ball ditto
— <i>Sibiricum.</i>	Siberian ditto
<i>Sambucus nigra.</i>	Common elder
— v. <i>viridis.</i>	Green berried ditto
— v. <i>alb.</i>	White berried ditto
— v. <i>fol. aur. var.</i>	Gold blotched ditto
— v. <i>fol. arg. var.</i>	Silver blotched ditto
— v. <i>laciniata.</i>	Parsley leav'd ditto
— v. <i>fol. aur. var.</i>	Gold blotched ditto
— <i>Canadensis.</i>	Canadian ditto
— <i>racemosa.</i>	Red berried ditto
<i>Staphylea pinnata.</i>	Five leav'd bladder nut
— <i>trifolia.</i>	Three leav'd ditto
<i>Tamarix Gallica.</i>	French tamarisk
— <i>Germanica.</i>	German ditto
<i>Xylophylla ramiflora.</i>	Siberian Xylophylla
<i>Aralia spinosa.</i>	Angelica tree
<i>Zanthorhiza apiifolia.</i>	Parsley leav'd Zanthoriza
<i>Yucca gloriosa.</i>	Adam's needle
— <i>Draconis.</i>	Drooping leav'd ditto
— <i>filamentosa.</i>	Thready ditto
<i>Prinos glabra.</i>	Evergreen winterberry
— <i>verticillata.</i>	Deciduous ditto

### HEXANDRIA.

<i>Berberis vulgaris.</i>	Common berberry
— v. <i>viol.</i>	Purple fruited ditto
— v. <i>alb.</i>	White fruited ditto
— <i>Canadensis.</i>	Canadian ditto
— <i>Cretica.</i>	Cretan ditto

### OCTAN.

# CATALOGUE.

17

## OCTANDRIA.

Koeleruteria paniculata.	Panicled Koeleruteria.
Fuchsia coccinea.	Scarlet flower'd Fuchsia.
Vaccinium Myrtilloides.	Whortleberry.
— pallidum.	Pale ditto.
— flamineum.	Green wooded ditto.
— uliginosum.	Marsh bilberry.
— diffusum.	Shining leav'd whortleberry.
— angustifolium.	Narrow leav'd ditto.
— fuscum.	Clustered flower'd ditto.
— frondosum.	Obtuse leav'd ditto.
— venustum.	Red twig'd ditto.
— resinolum.	Clammy ditto.
— amenum.	Broad leav'd ditto.
— virgatum.	Priest leav'd ditto.
— tenellum.	Gale leav'd dwarf ditto.
— Vitis Idæa.	Red bilberry.
— Oxycoccus.	Common cranberry.
— Macrocarpon.	American ditto.
— arboreum.	Tree whortleberry.
— viride.	Green ditto.
— crassifolium.	Thick leaved ditto.
— Arctostaphylos.	Madeira ditto.
Erica vulgaris.	Common heath.
— v. alb.	White flowered ditto.
— arborea.	Tree ditto.
— tetralix.	Cross leav'd ditto.
— v. alb.	White flowered ditto.
— Australis.	Spanish ditto.
— herbacea.	Early flowering dwarf ditto.
— multiflora.	Many flowered ditto.
— cinerea.	Fine leav'd ditto.
— v. alb.	White flowered ditto.
— vagans.	Irish ditto.
— v. alb.	
— Daboecia.	

D

Erica

<i>Erica Mediterranea</i>	Mediterranean ditto
<i>Polygonum frutescens</i>	Shrubby Polygonum
<i>Daphne Mezereum</i>	Common Mezereum
— <i>v. albiflora</i>	White flowered ditto
— <i>v. autumnalis</i>	Autumn flowering ditto
<i>Taraxacum officinale</i>	Silvery leaved Daphne
<i>Alpina</i>	Alpine ditto
<i>Laureola</i>	Spurge laurel
— <i>v. fol. arg. var.</i>	Silver striped ditto
<i>Cnorum</i>	Trailing Daphne
<i>Gnidia</i>	Flax leav'd ditto
<i>Dirca palustris</i>	Marsh leatherwood

## ENNEANDRIA.

<i>Laurus nobilis</i>	Common sweet bay
— <i>v. fol. var.</i>	Gold blotched ditto
<i>Benzoin</i>	Common Benjamin tree
<i>Sassafras</i>	Sassafras tree

## DECANDRIA.

<i>Sophora tetraptera</i>	Winged podded Sophora
— <i>microphylla</i>	Small leav'd shrubby ditto
— <i>Japonica</i>	Shining leav'd ditto
<i>Anagyris foetida</i>	Stinking bean tree
<i>Cercis Siliquastrum</i>	European Judas tree
— <i>Canadensis</i>	American ditto
<i>Guilandina dioica</i>	Hardy bonduck
<i>Ruta graveolens</i>	Common rue
— <i>montana</i>	Mountain ditto
— <i>Calepensis</i>	African ditto
<i>Kalmia latifolia</i>	Broad leav'd Kalmia
— <i>angustifolia</i>	Narrow leav'd red ditto
— <i>v. carnea</i>	Narrow leav'd pale ditto
<i>Glaucia</i>	Glaucous ditto
<i>Ledum palustre</i>	Marsh Ledum
— <i>v. decumb.</i>	Dwarf ditto

Ledum

# CATALOGUE.

19

Ledum latifolium.	Labrador tea
— buxifolium.	Box leav'd Ledum
Rhodora Canadensis.	Canadian Rhodora
Rhododendron ferrugineum.	Rusty Rhododendron
— Dauricum.	Daurick ditto
— punctatum.	Dotted leav'd ditto
— hirsutum.	Hairy ditto
— Ponticum.	Purple ditto
— v. fol. var.	Variegated ditto
— maximum.	Rose coloured ditto
Andromeda Mariana.	Oval leav'd Andromeda
— v. oblong.	Oblong leav'd ditto
— ferruginea.	Rusty ditto
— polifolia.	Broad leav'd marsh rosemary
— v. media.	Common ditto
— v. angust.	Narrow leav'd ditto
— v. eric.	Upright ditto
— paniculata.	Panicled Andromeda
— arborea.	Tree ditto
— racemosa.	Branching ditto
— axillaris.	Notch'd leav'd ditto
— coriacea.	Thick leav'd ditto
— acuminata.	Acute leav'd ditto
— calyculata.	Box leav'd ditto
— v. latif.	Broad leav'd ditto
— v. angust.	Narrow leav'd ditto
— serratifolia.	Serrated ditto
— undulata.	Wave leav'd ditto
Epigea repens.	Creeping Epigea
Gaultheria procumbens.	Trailing Gaultheria
Arbutus Unedo.	Arbutus
— v. rub.	Scarlet flowered ditto
— v. plen.	Double flowered ditto
— v. crisp.	Curled leaved ditto
— Andrachne.	Oriental ditto
	D 2

Arbutus



Arbutus Andrachne <i>v. serratif.</i>	Serrated ditto
— alpina.	Alpine ditto
— Uva-Ursi.	Bearberry ditto
— thymifolia.	Thyme leaved ditto
Clethra alnifolia.	Smooth alder leaved Clethra
— <i>v. lanata.</i>	Woolly ditto
— paniculata.	Panicled ditto
Styrax officinale.	Official Styrax
— grandifolium.	Great leaved ditto
— levigatum.	Smooth ditto
Hydrangea arborescens.	Shrubby Hydrangea
— hortensis.	Changeable flowered ditto
Sedum populifolium.	Poplar leaved stone crop

## DODECANDRIA.

Halefia tetraptera.	Snowdrop tree
Euphorbia spinosa.	Brickly spurge
— characias.	Red ditto
Aristotelia Macqui.	Shining leaved Aristotelia
— <i>v. fol. aur. var.</i>	Gold blotched ditto

## ICOSANDRIA.

Philadelphus coronarius.	Common syringa
— nana.	Dwarf ditto
Punica Granatum.	Common pomegranate tree
— <i>v. fl. flav.</i>	Ditto with yellow stamina
— <i>v. fl. pl.</i>	Double flowered ditto
Amygdalus Persica.	Common peach tree
— <i>v. fl. pl.</i>	Common nectarine
— <i>v. fl. pl.</i>	Double flowered peach tree
— communis.	Sweet almond tree
— <i>v. amara.</i>	Bitter ditto
— <i>v. China.</i>	Chinese ditto
— <i>v. fol. var.</i>	Variegated ditto
— pumila.	Double flow. dwarf almond
— nana.	Common dwarf ditto

Amygdalus



# CATALOGUE.

21  
25

Amygdalus Orientalis.	Silvery leaved ditto
— Sibirica.	Siberian ditto
Prunus Mahaleb.	Perfumed cherry
— Armeniaca.	Common apricot
— nigra.	Black cherry
— domestica.	Common plum
— infutita.	Sloe tree
— pumila.	Dwarf Canadian cherry
Crataegus Aria.	Common white beam tree
— v. fol. var.	Variegated ditto
— Succicus.	Swedish ditto
— torminalis.	Service tree
— coccineus.	Great American hawthorn
— cordatus.	Maple leaved ditto
— pyrifolius.	Pear leaved ditto
— ellipticus.	Oval leaved ditto
— glandulosus.	Hollow leaved ditto
— flavus.	Yellow pear berried ditto
— parviflorus.	Gooseberry leaved ditto
— punctatus.	Great red fruited ditto
— v. aur.	Great yellow fruited ditto
— prunifolius.	Plum leaved ditto
— sanguineus.	Bloody ditto
— Azarolus.	Parsley leaved ditto
— Crus-galli.	Common cockspear ditto
— v. pyracanth.	Pyracantha leaved ditto
— v. salicif.	Willow leaved ditto
— tapacetifolius.	Tansy leaved ditto
— Oxyacanthus.	Common white ditto
— v. major.	Great fruited ditto
— v. pracox.	Glastenbury ditto
— v. fl. plen.	Double flowered ditto
— v. fl. rub.	Red flowered ditto
— v. fr. flav.	Yellow berried ditto
— v. fr. alb.	White fruited ditto
— v. fol. alb.	Variegated ditto
	Sorbus

<b>Sorbus Aucuparia.</b>	Mountain ash
— <i>v. fol. aur. var.</i>	Gold blotched ditto
— hybrida.	Bastard service tree
— domestica.	True service ditto
— Canadensis.	Canadian ditto
<b>Mespilus Pyracantha.</b>	Evergreen thorn
— <i>v. diffusa.</i>	Broad leaved ditto
— Germanica.	Narrow leaved Dutch medlar
— <i>v. diffusa.</i>	Broad leaved ditto
— arbutifolia.	Red fruited arbutus leaved do.
— <i>v. nigr.</i>	Black fruited ditto
— <i>v. alb.</i>	White fruited ditto
— <i>v. latif.</i>	Broad leaved ditto
— Amelanchier.	Alpine ditto
— <i>v. pend.</i>	Weeping ditto
— Chamæ-Mespilus.	Dwarf quince
— Canadensis.	Snowy Mespilus
— cotoneaster.	Dwarf ditto
— tomentosa.	Quince leaved ditto
— <i>v. fl. plen.</i>	Double flowered ditto
— <i>v. fol. arg. var.</i>	Gold blotched ditto
— latifolia.	Broad leaved ditto
— Japonica.	Japan Mespilus
<b>Pyrus communis.</b>	Common pear tree
— <i>v. fl. plen.</i>	Double flowered ditto
— <i>v. fol. varieg.</i>	Variegated ditto
— Pollveria.	Woolly leaved ditto
— Malus	Common apple tree
— <i>v. fol. varieg.</i>	Variegated ditto
— <i>v. Sibirica.</i>	Siberian crab
— spectabilis.	Chinese apple
— baccata.	Small fruited crab
— coronaria.	Sweet scented ditto
— angustifolia.	Narrow leaved ditto
— Cydonia.	Quince tree
— salicifolia.	Willow leaved crab
— præcox.	Early ditto

<i>Spiræa lævigata.</i>	Smooth leaved Spiræa
— <i>salicifolia</i> v. <i>carp.</i>	Flesh coloured willow leaved do.
— v. <i>panicul.</i>	Panicled ditto
— v. <i>latif.</i>	Broad leaved ditto
— v. <i>alb.</i>	White flowered ditto
— <i>tomentosa.</i>	Scarlet ditto
— <i>hypericifolia.</i>	Hypericum Frutex
— <i>crenata.</i>	Hawthorn leaved Spiræa
— <i>opulifolia.</i>	Virginian gilder rose
— <i>forbifolia.</i>	Service-tree leaved Spiræa
— <i>thalictroides.</i>	Meadow-rue leaved ditto
<i>Rosa lutea</i> v. <i>fimp.</i>	Single yellow rose
— v. <i>bicolor.</i>	Red and yellow Austrian ditto
— <i>sulphurea.</i>	Double yellow ditto
— <i>blanda.</i>	Hudson's bay ditto
— <i>cinnamomea</i> v. <i>f. simp.</i>	Single cinnamon ditto
— v. <i>f. plen.</i>	Double ditto
— <i>arvensis.</i>	White dog ditto
— <i>pimpinellifolia.</i>	Small burnet leaved ditto
— <i>spinosissima</i> v. <i>commun.</i>	Common Scotch ditto
— v. <i>f. rub.</i>	Red Scotch ditto
— v. <i>f. varieg.</i>	Striped flowered ditto
— v. <i>f. plen.</i>	Double Scotch ditto
— v. <i>spiral.</i>	Spiral ditto
— <i>Carolinensis</i> v. <i>max.</i>	Great single burnet leaved ditto
— v. <i>plen. max.</i>	Great double ditto
— v. <i>fimp.</i>	Pennsylvanian ditto
— v. <i>pleno.</i>	Double ditto
— v. <i>patula.</i>	Spreading ditto
— v. <i>erect.</i>	Upright ditto
— <i>villosa</i> v. <i>fimp.</i>	Single apple ditto
— v. <i>plen.</i>	Double ditto
— <i>Provincialis</i> v. <i>commun.</i>	Common Provence ditto
— v.	Childings ditto
— v. <i>f. rub.</i>	Red ditto
— v. <i>pallida.</i>	Blush ditto

Rosa Provincialis v. <i>fl. alb.</i>	White ditto
_____ v. <i>fl. plen.</i>	Double white ditto
_____ v. <i>de Meux major.</i>	Great dwarf rose de meux
_____ v. <i>de Meux min.</i>	Small dwarf ditto
_____ centifolia v.	Dutch 100 leaved rose
_____ v.	Blush ditto
_____ v.	Singleton's ditto
_____ v.	Petite ditto
_____ v.	Burgundy rose
_____ v.	Single velvet ditto
_____ v.	Double velvet ditto
_____ v.	Sultan ditto
_____ v.	Stepney ditto
_____ v.	Garnet ditto
_____ v.	Bishop ditto
_____ v.	Lisbon ditto
_____ Gallica. v. <i>officinal.</i>	Red officinal ditto
_____ v.	Mundi rose
_____ v.	Marbled ditto
_____ v.	Virginian ditto
_____ Damascena v.	Red damask ditto
_____ v.	Blush ditto
_____ v.	York and Lancaster ditto
_____ v.	White monthly ditto
_____ v.	Blush monthly ditto
_____ v.	Blush Belgick ditto
_____ v.	Red Belgick ditto
_____ v.	Great royal ditto
_____ sempervirens.	Evergreen ditto
_____ semperflorens.	Ever flowering ditto
_____ Indica.	Indian ditto
_____ pumila.	Dwarf Austrian ditto
_____ turbinata.	Frankfort ditto
_____ rubiginosa v.	Common sweet ditto
_____ v.	Semidouble ditto
_____ v.	Double ditto



Rosa rubiginosa v.	Mossy double ditto
_____ v.	Evergreen double ditto
_____ v.	Marbled double ditto
_____ v.	Rose double ditto
— muscosa.	Moss Provence rose
— moschata v.	Single musk ditto
_____ v.	Double musk ditto
_____ v.	Red musk ditto
— alpina v.	Alpine ditto
_____ v.	Red Alpine ditto
— canina v.	Dog rose
_____ v.	Variegated ditto
— pendulina.	Smooth pendulous ditto
— alba.	Single white rose
_____ v.	Double ditto
_____ v.	Small maidens blush ditto
_____ v.	Great ditto
_____ v.	Clustered ditto
_____ v.	Small burnet ditto
Rosa.	Portland ditto
—	Labrador ditto
—	Stæban ditto
—	Pennsylvanian ditto
—	De Rheims
—	Blandford rose
—	Thornless ditto
—	American upright ditto
—	Pluto ditto
—	Hedgehog ditto
—	Atlas ditto
—	Giant ditto
—	Bright purple ditto
—	Plicate ditto
—	Caucasia
—	Pyramidal ditto
—	Cardinal ditto

Rubus Idæus	Raspberry
— <i>v. alb.</i>	White ditto
— <i>v. levigat.</i>	Smooth ditto
— Occidentalis.	Virginian ditto
— hispidus.	Bristly bramble
— Cœsius.	Dewberry ditto
— fruticosus.	Common ditto
— <i>v. alb.</i>	White fruited ditto
— <i>v. pleno.</i>	Double flowered ditto
— <i>v. inermis.</i>	Smooth ditto
— <i>v. lacinias.</i>	Parsley leaved ditto
— villosus.	Hairy bramble
— saxatilis.	Stone ditto
— Arcticus.	Dwarf bramble
Potentilla fruticosa.	Shrubby cinquefoil
Calycanthus floridus.	Carolina allspice
— <i>v. ovatus.</i>	Round leaved ditto

## POLYANDRIA.

Thea Bohea.	Broad leaved tea
— <i>v. striat.</i>	Narrow leaved ditto
Gordonia pubescens.	Loblolly bay
Cistus populifolius.	Great poplar leaved Cistus
— <i>v. minor.</i>	Small ditto
— laurifolius.	Laurel leaved ditto
— ladaniferus.	Common gum ditto
— <i>v. planifolius.</i>	Flat leaved ditto
— <i>v. fl. rub.</i>	Red flowered ditto
— <i>v. fol. aur. var.</i>	Gold blotched ditto
— Montpellierensis.	Montpellier ditto
— laxus.	Wave leaved ditto
— salvifolius.	Sage leaved ditto.
— incanus.	Hoary leaved ditto
— albidus.	White leaved ditto
— Creticus.	Cretan ditto
— crispus.	Curled leaved ditto

Cistus

<i>Cistus crispus v. latif.</i>	Broad leaved ditto
— <i>halimifolius.</i>	Sea purslane leaved ditto
— <i>v. oleaefol.</i>	Olive leaved ditto
— <i>umbellatus.</i>	Umbelled ditto
— <i>scabrosus.</i>	Rough ditto
— <i>undulatus.</i>	Undulated ditto
— <i>obliquus.</i>	Olive ditto
— <i>canus.</i>	Myrtle leaved ditto
— <i>marifolius.</i>	Marum leaved Cistus
— <i>Anglicus.</i>	Hairy ditto
— <i>Surrejanus.</i>	Small flowered ditto
— <i>serpyllifolius.</i>	Serpyllum leaved ditto
— <i>thymifolius.</i>	Thyme leaved ditto
— <i>Helianthemum</i>	Yellow flowered dwarf ditto
— <i>v. sulphur.</i>	Sulphur ditto
— <i>v. alb.</i>	White ditto
— <i>v. roseo.</i>	Rose ditto
— <i>v. purp.</i>	Purple ditto
— <i>v. fol. aur. var.</i>	Gold blotched ditto
— <i>Apenninus.</i>	Apennine ditto
— <i>polifolius.</i>	Mountain ditto
<i>Fothergilla alnifolia.</i>	Broad leaved Fothergilla
— <i>v. acuta.</i>	Narrow leaved ditto
— <i>speciosa</i>	Snowy ditto
— <i>glauca</i>	Glaucous ditto
<i>Calligonum Pallasia</i>	
<i>Annona triloba.</i>	Trifid fruited custard apple
<i>Atragene alpina.</i>	Alpine Atragene
<i>Clematis cirrhosa.</i>	Evergreen virgins bower
— <i>v. fl. pleno.</i>	Double flowered ditto
— <i>Viticella.</i>	Purple virgins bower
— <i>v. fl. pleno.</i>	Double flowered ditto
— <i>v. fl. rub.</i>	Red flowered ditto
— <i>Viorna.</i>	Leathery flowered ditto
— <i>crispa.</i>	Curled ditto
— <i>Orientalis.</i>	Oriental ditto

Clematis Virginiana.	Virginian ditto
—— Vitalba.	Travellers Joy
—— Apennina.	Apennine ditto
—— flammula.	Sweet scented virgins bower

## DIDYNAMIA.

Hyssopus officinalis	Common hyssop
—— v. fl. rub.	Red flowered ditto
—— v. fl. alb.	White flowered ditto
—— v. fol. pilos.	Hairy ditto
Teucrium flavum v. fol. crenat.	} Notched leaved yellow flowered shrubby germander
—— v. fol. integris.	
—— montanum.	Dwarf germander
—— Polium v. mont.	White mountain ditto
—— v. marit.	Sea ditto
—— capitatum.	Round headed ditto
Satureja montana.	Winter savory
—— capitata.	Ciliated ditto
Lavandula spica.	Common lavender
—— v. fl. alb.	White flowered ditto
—— v. latifol.	Broad leaved ditto
Sideritis incana.	Lavender leaved iron wort
Stachys latifolia.	Broad leaved Stachys
Phlomis fruticosa v. angust.	Narrow leaved shrubby Phlomis
—— v. latif.	Broad leaved ditto
—— purpurea.	Purple ditto
Thymus Serpyllum	Common smooth mother of
—— v. citri odore.	Lemon thyme [thyme]
—— v. villosus	Hoary mother of thyme
—— v. hirtus.	Hairy ditto
—— vulgaris.	Narrow leaved garden ditto
—— v. fol. arg. var.	Silver blotched garden thyme
—— v. latior.	Broad leaved ditto
—— Zygis.	Linear leaved ditto

Bignonia



# CATALOGUE

29

Bignonia Catalpa.	Common Catalpa
—— capreolata.	Four leaved trumpet flower
—— radicans.	Great ash leaved ditto
—— <i>v. minor.</i>	Small ditto
Linnaea Borealis.	Two flowered Linnaea
Vitex Agnus Cast. <i>angust.</i>	Narrow leaved chaste tree
—— <i>v. latifol.</i>	Broad leaved ditto

## TETRADYNAMIA.

Iberis sempervirens.	Nar. leav. evergreen candy tuft
Alyssum saxatile.	Shrubby madwort
Vella Pseudo-Cytisus.	Shrubby Vella

## MONADELPHIA.

Hibiscus syriacus.	Althæa Frutex
—— <i>v. rub.</i>	Red ditto
—— <i>v. alb.</i>	White ditto
—— <i>v. variegat.</i>	Striped flowered ditto
Stuartia Malacodendron	Common Stuartia
—— Marylandica.	Maryland ditto

## DIADELPHIA.

Polygala Chamœbuxus.	Box leaved milkwort
Spartium junceum.	Common Spanish broom
—— <i>v. pleno.</i>	Doubled flowered ditto
—— decumbens.	Trailing ditto
—— scorpius.	Scorpion ditto
—— multiflorum.	Portugal white ditto
—— scoparium.	Common ditto
—— patens.	Woolly podded ditto
—— radiatum.	Starry ditto
Genista candicans.	Montpellier cytisus
—— triquetra.	Triangular broom
—— sagittalis.	Jointed ditto
—— tinctoria.	Common dyer's ditto

Genista

<i>Genista florida.</i>	Spanish ditto
— <i>pilosa.</i>	Hairy ditto
— <i>Anglica.</i>	Petty whin
— <i>Germanica.</i>	German broom
— <i>Hispanica.</i>	Dwarf prickly ditto
— <i>Lusitanica.</i>	Portugal ditto
<i>Ulex Europeanus.</i>	Common furze
— <i>nanus.</i>	Dwarf ditto
<i>Amorpha fruticosa.</i>	Shrubby bastard indigo
<i>Ononis fruticosa.</i>	Shrubby reitharrow
— <i>rotundifolia.</i>	Round leaved ditto
<i>Glycine frutescens.</i>	Common kidney bean tree
<i>Cytisus Laburnum.</i>	Common Laburnum
— <i>v. fol. aur. var.</i>	Gold blotched ditto
— <i>v. alpinus.</i>	Alpine ditto
— <i>nigricans.</i>	Black Cytisus
— <i>divaricatus.</i>	Clammy ditto
— <i>Wolgaricus.</i>	Winged leaved ditto
— <i>hirsutus.</i>	Hairy ditto
— <i>seffilifolius.</i>	Common ditto
— <i>capitatus.</i>	Clustered flowered ditto
— <i>purpureus.</i>	Purple ditto
— <i>Austriacus.</i>	Siberian ditto
— <i>supinus.</i>	Trailing ditto
— <i>argenteus.</i>	Silvery ditto
— <i>biflorus.</i>	Smooth ditto
<i>Robinia Pseud-Acacia.</i>	Two thorned acacia
— <i>hispida.</i>	Rose ditto
— <i>Caragana.</i>	
— <i>spinosa.</i>	Thorny Robinia
— <i>Altagana.</i>	
— <i>Chamlagu.</i>	Shining ditto
— <i>Halodendron.</i>	Salt tree ditto
— <i>frutescens.</i>	Shrubby ditto
— <i>pygmaea.</i>	Dwarf ditto
<i>Colutea arborefcens.</i>	Common bladder fenna

Colutea

# CATALOGUE.

31

Colutea cruenta.	Oriental ditto
—— Pocockii.	Pocock's ditto
Coronilla emerus.	Scorpion fenna
—— Vallentina.	Small shrubby Coronilla
—— Glauca.	Great shrubby ditto
Lotus Doryenium.	Shrubby birds foot trefoil
—— hirsutus.	Hairy ditto
Astragalus Tragacantha.	Goats thorn milk vetch
Medicago arborea.	Moon trefoil, or tree medick

## POLYADELPHIA.

Hypericum calycinum.	Great flowered St. John's wort
—— Androsæmum.	Common Eutfan
—— Olympicum.	Olimpian St. John's wort
—— elatum.	Tall ditto
—— hircinum.	Common stinking shrubby ditto
—— v. minus.	Small ditto
—— proliferum.	Proliferous ditto

## SYNGENESIA.

Santolina Chamæ-Cyparif.	Common lavender cotton
—— tomentosa.	Hoary ditto
—— rosmarinifolia.	Rosemary leaved ditto
Artemisia Abrotanum.	Common southernwood
—— Santonica.	Tartarian ditto
—— crithmifolia.	Samphire leaved ditto
Baccharis halimifolia.	Virginian groundfel tree
Othonna cheirifolia.	Stock leaved African ragwort

## MONOECIA.

Passiflora cærulea.	Common passion flower
Aristolochia Siphon.	Broad leaved birtworth
—— arborea.	Tree ditto
—— sempervirens.	Evergreen ditto

Axyris

<i>Axyris ceratoides</i> .	Shrubby Axyris
<i>Comptonia asplenifolia</i> .	Fern leaved Comptonia
<i>Buxus sempervirens</i> .	Common tree box
— <i>v. lanceolat.</i>	Narrow leaved ditto
— <i>v. fol. aur.</i>	Gold blotched ditto
— <i>v. fol. argent.</i>	Silver blotched ditto
— <i>v. fol. apice notat.</i>	Horse shoe ditto
— <i>humilis</i> .	Dwarf ditto
— <i>Balearica</i> .	Minorcan ditto
<i>Iva frutescens</i> .	Bastard Jesuit's bark tree
<i>Corylus rostrata</i> .	American cuckold nut
— <i>Columna</i> .	Constantinople hazel nut
— <i>Avellana</i> .	Common ditto
— <i>v. alb.</i>	White filbert
— <i>v. rubra</i> .	Red ditto
— <i>v. grandis</i> .	Cob nut tree
— <i>v. glomerata</i> .	Clustered nut ditto
<i>Liquidambar styraciflua</i>	Sweet gum
— <i>imberbe</i> .	Oriental Liquidamber
<i>Thuja Occidentalis</i> .	American arbor vitae tree
— <i>Orientalis</i> .	China ditto
<i>Cupressus sempervirens</i> .	Upright cypress tree
— <i>v. horizontalis</i> .	Male spreading ditto
— <i>disticha</i> .	Common deciduous cypress
— <i>v. nutan.</i>	Long leaved ditto
— <i>thyoides</i> .	White cedar
— <i>pendula</i> .	Portugal cypress
— <i>juniperoides</i> .	Juniper leaved ditto
<i>Croton sebiferum</i> .	Tallow tree

## DIOECIA.

<i>Salix hermaphrodita</i> .	Shining willow
— <i>triandra</i> .	Smooth ditto
— <i>pentandra</i> .	Sweet ditto
— <i>vitellina</i> .	Yellow ditto

Salix



<i>Salix amygdalina.</i>	Almond leaved ditto
<i>— hastata.</i>	Halbert leaved ditto
<i>— fragilis.</i>	Crack ditto
<i>— Babylonica.</i>	Weeping ditto
<i>— rubra.</i>	Red ditto
<i>— glauca.</i>	Glaucous, or alpine ditto
<i>— myrsinitis.</i>	Whorl leaved ditto
<i>— herbacea.</i>	Herbaceous ditto
<i>— retusa.</i>	Blunt leaved ditto
<i>— reticulata.</i>	Wrinkled ditto
<i>— myrtilloides.</i>	Myrtle leaved ditto
<i>— aurita.</i>	Small round leaved ditto
<i>— lanata.</i>	Downy ditto
<i>— Lapponum.</i>	Lapland ditto
<i>— arenaria.</i>	Sand ditto
<i>— incubacea.</i>	Trailing ditto
<i>— repens.</i>	Creeping ditto
<i>— fusca.</i>	Brown ditto
<i>— rosmarinifolia.</i>	Rosemary leaved ditto
<i>— caprea.</i>	Common ditto
<i>— cinerea.</i>	Ash coloured ditto
<i>— tristis.</i>	Narrow leaved American ditto
<i>— viminalis.</i>	Osier ditto
<i>— alba.</i>	White ditto
<i>— variegata.</i>	Variegated ditto
<i>— Septentrionalis.</i>	American ditto
<i>— Pensylvanica.</i>	Pensylvanian ditto
<i>— acuminata.</i>	Sharp pointed leaved ditto
<i>— fissa.</i>	Cloven leaved ditto
<i>— Japonica.</i>	Japan ditto
<i>Empetrum nigrum.</i>	Crow berries
<i>— Caledonum.</i>	Scotch ditto
<i>Viscum album.</i>	Common mistletoe
<i>Hippophae Rhamnoides.</i>	Sea buckthorn
<i>— Canadensis.</i>	Canadian ditto

Myrica Gale.	Sweet gale	(myrtle)
cerifera	Common American candleberry	
v. latif.	Broad leaved ditto	
Faya.	Azorian ditto	
Zanthoxylon Clava-Herculis.	Common toothache tree	
Pistacia officinalis.	Pistachia tree	
Terebinthus.	Common turpentine tree	
Smilax aspera.	Rough bindweed	
v. auriculata.	Ear leaved ditto	
Sarsaparilla.	Sarsaparilla	
rotundifolia.	Round leaved smilax	
laurifolia.	Laurel leaved ditto	
tamnoides.	Black briony leaved ditto	
caduca.	Deciduous ditto	
Bona-nox.	Ciliated ditto	
lanceolata.	Spear leaved ditto	
Mercurialis tomentosa.	Woolly mercury	
Coriaria myrtifolia.	Myrtle leaved sumach	
Menispermum Canadense.	Canadian moonseed	
Carolinum.	Carolina ditto	
Juniperus thurifera.	Spanish juniper	
Bermudiana.	Bermudas cedar	
Sabina.	Common savin	
v. tamariscifolia.	Tamarisk leaved ditto	
v. fol. varieg.	Variegated ditto	
Virginiana.	Virginian red cedar	
communis.	Common juniper	
v. montana.	Procumbent ditto	
v. Saxica.	Swedish ditto	
Oxycedra.	Brown'berried ditto	
Phoenicea.	Phœnician ditto	
Ephedra distachya.	Great shrubby horsetail	
monostachya.	Small ditto	
Cissampelos smilacina.	Smilax leaved Cissampelos	
Ruscus aculeatus.	Prickly butchers broom	
laxus.		

Ruscus

Rufcus hypophylus.	Broad leaved ditto
—— hypoglossus.	Double leaved ditto
—— racemosus.	Alexandrian laurel

## POLYGAMIA.

Atriplex Halimus	Spanish sea purslane
—— portulacoides.	Common ditto
Celtis Australis.	European nettle tree
—— Orientalis.	Oriental ditto
—— Occidentalis.	American ditto
Ailanthus glandulosa.	Tail Allanthus
Gleditsia triacanthos.	Three thorned acacia
—— v. monosper.	Single seeded, or water ditto
—— horrida.	Strong spined ditto
Diospiros Lotus.	European date plum
—— Virginiana.	American ditto
Nyssa integrifolia.	Mountain tupelo
—— denticulata.	Water ditto
Ficus Carica.	Common fig tree

# No. 14. & 15.

Containing the GRAMINA VERA or TRUE GRASSES, including Oats, Wheat, Rye, and Barley.

NOTE.—The Marks are in the form of BATTLE DORES, BLACK and RED Letters on a WHITE GROUND, and the arrangement begins alphabetically, at the East end of the Garden.

Ægilops ovatus.	Oval spiked hard grass
— triuncialis.	Long spiked ditto
Agrostis alba.	White marsh bent grass
— alpina.	Alpine ditto
— arenaria.	Sea ditto
— canina.	Brown ditto
— Cornucopiæ.	Cornucopiæ ditto
— Mexicana.	Mexican ditto
— miliacea.	Millet ditto
— minima.	Very small ditto
— palustris.	Marsh ditto
— pumila.	Dwarf ditto
— repens.	Creeping ditto
— rubra.	Red ditto
— setacea.	Bristly ditto
— Spica-Venta.	Silky ditto
— sylvatica.	Wood ditto
— tenuifolia.	Slender leaved ditto
— verticillata.	Whorled ditto
— vinealis.	Vine ditto
Aira aquatica.	Water hair grass

Aira



<i>Aira Canescens.</i>	Gray ditto
— <i>caryophyllæa.</i>	Silvery leaved ditto
— <i>cæspitosa.</i>	Turfy ditto
— <i>flexuosa.</i>	Heath ditto
— <i>montana.</i>	Mountain ditto
— <i>præcox.</i>	Early ditto
<i>Alopecurus agrestis.</i>	Field foxtail grass
— <i>bulbosus.</i>	Bulbous ditto
— <i>geniculatus.</i>	Flote ditto
— <i>Monspeliensis.</i>	Bearded ditto
— <i>panicus.</i>	Small bearded ditto
— <i>pratensis.</i>	Meadow ditto
<i>Anthoxanthum odoratum.</i>	Sweet scented spring grass
<i>Arundo arenaria.</i>	Sea reed grass
— <i>Calamagrostis.</i>	Wood ditto
— <i>Donax.</i>	Manured ditto
— <i>Epigejos.</i>	Small ditto
— <i>Phragmites.</i>	Common ditto
<i>Avena elatior.</i>	Tall oat grass
— <i>var. nodosa.</i>	Bulbous rooted ditto
— <i>var. mutica.</i>	Tall oat grass without awns.
— <i>fatua.</i>	Wild ditto
— <i>flavescens.</i>	Yellow ditto
— <i>fragilis.</i>	Brittle ditto
— <i>nuda.</i>	Naked ditto
— <i>Pennsylvanica.</i>	Pennsylvanian ditto
— <i>pratensis.</i>	Meadow ditto
— <i>pubescens.</i>	Soft ditto
— <i>fatua nigra.</i>	Cultivated black, or common do.
— <i>fatua alba.</i>	Cultivated white, or common do.
— <i>Sibirica.</i>	Siberian ditto
— <i>sterilis.</i>	Bearded ditto
— <i>strigosa.</i>	Scranell ditto
<i>Briza maxima.</i>	Great quaking grass
— <i>media.</i>	Middle ditto
— <i>minor.</i>	Small ditto

Briza

<i>Briza virens.</i>	Spanish ditto
<i>Bromus arvensis.</i>	Corn brome grass
— <i>ciliatus.</i>	Ciliated ditto
— <i>erectus.</i>	Upright ditto
— <i>giganteus.</i>	Tall ditto
— <i>gracilis.</i>	Slender ditto
— <i>hirsutus.</i>	Wood brome grass.
— <i>inermis.</i>	Smooth ditto
— <i>Madritensis.</i>	Wall ditto
— <i>mollis.</i>	Soft ditto
— <i>secalinus.</i>	Field ditto
— <i>squarrosus.</i>	Corn ditto
— <i>sterilis.</i>	Barren ditto
— <i>stipoides.</i>	Feathery ditto
— <i>sylvaticus.</i>	Hairy stalked ditto
— <i>tectorum.</i>	Nodding panicled ditto
<i>Cynofurus caeruleus.</i>	Blue dog's-tail grass
— <i>cristatus.</i>	Crested ditto
— <i>echinatus.</i>	Rough ditto
— <i>erucaformis.</i>	Linear spiked ditto
<i>Dactylis Cynosuroides.</i>	American cock's-foot grass
— <i>glomerata.</i>	Rough ditto
— <i>patens.</i>	Spreading ditto
— <i>stricta.</i>	Sea ditto
<i>Elymus arenarius.</i>	Sea lyme grass
— <i>Canadensis.</i>	Canadian ditto
— <i>caninus.</i>	Dog's ditto
— <i>Europeus.</i>	Wood ditto
— <i>geniculatus.</i>	Jointed ditto
— <i>giganteus.</i>	Gigantic ditto
— <i>Hystrix.</i>	Rough ditto
— <i>Philadelphicus.</i>	Philadelphian ditto
— <i>Sibiricus.</i>	Siberian ditto
— <i>Virginicus.</i>	Virginian ditto
<i>Festuca bromoides.</i>	Barren Fescue grass
— <i>Cambrica.</i>	Welsh ditto

Festuca

<i>Festuca decumbens</i> .	Decumbent ditto
<i>duriuscula</i> .	Hard ditto
<i>dumetorum</i> .	Pubescent fescue grass
<i>elatiores</i> .	Tall ditto
<i>fluitans</i> .	Flote ditto
<i>glauca</i> .	Glaucous ditto
<i>loliacea</i> .	Darnel ditto
<i>ovina</i> .	Sheep ditto
<i>Var. 1.</i>	Awned sheeps ditto
<i>Var. 3.</i>	Awnless sheeps ditto
<i>Var. 4.</i>	Viviparous sheeps ditto
<i>pratensis</i> .	Meadow ditto
<i>rubra</i> .	Red ditto
<i>spadicea</i> .	Spadiceous ditto
<i>unigluma</i> .	Sea ditto
<i>Holcus lanatus</i> .	Meadow soft grass
<i>mollis</i> .	Creeping ditto
<i>odoratus</i> .	Sweet scented ditto
<i>Hordeum distichon</i> .	Common barley
<i>hexastichon</i> .	Winter ditto
<i>jobatum</i> .	Long bearded ditto
<i>maritimum</i> .	Sea ditto
<i>maritimum</i> .	Wall ditto
<i>pratense</i> .	Meadow ditto
<i>syriacum</i> .	Wood ditto
<i>vulgare</i> .	Spring ditto
<i>Zoeritoni</i> .	Battledore ditto
<i>Lagurus ovatus</i> .	Oval spiked Lagurus
<i>Lolium arvense</i> .	White darnel grass
<i>perenne</i> .	Ray ditto
<i>temulentum</i> .	Rivory
<i>tenuis</i> .	Slender darnel grass
<i>Melica alissima</i> .	Tall melic grass
<i>caerulea</i> .	Purple ditto
<i>ciliata</i> .	Ciliated ditto

<i>Melica nutans.</i>	omib. madinuo	Mountain ditto	madinuo
— <i>sericea.</i>	omib. bial	Silky ditto	alpoitimb
— <i>uniflora.</i>	bolst. inoledu	Single flowered wood ditto	—
<i>Milium effusum.</i>	omib. il	Common millet grass	—
— <i>Lendigerum.</i>	omib. bol	Yellow spiked ditto	—
— <i>paradoxum.</i>	omib. wot	Black seeded ditto	—
<i>Nardus stricta.</i>	omib. leu	Matt grass	—
<i>Panicum capillare.</i>	omib. gred	Hair panicled panic grass	—
— <i>Crus-galli.</i>	omib. l. Sav	Thick spiked cocks foot ditto	—
— <i>Dactylon.</i>	omib. l. Sav	Creeping ditto	—
— <i>filiforme.</i>	omib. wot	Close spiked ditto	—
— <i>glaucum.</i>	omib. wot	Glaucous ditto	—
— <i>Italicum.</i>	omib. h	Italian ditto	—
— <i>miliaceum.</i>	omib. wot	Millet ditto	—
— <i>sanguinale.</i>	omib. wot	Slender spiked ditto	—
— <i>verticillatum.</i>	omib. wot	Rough ditto	—
— <i>viride.</i>	omib. gred	Green ditto	—
<i>Phalaris aquatica.</i>	omib. l. Sav	Water canary grass	—
— <i>arundinacea.</i>	omib. l. Sav	Reed ditto	—
— <i>v. f. arg.</i>	omib. l. Sav	Silver striped ditto	—
— <i>v. f. aur.</i>	omib. l. Sav	Gold striped reed ditto	—
— <i>Canariensis.</i>	omib. l. Sav	Manured ditto	—
— <i>paradoxa.</i>	omib. l. Sav	Bristly spiked ditto	—
— <i>phleoides.</i>	omib. wot	Cat's-tail ditto	—
<i>Phleum alpinum.</i>	omib. l. Sav	Mountain Timothy grass	—
— <i>arenarium.</i>	omib. gred	Sea ditto	—
— <i>nodosum.</i>	omib. wot	Bulbous cat's-tail grass	—
— <i>paniculatum.</i>	omib. l. Sav	Branched Timothy grass	—
— <i>pratense.</i>	omib. l. Sav	Common ditto	—
<i>Poa alpina.</i>	omib. l. Sav	Alpine meadow grass	—
— <i>angustifolia.</i>	omib. l. Sav	Narrow leaved ditto	—
— <i>annua.</i>	omib. l. Sav	Annual ditto	—
— <i>aquatica.</i>	omib. l. Sav	Water ditto	—
— <i>compressa.</i>	omib. l. Sav	Creeping ditto	—
— <i>cristata.</i>	omib. l. Sav	Crested ditto	—
— <i>distans.</i>	omib. l. Sav	Loose flowered ditto	—



# CATALOGUE.

41

Poa glauca.	Glaucous ditto
— loliacea.	Spiked sea ditto
— maritima.	Sea ditto
— nemoralis.	Wood ditto
— pratensis.	Great ditto
— retroflexa.	Retroflexed ditto
— rigida.	Hard ditto
— trivialis.	Rough stalked ditto
Rottboellia incurvata.	Sea hard ditto
Secale cereale hybernum.	Winter manured rye
— vernal.	Spring ditto
Triticum æstivum.	Summer wheat
— compositum.	Compound ditto
— hybernum.	Winter, or Lamas ditto
— junceum.	Rush wheat grass
— maritimum.	Sea ditto
— monococcum.	One grained wheat
— Polonicum.	Poland ditto
— repens.	Couch grass
— Spelta.	Spelt wheat
— tenellum.	Dwarf wheat grass
— turgidum.	Cone wheat
— var. aristis nigris.	with black awns.

*The HORTUS TINCTORIUS, or DYER'S DIVISION, containing  
such Plants as are subservient to the Purposes of Dyeing.*

☞ NOTE.—The Marks are in the Form of small Crosses,  
BLACK and RED Letters on a FRENCH WHITE GROUND,  
towards the West end of the Garden.

Acanthus mollis.	Smooth bears breech
Ajuga reptans.	Common bugle
Anchusa officinalis.	Officinal bugloss
Anemone Pulsatilla.	Pasque-flower Anemone
Anthemis tinctoria.	Yellow camomile
Anthyllis vulneraria.	Yellow kidney vetch
Arbutus Uva-Ursi.	Trailing Arbutus
Arundo Phragmites.	Common reed grass
Berberis vulgaris.	Common berberry
Betula alba.	Common birch tree
— Alnus.	Common alder tree
— nana.	Smooth dwarf birch
Bidens tripartita.	Water-hemp agrimony
Bixa Orellana.	Heart-leaved Bixa
Bromus secalinus.	Field brome grass
Cæsalpinia Sappan.	Narrow-leaved prickly Brasiletto
Caltha palustris.	March marygold
Campanula rotundifolia.	Round-leaved bell flower
Carpinus Betulus.	Common hornbeam
Centaurea Cyanus.	Blue bottle
Centaurea Jacea.	Common Centaury
Chærophyllum sylvestre.	Cow weed
Comarum palustre.	Marsh cinquefoil

Crocus

# CATALOGUE.

43

<i>Crocus sativus.</i>	Saffron
<i>Datisca canabina.</i>	Bastard hemp
—— <i>hirta.</i>	Hairy Datisca
<i>Delphinium Consolida.</i>	Wild lark spur
<i>Erica vulgaris.</i>	Common heath
<i>Fraxinus excelsior.</i>	Ash tree
<i>Galium verum.</i>	Yellow ladies bedstraw
<i>Genista tinctoria.</i>	Dyers broom
<i>Hieracium umbellatum.</i>	Umbelled hawk-weed
<i>Hypericum perforatum.</i>	Perfoliate St. John's wort.
<i>Indigofera tinctoria.</i>	Dyer's indigo
<i>Iris Germanica</i>	German Iris
<i>Iris Pseud-acorus.</i>	Yellow Iris, or Common flagger
<i>Isatis tinctoria.</i>	Common dyer's woad
<i>Lawsonia inermis.</i>	Smooth Lawsonia
<i>Lichen calcareus.</i>	Dyer's Lichen
—— <i>caperatus.</i>	Rose ditto
—— <i>juniperinus.</i>	Juniper ditto
—— <i>omphalodes.</i>	Purple ditto
—— <i>pulmonarius.</i>	Lungwort ditto
—— <i>pustulatus.</i>	Singed ditto
—— <i>saxatilis.</i>	Stone ditto
—— <i>vulpinus.</i>	Fox ditto
<i>Ligustrum vulgare.</i>	Common privet
<i>Lithospermum arvense.</i>	Bastard alkanet
<i>Lycopodium complanatum.</i>	Smooth club moss
<i>Lycopus Europeus.</i>	Water horehound
<i>Lyfimachia vulgaris.</i>	Common loose-strife
<i>Myrica Gale.</i>	Sweet Gale
<i>Nymphæa alba.</i>	White water lilly
<i>Polygonum Persicaria.</i>	Spotted arismart
<i>Potentilla Tormentilla.</i>	Tormentil
<i>Pyrus communis.</i>	Pear tree
—— <i>Malus.</i>	Common apple tree
<i>Quercus Ægilops.</i>	Great prickly cuped oak
—— <i>Robur.</i>	Common oak tree

<i>Refeda Luteola.</i>	Dyer's weed
<i>Rhamnus catharticus.</i>	Purging buckthorn
—— <i>frangula.</i>	Berry bearing alder
—— <i>minor.</i>	Dyer's grains
<i>Rhus Coriaria.</i>	Elm-leaved Sumack
—— <i>Colinus.</i>	Venus's sumack
<i>Rosa spinosissima.</i>	Common Scotch rose
<i>Rubia tinctorum.</i>	Dyer's madder
<i>Rubus fruticosus.</i>	Common bramble, or blackberry
<i>Rumex Acetosa.</i>	Common sorrel
—— <i>acutus.</i>	Sharp pointed dock
—— <i>maritimus.</i>	Golden dock
<i>Salix pentandra.</i>	Sweet willow
<i>Sambucus Ebulus.</i>	Dwarf elder
—— <i>nigra.</i>	Common ditto
<i>Satyrion nigrum.</i>	Black-flowered Satyrion
<i>Scabiosa succisa.</i>	Devil's-bit scabious
<i>Senecio Jacobæa.</i>	Common ragwort
<i>Serratula tinctoria.</i>	Common saw-wort
<i>Stachys sylvatica.</i>	Hedge nettle
<i>Tanacetum vulgare.</i>	Common tansey
<i>Thalictrum flavum.</i>	Common meadow rue
<i>Thapsia villosa.</i>	Deadly carrot
<i>Tormentilla erecta.</i>	Common tormentil
<i>Urtica dioica.</i>	Common nettle
<i>Viola odorata.</i>	Sweet violet
<i>Xanthium Strumarium.</i>	Lesser burdock



45.

C A T A L O G U E

OF

NO. XIX.

IN

THE MAP OF THE  
DUBLIN SOCIETY'S  
BOTANIC GARDEN, AT GLASNEVIN.

CONTAINING THE

HERBARIUM,

OR

SYSTEMATIC ARRANGEMENT

OF

*HERBACEOUS PLANTS,*

*Cryptogamicks Excluded.*

NOTE. At the beginning of each CLASS, a Mark is fixed, expressive of the Class in the Linnæan System, about Eighteen Inches high; and the Marks of the *Orders*, *Genera*, *Species*, and *Varieties*, are in the Form of small Crosses, with BLACK and RED LETTERS ON A WHITE GROUND, which begin at the Front of the House, and run on to the West End of the Garden.

CATALOGUE

NO. XIX.

THE MAP OF THE

DUBLIN SOCIETY'S

BOTANIC GARDEN AT GLASSNEVIN

CONTAINING THE

HERBARIUM

SYSTEMATIC ARRANGEMENT

HERBACEOUS PLANTS

CRYPTOGAMIC PLANTS

NOTE. At the beginning of each CLASS, a Mark is fixed, expressive of the Class in the Linnaean System, shown in figures to the right, and the Mark of the Order, Genus, Species, and Variety, are in the form of small Crochets, with arabic and roman numerals on a square ground, which begin at the Foot of the Head, and run on to the Well End of the Garden.

## HERBARIUM,

OR

## HERBACEOUS DIVISION.

## CLASSIS I.

## MONANDRIA MONOGYNIA.

Salicornia herbacea.	Marsh jointed glasswort
Hippuris vulgaris.	Mares-tail

## MONANDRIA DIGYNIA.

Corispermum hyssopifolium.	Hyssop leaved tickseed
Callitriche verna.	Vernal starheaded chickweed
———— autumnalis.	Autumnal ditto
Blitum capitatum.	Berry-headed strawberry blite
———— virgatum.	Slender branched ditto
———— v. chenopodioides.	Goose-foot leaved ditto
Cinna arundinacea	

## CLASSIS II.

## DIANDRIA MONOGYNIA.

Circaea Lutetiana.	Enchanters nightshade.
———— alpina.	Mountain ditto
Veronica Sibirica.	Siberian speedwell
———— Virginica.	Virginian white flowered ditto
———— v. incarnata.	Virginian blush ditto
———— spuria.	Bastard ditto
———— maritima.	Blue flowered sea ditto
———— v. fl. alb.	White flowered ditto
———— v. fl. incarnata.	Flesh coloured ditto

Veronica

Veronica longifolia.	Long leaved ditto
— incana.	Hoary ditto
— candida.	White ditto
— spicata.	Upright spiked male ditto
— hybrida.	Welsh ditto
— pinnata.	Winged leaved ditto
— laciniata.	Jagged-leaved ditto
— incisa.	Cut-leaved ditto
— officinalis.	Officinal male ditto
— Allionii.	
— aphylla.	Naked stalked ditto
— bellidioides.	Daisy-leaved ditto
— fruticulosa.	Purple stalked evergreen ditto
— saxatilis.	Rock ditto
— alpina.	Alpine ditto
— serpyllifolia.	Smooth ditto
— tenella.	Moneywort leaved ditto
— Beccabunga.	Brooklime
— Anagallis.	Longleaved water speedwell
— scutellata.	Narrow-leaved water ditto
— Teucrium.	Hungarian ditto
— prostrata.	Trailing ditto
— montana.	Mountain ditto
— chamædrys.	Wild Germander, or speedwell
— Orientalis.	Oriental ditto
— multifida.	Multifid ditto
— Austriaca.	Austrian ditto
— urticæfolia.	Nettle-leaved ditto
— latifolia.	Broad leaved ditto
— paniculata.	Panicled ditto
— agrestis.	Blue flowered germander ditto
— v. fl. alb.	White flowered ditto
— hederifolia.	Blue flowered ivy-leaved ditto
— v. fl. alb.	White flowered ditto
— triphyllous.	Trifid ditto
— verna.	Spring ditto

Veronica



Veronica peregrina.	Knot-grass leaved ditto
Gratiola officinalis.	Hedge hyssop
Pinguicula Lusitanica.	Hairy stalked butterwort
——— vulgaris.	Common butterwort
Utricularia vulgaris.	Common hooded water milfoil
——— minor.	Lesser ditto
Verbena hastata.	Halbert leaved vervain
——— urticæfolia.	Nettle leaved ditto
——— officinalis.	Officinal ditto
——— supina.	Trailing ditto
Lycopus Europæus.	Water horehound
——— exaltatus.	Tall Lycopus
——— Virginicus.	Virginian Lycopus
Amethystea cærulea.	Blue amethyst.
Cunila pulegioides.	Penny royal-leaved Cunila
——— thymoides.	Thyme leaved ditto
Ziziphora capitata.	Oval leaved Ziziphora
——— tenuior.	Spear leaved ditto
Monarda fistulosa.	Purple Monarda
——— v. speciosa.	A new variety of ditto
——— oblongata.	Long leaved Monarda
——— didyma.	Scarlet ditto, or Oswego Tea
——— rugosa.	White ditto
——— clinopodea.	Basil leaved ditto
Salvia Cretica.	Cretan sage
——— lyrata.	Lyre leaved ditto
——— Habliziana.	Hablizian ditto
——— officinalis.	Garden sage
——— v. fol. arg.	Silver blotched ditto
——— v. fol. aur.	Gold ditto
——— viridis.	Green topped sage
——— Horminum v. coma }	Purple topped ditto
——— violacea.	
——— v. coma rub.	Red ditto
——— virgata.	Long branched ditto
——— sylvestris.	Spotted stalked Bohemian ditto

Salvia

Salvia nemorosa.	Spear leaved ditto
— viscosa.	Clammy ditto
— pratensis.	Meadow ditto
— bicolor.	Two coloured ditto
— Verbenaca.	Vervain sage, or clary
— clandestina.	Cut-leaved ditto
— Austriaca.	Austrian ditto
— Nilotica.	Nilotic ditto
— Hispanica.	Spanish ditto
— verticillata.	Whorl flowered ditto
— napifolia.	Rape-leaved ditto
— glutinosa.	Yellow ditto
— Sclarea.	Common clary
— ceratophylla.	Horn-leaved sage
— Æthiopis.	Woolly ditto
— Forskælei.	Forskæel ditto
Collinsonia Canadensis.	Nettle leaved Collinsonia
Ancistrum sanguisorba.	Burnet leaved Ancistrum
— lucidum.	Shining Ancistrum
— latebrosus.	Hairy ditto

## DIANDRIA DIGYNIA.

Anthoxanthum odoratum.	Sweet scented spring grass
------------------------	----------------------------

## CLASSIS III.

## TRIANDRIA MONOGYNIA.

Valeriana rubra.	Red valerian
— v. fl. alb.	White flowered ditto
— calcitrapa.	Cut-leaved ditto
— dioica.	Marsh ditto
— officinalis.	Officinal valerian

Valeriana

Valeriana Phu.	Garden ditto
— tripteris.	Three leaved ditto
— montana.	Mountain ditto
— tuberosa.	Tuberous rooted ditto
— pyrenaica.	Pyrenean ditto
— fupina.	Dwarf ditto
— olitoria.	Corn ditto.
Valeriana dentata.	Dentated valerian
— vesicaria.	Bladder cuped ditto
— coronata.	Coronate ditto
Ortega Hispanica.	Spanish Ortega
Loeslingia Hispanica.	Spanish Loeslingia
Polycnemum arvense.	Trailing Polycnemum
Crocus sativus.	Saffron
— nudiflorus.	Naked flowered ditto
— vernus.	Blue flowered spring Crocus
— v.	Yellow ditto
— v.	Ash coloured ditto
— v.	Cloth of gold ditto
Ixia Bulbocodium.	Crocus leaved Ixia
Gladiolus communis.	Common red corn flag
— v. fl. alb.	White ditto
— v. fl. incar.	Flesh coloured ditto
— Byzantinus.	
Iris pumila.	Dwarf Iris
— lutescens.	Yellowish ditto
— cristata.	Crested ditto
— Sufiana.	Chalcedonian ditto
— Florentina.	Florentine ditto
— biflora.	Two flowered ditto
— aphylla.	Naked stalked ditto
— variegata.	Variegated ditto
— squalens.	Brown flowered ditto
— sambucina.	Elder scented ditto
— lurida.	Dingy ditto
— Germanica.	German ditto

<i>Iris pallida.</i>	Pale flowered ditto
— <i>Swertia.</i>	
— <i>Xiphium.</i>	Bulbous rooted ditto
— <i>Xiphioides.</i>	English bulbous ditto
— <i>Pseud-Acorus.</i>	Yellow Iris
— <i>fœtidissima.</i>	Stinking ditto
— <i>v. fol. varieg.</i>	Variegated ditto
— <i>Virginica.</i>	Virginian ditto
— <i>purpurascens.</i>	Purpurefcent ditto
— <i>versicolor.</i>	Various coloured ditto
— <i>ocroleuca.</i>	Pale yellow ditto
— <i>Sisyrinchium.</i>	Crocus rooted ditto
— <i>Perfica.</i>	Persian ditto
— <i>graminea.</i>	Grass leaved ditto
— <i>spuria.</i>	Spurious ditto
— <i>flexuola.</i>	Zigzag ditto
— <i>Sibirica.</i>	Siberian ditto
— <i>tuberosa.</i>	Snake's head ditto
<i>Moræa Chinensis.</i>	Chinese Moræa
<i>Commelina erecta.</i>	Upright Virginian Commelina
<i>Schoenus narinosa.</i>	Prickly bog rush
— <i>nigricans.</i>	Black ditto
— <i>rufus.</i>	Tawny rush grass
— <i>fuscus.</i>	Brown ditto
— <i>albus.</i>	White flowered ditto
<i>Cyperus longus.</i>	English galingale
— <i>nova species.</i>	
<i>Scirpus palustris.</i>	Marsh club rush
— <i>caricis.</i>	Compressed bog rush
— <i>cæspitosus.</i>	Dwarf club rush
— <i>atropurpureus.</i>	
— <i>acicularis.</i>	Least upright ditto
— <i>fluitans.</i>	Floating ditto
— <i>lacustris.</i>	Bull-rush
— <i>setaceus.</i>	Least club-rush



# CATALOGUE.

51

<i>Scirpus triquetus.</i>	Pointed ditto
— <i>maritimus.</i>	Sea ditto
— <i>sylvaticus.</i>	Wood ditto
<i>Eriophorum vaginatum.</i>	Mountain cotton grass
— <i>polystachion.</i>	Broad-leaved ditto
— <i>angustifolium.</i>	Common ditto
— <i>alpinum.</i>	Alpine ditto
<i>Nardus stricta.</i>	Mat grass
<i>Lygeum spartum.</i>	Rush leaved Lygeum

## TRIANDRIA DIGYNIA

<i>Cornucopiz cucullata.</i>	Hooded Cornucopiz.
<i>Leersia oryzoides.</i>	
<i>Phalaris Canariensis.</i>	Manured Canary grass
— <i>aquatica.</i>	Water ditto
— <i>phleoides.</i>	Naked cuped ditto
— <i>nodosa.</i>	Knotted ditto
— <i>arenaria.</i>	Sea ditto
— <i>aspera.</i>	Rough ditto
— <i>paradoxa.</i>	Bristly spiked ditto
<i>Panicum verticillatum.</i>	Rough panic grass
— <i>glaucum.</i>	Glaucous panic grass
— <i>viride.</i>	Green ditto
— <i>Italicum.</i>	Italian ditto
— <i>ciliatum.</i>	Ciliated ditto
— <i>crus-galli.</i>	Thick spiked cocks foot ditto
— <i>sanguinale.</i>	Slender spiked cocks foot ditto
— <i>daetylon.</i>	Creeping ditto
— <i>filiforme.</i>	Close spiked ditto
— <i>milliaceum.</i>	Millet panic grass
— <i>capillare.</i>	Hair panicled ditto
<i>Phleum pratense.</i>	Cat's tail grass
— <i>alpinum.</i>	Mountain ditto
— <i>nodosum.</i>	Bulbous ditto

H 2

*Alopecurus*

<i>Alopecurus bulbosus.</i>	Bulbous foxtail grass
— <i>pratensis.</i>	Meadow ditto
— <i>agrestis.</i>	Field ditto.
— <i>geniculatus.</i>	Flote ditto
<i>Milium lendigeron.</i>	Yellow spiked millet grass
— <i>effusum.</i>	Common ditto
— <i>paradoxum.</i>	Black seeded ditto
<i>Agrostis spica-venti.</i>	Silky bent grass.
— <i>panicea.</i>	Bearded foxtail ditto
— <i>setacea.</i>	Bristly ditto
— <i>miliacea.</i>	Millet bent grass
— <i>rubra.</i>	Red ditto
— <i>canina.</i>	Brown bent ditto
— <i>littoralis.</i>	
— <i>stolonifera.</i>	Creeping ditto
— <i>hispida.</i>	Fine ditto
— <i>sylvatica.</i>	Wood ditto
— <i>alba.</i>	White ditto
— <i>palustris.</i>	Marsh ditto
— <i>maritima.</i>	Sea ditto
— <i>pumila.</i>	Dwarf ditto
— <i>tenuifolia.</i>	Slender leaved ditto
— <i>minima.</i>	Least, or small ditto
— <i>Mexicana.</i>	Mexican ditto
— <i>verticillata.</i>	Whorled ditto
<i>Aira aquatica.</i>	Water hair grass
— <i>caespitosa.</i>	Turfy ditto
— <i>flexuosa.</i>	Heath ditto
— <i>canescens.</i>	Grey hair grass
— <i>præcox.</i>	Early ditto
— <i>caryophyllæa.</i>	Silvery leaved ditto
<i>Melica ciliata.</i>	Ciliated melic grass
— <i>sericia.</i>	Silky ditto
— <i>nutans.</i>	Mountain ditto
— <i>uniflora.</i>	Single flowered wood ditto

Melica

Melica cærulea.	Purple ditto
— altissima.	Tall ditto
Poa aquatica,	Water meadow grass
— alpina.	Alpine ditto
— trivialis.	Common ditto
— angustifolia.	Narrow leaved ditto
— pratensis.	Great ditto
— palustris.	Marsh ditto
— annua.	Annual ditto
— maritima.	Sea ditto
— retroflexa.	Retroflexed ditto
— distans.	Loose flowered ditto
— rigida.	Hard ditto
— Eragrostis.	Spreading ditto
— rupestris.	Rock ditto
— cæsia.	
— flexuosa.	
— compressa.	Creeping ditto
— Censia.	Soft ditto
— Amboinensis.	
— nemoralis.	Wood ditto
— cristata.	Crested ditto
Briza minor.	Small quaking grass
— virens.	Spanish ditto
— media.	Middle ditto
— maxima.	Great ditto
Uniola spicata.	Spiked Uniola
— paniculata.	Panicled ditto
Dactylis cynosuroides.	American cocks foot grass.
— patens.	Spreading ditto
— glomerata.	Rough ditto
Cynosurus cristatus.	Crested dogs tail grass
— echinatus.	Rough ditto
— erureformis.	Linear spiked ditto
— durus.	Rigid ditto
— cæruleus.	Blue ditto

Cynosurus

<i>Cynosurus aureus.</i>	Golden spiked dog's tail grass
<i>Festuca bromoides.</i>	Barren fescue grass
— <i>ovina.</i>	Sheeps ditto
— <i>v. vivipara.</i>	Viviparous ditto
— <i>rubra.</i>	Red ditto
— <i>pumila.</i>	Dwarf ditto
— <i>amethystina.</i>	Amethystine ditto
— <i>duriuscula.</i>	Hard ditto
— <i>dumetorum.</i>	Wood ditto
— <i>glauca.</i>	Glaucous ditto
— <i>Cambrica.</i>	Welsh ditto
— <i>myurus.</i>	Wall ditto
— <i>calycina.</i>	Bearded leaved ditto
— <i>unigluma.</i>	Sea ditto
— <i>spadicea.</i>	Spadiceous ditto
— <i>decumbens.</i>	Decumbent ditto
— <i>elatio.</i>	Tall ditto
— <i>calamaria.</i>	
— <i>pratensis.</i>	Meadow ditto
— <i>luitana.</i>	Flote ditto
— <i>loliacea.</i>	Darnel ditto
<i>Bromus secalinus.</i>	Field brome grass
— <i>multiflorus.</i>	Many flowered ditto
— <i>mollis.</i>	Soft ditto
— <i>squarrosus.</i>	Corn ditto
— <i>purgans.</i>	Canadian.
— <i>inermis.</i>	Smooth ditto
— <i>asper.</i>	Wood ditto
— <i>ciliatus.</i>	Ciliated brome grass
— <i>sterilis.</i>	Barren ditto
— <i>arvensis.</i>	Corn ditto
— <i>tesorum.</i>	Nodding panicked ditto
— <i>giganteus.</i>	Tall ditto
— <i>alopecurus.</i>	Fox-tail
— <i>rubens.</i>	Spanish ditto
— <i>erectus.</i>	Upright ditto

Bromus

Bromus Madritensis.	Wall ditto
— gracilis.	Slender ditto
— pinnatus.	Spiked ditto
— sylvaticus.	Hairy stalked ditto
— stipoides.	Feathery ditto
Stipa pennata.	Soft feather grass
— juncea.	Rush leaved ditto
Avena Sibirica.	Siberian oat grass
— elatior.	Tall ditto
— v. nodosa.	Bulbous rooted ditto
— v. multifl.	Awnless ditto
— brevis.	Smooth ditto
— strigosa.	Scrannel ditto
— sativa v. nigra.	Cultivated black oats
— v. alba.	Cultivated white ditto
— nuda.	Naked oat grass
— fatua.	Wild ditto
— sesquitertia.	
— pubescens.	Soft ditto
— sterilis.	Bearded ditto
— flavescens.	Yellow ditto
— pratensis.	Meadow ditto
Lagurus Ovatus.	Oval spiked Lagurus
Arundo Donax.	Manured reed grass
— v. versicolor.	Striped ditto
— Phragmitis.	Common reed grass
— Epigegos.	Small reed grass
— Calamagrostis.	Wood ditto
— colorata.	Reed canary ditto
— colorata v. fol. arg.	Silver striped reed canary grass
— v. fol. aur.	Gold ditto
— arenaria.	Sea reed ditto
Lolium perenne.	Perennial darnel grass
— v. compress.	Flat headed ditto
— v. ramis.	Branched ditto
— tenue.	Slender ditto



<i>Lolium temulentum.</i>	Annual ditto
— <i>v. mutica.</i>	Awnless ditto
— <i>arvense.</i>	White ditto
<i>Rothboellia incunata.</i>	Sea hard grass
<i>Elymus arenarius.</i>	Sea lime grass
— <i>geniculatus.</i>	Jointed ditto
— <i>giganteus.</i>	Gigantic ditto
— <i>Sibiricus.</i>	Siberian ditto
— <i>Philadelphicus.</i>	Philadelphian ditto
— <i>Canadensis.</i>	Canadian ditto
— <i>caninus.</i>	Dog's ditto
— <i>Virginicus.</i>	Virginian ditto
— <i>Europæus.</i>	Wood ditto
— <i>hystrix.</i>	Rough ditto
<i>Secale cereale.</i>	Winter manured rye
<i>Hordeum vulgare.</i>	Spring barley
— <i>v. califf.</i>	
— <i>v. sem. nigris.</i>	Black seeded ditto
— <i>hexastichon.</i>	Winter ditto
— <i>distichon.</i>	Common ditto
— <i>v. nudum.</i>	Naked ditto
— <i>Zeocriton.</i>	Battledore ditto
— <i>murinum.</i>	Wall ditto
— <i>secalium.</i>	Meadow ditto
— <i>maritimum.</i>	Sea ditto
— <i>jubatum.</i>	Long bearded ditto
<i>Triticum æstivum.</i>	Summer wheat
— <i>hybernum.</i>	Winter, or lamas ditto
— <i>compositum.</i>	Branched ditto
— <i>turgidum.</i>	Turgid, or cone ditto
— <i>v. aris. nigr.</i>	Black awned ditto
— <i>Polonicum.</i>	Poland ditto
— <i>spelta.</i>	Spelt ditto
— <i>monococcum.</i>	One grained ditto
— <i>juncum.</i>	Sea ditto

Triticum

<i>Triticum repens.</i>	Dog's ditto, or couch grass
— <i>tenellum</i>	Dwarf wheat grass
— <i>loliaceum.</i>	Spiked sea ditto

## TRIANDRIA TRIGYNIA.

<i>Montia fontana.</i>	Water chickweed
<i>Holosteum umbellatum.</i>	Umbelled Holosteum
<i>Polycarpon tetraphyllum.</i>	Four leaved Polycarpon

## CLASSIS IV.

## TETRANDRIA MONOGYNIA.

<i>Globularia vulgaris.</i>	Common Globularia
— <i>cordifolia.</i>	Wedge leaved ditto
— <i>nudicaulis.</i>	Naked stalked ditto
<i>Dipsacus Fullonum.</i>	Wild teasel
— <i>sylvestris.</i>	Manured ditto
— <i>laciniatus.</i>	Cut-leaved ditto
— <i>pilosus.</i>	Small ditto
<i>Scabiosa alpina.</i>	Alpine scabious
— <i>leucantha.</i>	Snowy ditto
— <i>succisa.</i>	Devil's bit ditto
— <i>Tartarica.</i>	Giant ditto
— <i>arvensis.</i>	Field ditto
— <i>sylvatica.</i>	Broad leaved ditto
— <i>gramuntia.</i>	Cut-leaved scabious
— <i>columbaria.</i>	Fine-leaved ditto
— <i>stellata.</i>	Starry ditto
— <i>atropurpurea.</i>	Sweet ditto
— <i>Ucranica.</i>	Ucrania ditto
— <i>ocroleuca.</i>	Pale white ditto
— <i>papposa.</i>	Downy-headed ditto

Scabiosa sicula.	Sicilian Scabious
Knautia Orientalis.	Oriental Knautia
Sherardia arvensis.	Field madder
Asperula odorata.	Sweet-scented woodroof
— arvensis.	Field ditto
— Tartarica.	Broad-leaved ditto
— aristata.	Thick-leaved ditto
— tinctoria.	Narrow-leaved ditto
— Cynanchica.	Small ditto, or squinancy wort
— laevigata.	Shining ditto
Houstonia cærulea.	Blue flowered Houstonia
Galium rubioides.	Madder leaved ladies bed-straw
— palustre.	White ditto
— montanum.	Mountain ditto
— pusillum.	Least ditto
— erectum.	Upright ditto
— verum.	Yellow ditto
— mollugo.	Great ditto
— sylvaticum.	Wood ditto
— glaucum.	Glaucous ditto
— spurium.	Corn ditto
— uliginosum.	Marsh ditto
— boreale.	Cross leaved ditto
— rotundifolium.	Round-leaved ditto
— Aparine.	Common ditto, or Clivers.
— Parisiense.	Small ditto
Crucianella angustifolia.	Narrow-leaved Crucianella
— patula.	Spreading ditto
Rubia tinctorum.	Dyer's madder
— peregrina.	Wild ditto
Mitchella repens.	Creeping Mitchella
Plantago major.	Great plantain
— v. latif. rosea.	Rose ditto
— crassa.	Curled ditto
— Asiatica.	Asiatic ditto
— maxima.	Broad leaved ditto

Plantago

<i>Plantago media.</i>	Hoary plantain
— <i>Virginica.</i>	Virginian ditto
— <i>altissima.</i>	Tall ditto
— <i>lanceolata.</i>	Ribwort ditto
— <i>Lagopus.</i>	Round-headed ditto
— <i>alpina.</i>	Alpine ditto
— <i>rigida.</i>	Rigid ditto
— <i>maritima.</i>	Sea ditto
— <i>subulata.</i>	Awl-leaved ditto
— <i>Serraria.</i>	
— <i>Coronopus.</i>	Buck's-horn ditto
— <i>aomplexicaulis.</i>	Stem clasping ditto
— <i>Pfyllium.</i>	Clammy ditto
— <i>squarrosa.</i>	Scaly ditto
— <i>Cynops.</i>	Shrubby ditto
<i>Centunculus minimus.</i>	Small Centuncules
<i>Sanguisorba officinalis.</i>	Common burnet saxifrage
— <i>media.</i>	Short spiked ditto
— <i>Canadensis.</i>	Canadian ditto
<i>Epimedium alpinum.</i>	Barren wort
<i>Cornus Suecica.</i>	Herbaceous dogwood
— <i>Canadensis.</i>	Canadian ditto
<i>Alchemilla vulgaris.</i>	Common ladies mantle
— <i>hybrida.</i>	Pubescent ditto
— <i>alpina.</i>	Alpine ditto
— <i>pentaphylla.</i>	Five-leaved ditto
— <i>aphanes.</i>	Parsley piert

## TETRANDRIA TETRAGYNIA.

<i>Bufonia tenuifolia.</i>	Slender leaved Bufonia.
<i>Hypocoum procumbens.</i>	Procumbent Hypocoum
<i>Potamogeton natans.</i>	Broad leaved pondweed
— <i>perfoliatum.</i>	Perfoliate ditto
— <i>densum.</i>	Forked ditto
— <i>lucens.</i>	Shining ditto



Potamogeton crispum.	Curled Pondweed
———— compressum.	Flat stalked ditto
———— gramineum.	Grassy ditto
———— marinum.	Sea ditto
Ruppia maritima.	Sea tassel grass
Sagina procumbens.	Procumbent pearlwort
———— apetala.	Annual ditto
———— erecta.	Upright ditto
Tillæa muscosa.	Procumbent Tillæa

## CLASSIS V.

## PENTANDRIA MONOGYNIA.

Heliotropium Europeum.	European turnsole
Myosotis scorpiodes.	Hairy mouse-ear scorpion grass
———— v. <i>polystris</i> .	Marsh ditto
———— Lappula.	Prickly-seeded ditto
———— nana.	Dwarf ditto
Lithospermum officinale.	Officinal gromwell
———— arvense.	Bastard alkanet
———— Orientale.	Oriental alkanet
———— purpureo-capuleum.	Creeping ditto
Anchusa officinalis.	Officinal bugloss
———— Italica.	Italian ditto
———— angustifolia v. <i>alb</i> .	White flowered narrow leaved ditto
———— v. <i>fl. rubente</i> .	Purple ditto
———— sempervirens.	Evergreen alkanet
Cynoglossum officinale.	Officinal hounds-tongue
———— v. <i>salvat</i> .	Wood ditto
———— pictum.	Madeira ditto
———— Virginicum.	Virginian ditto
———— cheirifolium.	Silvery leaved ditto
———— Apenninum.	Apennine ditto
	Cynoglossum



Cynoglossum angustifolium.	Narrow-leaved hounds-tongue
— ligulifolium.	Flax-leaved ditto
— omphalodes.	Comfrey-leaved ditto
Pulmonaria angustifolia.	Narrow-leaved lung-wort
— v. fol. macul.	Spotted narrow-leaved ditto
— officinalis v. fol. rub.	Common ditto
— v. fol. alb.	White flowered ditto
— v. fol. non macul.	Unspotted ditto
— Virginica.	Virginian ditto
— maritima.	Sea ditto
Symphytum officinale.	Common comfrey
— v. patens.	Spreading ditto
— tuberosum.	Tuberous ditto
Cerinthe major.	Great purple honeywort
— v. fl. flav.	Great yellow ditto
— minor.	Small ditto
— aspera.	Rough ditto
Borago officinalis.	Common borage
— Orientalis.	Oriental ditto
Asperuga procumbens.	Great goose-grass
Lycopsis pulla.	Dark flowered wild bugloss.
— arvensis.	Small wild ditto
Echium plantagineum.	Plantain leaved vipers bugloss
— Italicum.	Wall ditto
— vulgare.	Common ditto
— violaceum.	Violet-flowered ditto
— Creticum.	Cretan ditto
— Orientale.	Oriental ditto
Nolana prostrata.	Trailing Nolana.
Aretia vitalina.	Grass-leaved Aretia
Androsace maxima.	Oval-leaved Androsace
— elongata.	Cluster-flowered ditto
— Septentrionalis.	Tooth-leaved ditto
— villosa.	Hairy leaved ditto
— chamæejasme.	Grass-leaved ditto
— lactea.	Willow-leaved ditto

<b>Primula veris.</b>	Common primrose
— <i>v. alb.</i>	White flower ed ditto
— <i>v. carnea.</i>	Flesh coloured ditto
— <i>v. sulphur.</i>	Sulphur ditto
— <i>v. velutaria.</i>	Velvet ditto
— officinalis.	Common cowslip
— <i>v. coccinea.</i>	Scarlet ditto
— <i>v. plen.</i>	Double flowered ditto
— elatior.	Oxslips
— <i>v.</i>	Double polyanthus
— farinosa.	Bird's-eye primrose
— cortusoides.	Cortusa leaved ditto
— villosa.	Villous ditto
— nivalis.	Snowy ditto
— marginata.	Edged ditto
— Helvetica.	Swiss ditto
— Auricula <i>v. fl. lutea.</i>	Yellow auricula
— <i>v. fl. purp.</i>	Purple ditto
— <i>v. fl. varieg.</i>	Variegated ditto
— integrifolia.	Entire leaved ditto
— Norwegica.	Norway ditto
— Sibirica.	Siberian ditto
<b>Soldanella Alpina.</b>	Alpine Soldanella
<b>Dodecatheon Meadia.</b>	Virginian cowslip
<b>Cyclamen Coum.</b>	Round leaved Cyclamen
— Europeum.	Common European ditto
— hederæfolium.	Ivy-leaved ditto
<b>Menyanthes nymphoides.</b>	Fringed buck-bean, or water
— trifoliata.	lilly
	Common buck-bean, or marsh
	trefoil
<b>Hottonia palustris.</b>	Water Violet
<b>Hydrophyllum Virginicum.</b>	Virginian water leaf
— Canadense.	Canadian ditto
<b>Lysimachia vulgaris.</b>	Common loose strife
— ephemerum.	Willow-leaved ditto

Lysimachia

<i>Lyfimachia stricta.</i>	Upright loose strife
— <i>thyrsifolia.</i>	Tufted ditto
— <i>quadrifolia.</i>	Four-leaved ditto
— <i>Linum-stellatum.</i>	Small ditto
— <i>nemorum.</i>	Wood ditto
— <i>Nummularia.</i>	Creeping ditto
<i>Anagalis arvensis v. fl. carul.</i>	Blue pimpernel
— <i>v. phaniceo.</i>	Red ditto
— <i>latifolia.</i>	Broad-leaved ditto
— <i>tenella.</i>	Purple money-wort
<i>Spigella Marilandica.</i>	Perennial worm-grass
<i>Plumbago Europea.</i>	European lead-wort
<i>Phlox paniculata.</i>	Panicked lychnidea
— <i>undulata.</i>	Wave-leaved ditto
— <i>suaveolens.</i>	White flowered ditto
— <i>maculata.</i>	Spotted stalked ditto
— <i>pilosa.</i>	Hairy stalked ditto
— <i>Carolina.</i>	Carolina ditto
— <i>glaberrima.</i>	Smooth ditto
— <i>divaricata.</i>	Early flowering ditto
— <i>ovata.</i>	Oval leaved ditto
— <i>fabulata.</i>	Awl-leaved ditto
— <i>setacea.</i>	Bristle-leaved ditto
<i>Convolvulus arvensis.</i>	Small bindweed
— <i>sepium.</i>	Great ditto
— <i>Scammonia.</i>	Scammony
— <i>hederaceus.</i>	Ivy-leaved bindweed
— <i>purpureus.</i>	Great purple ditto
— <i>v. fl. alb.</i>	Great white ditto
— <i>ficus.</i>	Small flowered ditto
— <i>lineatus.</i>	Dwarf ditto
— <i>tricolor.</i>	Trailing ditto
— <i>v. fl. alb.</i>	White flowered ditto
— <i>Soldanella.</i>	Sea ditto
<i>Ipomœa coccinea.</i>	Scarlet flowered Ipomea

Polemonium

Polemonium caeruleum.	Blue flowered Greek valerian
— v. fl. alb.	White ditto
— reptans.	Creeping ditto
Campanula rotundifolia.	Round leaved bell flower
— pumila.	Dwarf ditto
— caespitosa.	Heathy smooth ditto
— carpatia.	Heart-leaved ditto
— Lobelioides.	Small flowered ditto
— patula.	Spreading ditto
— rapunculid.	Esculent ditto, or rampions
— perfoliata.	Single blue peached-leaved bell
— v. fl. carul. plen.	Double flowered ditto [flower
— v. fl. alb. simp.	Sing'e white ditto
— v. fl. plen.	Double white ditto
— pyramidalis.	Pyramidal ditto
— nitida.	Smooth leaved ditto
— lilifolia.	Lilly ditto
— rhomboidea.	
— latifolia.	Broad leaved ditto
— rapunculoides.	Nettle-leaved ditto
— trachelium	Great blue flowered ditto
— v. fl. plen.	Great double blue flowered do.
— v. fl. alb.	Great white ditto
— v. fl. pleno.	Great double white ditto
— glomerata.	Clustered ditto
— thyrsoides.	Thyrse ditto
— peregrina.	Round leaved ditto
— medium.	Blue Canterbury bell-flower
— v. fl. alb.	White ditto
— barbata.	Bearded ditto
— speculum.	Venus's looking glass
— hybrida.	Corn bell flower
— pentagonia	
— perfoliata.	Perfoliate ditto
— hederacea.	Ivy-leaved ditto

Campanula

Campanula verticillata.	Whorled bell flower
— erinus.	Forked ditto
Phyteumea orbicularis.	Round headed horned rampion
— spicata.	Spiked ditto
— lanceolata.	Spear leaved ditto
Trachelium caeruleum.	Blue throat wort
Samolus valerandi.	Round leaved water-pimpernel
Triosteum perfoliatum.	Fever-root
Mirabilis Jalapa.	Common marvel of Peru
— v. fl. flava.	Yellow ditto
— v. fl. varieg.	Yellow striped ditto
— v. fl. alb.	White ditto
— longiflora.	Sweet scented ditto
Verbascum Thapsus.	Great broad leaved mullein
— v. fl. alb.	Great white ditto
— phlomoides.	Woolly ditto
— lychnitis.	Small yellow flowered ditto
— v. fl. alb.	Small white ditto
— v. puberulentum.	
— ferrugineum.	Rusty ditto
— nigrum.	Black ditto
— Phoeniceum.	Purple ditto
— Blattaria.	Yellow flowered moth ditto
— v. fl. alb.	White flowered moth ditto
— virgatum.	Rod-like ditto
— Myconi.	Borage leaved ditto
Datura Stramonium.	Common thorn apple
— Tatula.	Blue ditto
Hyoscyamus niger.	Black henbane
— albus.	White ditto
— physaloides.	Purple flowered ditto
— Scopolia.	Night-shade leaved ditto
Nicotiana Tabacum.	Narrow-leaved Virginian tobacco
— v. latif.	Broad-leaved ditto
— rustica.	Common ditto

Nicotiana



<i>Nicotiana paniculata.</i>	Panicled tobacco
——— <i>glutinosa.</i>	Clammy-leaved ditto
<i>Atropa Mandragora.</i>	Mandrake
——— <i>Belladonna.</i>	Deadly nightshade
——— <i>physaloides.</i>	Blue flowered ditto
<i>Physalis Alkekengi.</i>	Common winter cherry
——— <i>angulata.</i>	Toothed leaved ditto
——— <i>chenopodifolia.</i>	Crack leaved ditto
<i>Solanum tuberosum.</i>	Common potato
——— <i>Lycopersicum.</i>	Love apple
——— <i>nigrum.</i>	Common nightshade
——— <i>v. villosum.</i>	Yellow berried ditto
<i>Capficum annuum.</i>	Long podded Capficum
<i>Chironia Centaurium.</i>	Lesser centory
<i>Claytonia Sibirica.</i>	Siberian Claytonia
——— <i>perfoliata.</i>	Perfoliate ditto
<i>Illecebrum capitatum.</i>	Headed knot-grass
——— <i>verticillatum.</i>	Whorled ditto
<i>Glaux maritima.</i>	Sea milk-wort
<i>Tabernaemontana Amsonia.</i>	Alternate leaved Tabernaemontana.
——— <i>angustifolia.</i>	Narrow leaved ditto

## PENTANDRIA DIGYNIA.

<i>Cynanchum acutum.</i>	Acute leaved Cynanchum
<i>Apocynum androsaemifolium.</i>	Tutsan-leaved dog's-bane
——— <i>cannabinum.</i>	Hemp ditto
——— <i>hypericifolium.</i>	St. John's-wort-leaved ditto
<i>Asclepias Syriaca.</i>	Syrian swallow wort
——— <i>purpurascens.</i>	Purple Virginian ditto
——— <i>amara.</i>	Oval-leaved ditto
——— <i>incarnata.</i>	Flesh coloured ditto
——— <i>Vincetoxicum.</i>	White officinal ditto
——— <i>nigra.</i>	Black ditto
——— <i>tuberosa.</i>	Tuberous-rooted ditto

Herniaria

Herniaria glabra.	Smooth rupture-wort
— hirsuta.	Hairy ditto
— lenticulata.	Sea ditto
Chenopodium Bonus-Henricus.	English mercury
— urbicum.	Upright goose-foot
— rubrum.	Red ditto
— murale.	Wall ditto
— serotinum.	Fig-leaved ditto
— album.	Common ditto
— viride.	Green ditto
— hybridum.	Bastard ditto
— botrys.	Cut-leaved ditto
— ambrosioides.	Mexican ditto
— cordatum.	Heart-leaved ditto
— glaucum.	Oak-leaved ditto
— Vulvaria.	Stinking ditto
— polyspermum.	Round leaved ditto, or allseed
— Scoparia.	Linear-leaved ditto, or summer cypress
— maritimum.	Sea ditto
— aristatum.	Bearded ditto
Beta vulgaris.	Red beet
— v. virens.	Green ditto
— Cicla.	White ditto
— maritima.	Sea ditto
Salsola Kali.	Prickly saltwort
— rosacea.	Rose ditto
— altissima.	Grass-leaved ditto
Heuchera Americana.	American sanicle
Swertia perennis.	Marsh Swertia
Gentiana lutea.	Yellow gentian.
— purpurea.	Purple ditto
— punctata.	Spotted flowered gentian
— asclepiadea.	Swallow wort leaved ditto
— cruciata.	Cross-wort ditto

*Gentiana pneumonanthe*—— *saponaria*.—— *acaulis*.—— *verna*.—— *amarella*.—— *campestris*.*Eryngium aquaticum*.—— *planum*.—— *maritimum*.—— *campestre*.—— *amethystinum*.—— *alpinum*.—— *Bourgati*.*Hydrocotyle vulgaris*.—— *Americana*.*Sanicula Europea*.—— *Marilandica*.*Astrantia major*.—— *minor*.*Bupleurum rotundifolium*.—— *petraeum*.—— *longifolium*.—— *ranunculoides*.—— *tenuissimum*.—— *juncum*.*Hasselquistia cordata*.*Tordylium Syriacum*.—— *officinale*.—— *maximum*.*Caucalis daucoides*.—— *latifolia*.—— *leptophylla*.—— *arvensis*.

Marsh ditto, or calathian violet

Soap-wort leaved ditto

Dwarf ditto, or gentianella.

Spring ditto

Autumnal ditto

Field ditto

Marsh eryngo

Flat-leaved ditto

Sea ditto

Common ditto

Amethystian ditto

Alpine ditto

Cut-leaved ditto

Common marsh penny-wort

American ditto

Common fanicle.

Maryland ditto

Great black master wort

Small ditto

Round-leaved hares ear

Rock ditto

Long leaved ditto

Spear-wort leaved ditto

Slender ditto

Linear leaved ditto

Heart leaved Hasselquistia

Syrian hartwort

Officinal ditto

Great ditto

Carrot-leaved *Caucalis*

Broad-leaved ditto

Fine leaved ditto

Corn ditto.

*Caucalis*

# CATALOGUE.

69

Caucalis Anthriscus.	Hedge ditto
— nodosa.	Knotted ditto
Daucus Carota.	Wild carrot
— Vifnaga.	Spanish ditto
— muricatus.	Prickly-seeded ditto
Ammi majus.	Bishops weed
Bunium Bulbocastanum.	Earth nut
Conium maculatum.	Common hemlock
Selinum palustre.	Milk parsley
Athamanta libanotis.	Pyrenean mountain spiguel.
Peucedanum officinale.	Common sulphur-wort
— Silaus.	Meadow ditto
Crithmum maritimum.	Sea samphire
Ferula communis.	Common gigantic fennel
— glauca.	Glaucous ditto
— Tingitana.	Tangier ditto
— nodiflora.	Knotted ditto
— Persica.	Persian ditto
Laserpitium latifolium.	Broad leaved laserwort
— trilobum.	Columbine leaved ditto
— angustifolium.	Narrow-leaved ditto
— Siler.	Mountain ditto
— simplex.	Small ditto
Heracleum Sphondylium.	Common cow parsnip
— longifolium.	Long leaved ditto
— Sibiricum.	Siberian ditto
— alpinum.	Mountain ditto
— flavefcens.	Yellowish ditto
— angustifolium.	Narrow leaved ditto
Ligusticum Levisticum.	Common lovage
— Scoticum.	Scotch ditto
— Peloponnenfe.	Hemlock-leaved ditto
— Cornubienfe.	Cornish ditto
— candicans.	Pale ditto
Angelica archangelica.	Garden angelica
— sylvestris.	Wild ditto

Angelica

Angelica verticillaris.	Whorl flowered ditto
—— atropurpurea.	Dark purple ditto
Sium latifolium.	Great water parsnip
—— angustifolium.	Narrow-leaved ditto
—— nodiflorum.	} Creeping ditto
—— repens.	
—— Sifarum.	Skirret
—— Falcaria.	Decurrent ditto
Sifon Amomum.	Field hone-wort
—— segetum.	Corn ditto
—— inundatum.	Water ditto
—— verticillatum.	Whorled leaved ditto
Cuminum Cyminum.	Cumin
Enanthe fistulosa.	Common water drop-wort
—— crocata.	Hemlock ditto
—— peucedanifolia.	Sulphur-wort leaved ditto
—— pimpinelloides.	Parsley leaved ditto
Phellandrium aquaticum.	Water hemlock
—— Mutellina.	Alpine Phellandrium
Cicuta virosa.	Long leaved water hemlock
Æthusa Cynapium.	Common fools parsley
—— Meum.	Common spiguel
Coriandrum sativum.	Common coriander
Scandix odorata.	Sweet scented cicely
—— Pectep.	Corn ditto, or shepherds needle
—— cerefolia.	Garden ditto, or chervil
—— Anthriscus.	Rough ditto
—— nodosa.	Knotted ditto
Cherophyllum sylvestre.	Wild chervil, or cow weed
—— bulbosum.	Bulbous, rooted Cherophyllum
—— temulum.	Rough ditto
—— hirsutum.	Hairy ditto
—— aromaticum.	Aromatic ditto
—— aureum.	Golden ditto
Imperatoria Ostruthium.	Common masterwort

Seseli



# CATALOGUE.

71

Seseli montanum.	Long leaved meadow saxifrage
— aristatum.	Bearded leaved ditto
— Hippomarathrum.	Various-leaved ditto
Thapsia villosa.	Deadly carrot
Pastinaca sativa.	Common parsnip
— — v. latif.	Broad leaved ditto
— Opoponax.	Rough ditto
Smyrnum perfoliatum.	Perfoliate alexanders
— Olusatrum.	Common ditto
— aureum.	Golden ditto
Anethum graveolens.	Common dill
— Foeniculum.	Common fennel
Carum Carui.	Common caraway
Pimpinella saxifraga.	Small burnet saxifrage
— magna.	Great ditto
— dissecta.	Cut leaved ditto
— dioica.	Least pimpinell
Apium Petroselinum.	Common parsley
— v. crisp.	Curled ditto
— graveolens.	Common smallage
— v. dulce.	Cellery
Aegopodium Podagraria.	Gout-weed

## PENTANDRIA TRIGYNIA.

Sambucus Ebulus.	Dwarf elder
Telephium Imperati.	True orpine
Corrigiola litoralis.	Bastard knot grass
Alfene media.	Chickweed

## PENTANDRIA TETRAGYNIA.

Parnassia palustris.	Grass of Parnassus
----------------------	--------------------

## PENTANDRIA PENTAGYNIA.

Aralia nudicaulis.	Berry-bearing Aralia
— nudicaulis.	Naked stalked ditto

Statice

Statice Armeria.	Great common thrift
— v. minor.	Small ditto
— Cephalotes.	Large simple stalked ditto
— Limonium.	Common sea ditto
— oleaefolia.	Olive-leaved ditto
— cordata.	Blunt leaved ditto
— reticulata.	Matted ditto
— speciosa.	Plantain leaved ditto
— Tartarica.	Tartarian ditto
Linum usitatissimum.	Common flax
— Tartaricum.	Tartarian ditto
— perenne.	Perennial ditto
— tenuifolium.	Narrow leaved ditto
— alpinum.	Alpine ditto
— Austriacum.	Austrian ditto
— flavum.	Yellow ditto
— catharticum.	Purging ditto
— Radiola.	Deast ditto, or all-seed
Drosera rotundifolia.	Round leaved sun-dew
— longifolia.	Long leaved ditto
Crassula rubens.	Annual Crassula
Sibaldia procumbens.	Trailing Sibaldia

## PENTANDRIA POLYGYNIA.

Myosurus minimus.	Moufe-tail
-------------------	------------

## CLASSIS VI.

## HEXANDRIA MONOGYNIA.

Tradescantia Virginica.	Common blue Virginian spider-wort
-------------------------	-----------------------------------

— v. purp.	Purple ditto
— v. alb.	White ditto

Galanthus nivalis.	Common single snow-drop
— v. phloxifolius.	Double ditto

Statice

Leucojum

## CATALOGUE

63

Leucojum vernum.	Great Spring ditto
— estivum.	Summer ditto
Narcissus angustifolius.	Narrow leaved Narcissus
— biflorus.	Two flowered ditto
— majalis.	
— v. fl. pleno.	
— incomparabilis.	Peerless daffodil
— v. fl. pleno.	Double flowered ditto
— Pseudo-Narcissus.	Single daffodil
— v. fl. pleno.	Double ditto
— major.	Single great Narcissus
— v. fl. pleno.	Double ditto
— minor.	Small ditto
— triandrus.	Rush-leaved ditto
— Orientalis.	Oriental ditto
— Tazetta.	Polyanthus ditto
— odorus.	Sweet scented ditto
— Bulbocodium.	Hoop peticoat ditto
— Jonquilla.	Single Jonquill
— v. fl. pleno.	Double ditto
Pancratium maritimum.	Sea Pancratium, or daffodil
Amaryllis lutea.	Yellow Amaryllis
— Atamasco.	Atamasco lily
— Belladonna.	Belladonna ditto
Bulbocodium vernum.	Spring flowering Bulbocodium
Allium Ampeloprasum.	Great round-headed garlick
— Porrum.	Common leek
— victorale.	Long rooted garlick
— subhirsutum.	Hairy ditto
— obliquum.	Oblique-leaved ditto
— roseum.	Rose ditto
— Tartaricum.	Tartarian ditto
— sativum.	Cultivated ditto
— Scorodoprasum.	Rocambole ditto
— arenarium.	Sand ditto
— carinatum.	Mountain ditto

L

Allium

<i>Allium Spherocephalon.</i>	Small round-headed garlick
— descens.	Purple headed ditto
— pallens.	Pale flowered ditto
— paniculata.	Panicled ditto
— vineale.	Crow ditto
— oleraceum.	Purple striped ditto
— nutans.	Flat stalked ditto
— Ascalonicum.	Ascalonian ditto, or shallot
— senescens.	Narcissus leaved ditto
— angulosum.	Angular stalked ditto
— nigrum.	Broad leaved ditto
— ursinum.	Ramson ditto
— triquetrum.	Triangular ditto
— Cepa.	Common onion
— Moly.	Yellow garlick
— fistulosum.	Welsh onion
— Schoenoprasum.	Common chives
— Sibiricum.	Siberian garlick
<i>Lilium candidum.</i>	Common white lily
— v. fol. varieg.	Variegated ditto
— bulbiferum.	Bulb-bearing orange ditto
— v. <i>phenicum.</i>	Purple bulb-bearing ditto
— v. minus.	Small ditto
— pomponium.	Pomponian lily
— Chalcedonicum.	Scarlet martagon ditto
— superbum.	Great yellow martagon ditto
— Martagon.	Purple ditto
— Canadense.	Canada ditto
<i>Fritillaria imperialis.</i>	Crown imperial
— v. fl. varieg.	Variegated ditto
— Persica.	Persian fritillary, or lily
— Pyrenaica.	Pyrenian ditto
— Meleagris.	Common ditto
— v. fl. alb.	White flowered ditto
<i>Uvularia amplexifolia.</i>	Heart-leaved Uvularia
— perfoliata.	Perfoliate ditto
	<i>Erythronium</i>

<i>Erythronium Dens-canis.</i>	Dog's-tooth violet
— <i>v. fl. alb.</i>	White flowered ditto
<i>Tulipa sylvestris.</i>	Italian yellow tulip
— <i>Gesneriana.</i>	Common ditto
— <i>Breyniana.</i>	Cape ditto
<i>Ornithogalum luteum.</i>	Yellow star of Bethlehem
— <i>Pyrenaicum.</i>	Pyrenean ditto
— <i>latifolium.</i>	Broad leaved ditto
— <i>umbellatum.</i>	Umbelled ditto
— <i>nutans.</i>	Neapolitan ditto
<i>Scilla Italica.</i>	Italian squill
— <i>Peruviana.</i>	Blue flowered Peruvian ditto
— <i>v. fl. alb.</i>	White ditto
— <i>campulata.</i>	Spanish ditto
— <i>amœna.</i>	Nodding ditto
— <i>bifolia.</i>	Two leaved spring ditto
— <i>v. fl. alb.</i>	White flowered ditto
— <i>autumnalis.</i>	Autumnal ditto
— <i>verna.</i>	Small ditto
— <i>præcox.</i>	Early ditto
<i>Asphodelus luteus.</i>	Yellow asphodel
— <i>ramosus.</i>	Branchy ditto
<i>Anthericum ramosum.</i>	Branchy Anthericum
— <i>Liliago.</i>	Grass leaved ditto
— <i>liliastrum.</i>	Savoy ditto
— <i>annuum.</i>	Annual ditto
— <i>ossifragum.</i>	Lancashire ditto
— <i>calyculatum.</i>	Scotch ditto
<i>Asparagus officinalis.</i>	Common Asparagus
<i>Dracæna borealis.</i>	Oval leaved Dracæna
<i>Convallaria majalis.</i>	Sweet scented lily of the valley
— <i>v. fl. pleno.</i>	Double flowered ditto
— <i>v. fl. rubro.</i>	Red flowered ditto
— <i>Japonica.</i>	Grass leaved ditto
— <i>verticillata.</i>	Whorl leaved ditto
— <i>Polygonatum</i>	Common Solomon's seal



<i>Convallaria multiflora</i> .	Broad leaved lily of the valley
— <i>racemosa</i> .	Clustered flowered ditto
— <i>stellata</i> .	Star flowered ditto
— <i>bifolia</i> .	Least ditto
<i>Hyacinthus non scriptus</i> .	Common hyacinth
— <i>v. fl. alb.</i>	White flowered ditto
— <i>v. fl. rub.</i>	Red ditto
— <i>Orientalis</i> .	Garden ditto
— <i>Romanus</i> .	Roman grape ditto
— <i>Muscari</i> .	Musk ditto
— <i>monstrosus</i> .	Feathered ditto
— <i>comosus</i> .	Purple grape ditto
— <i>botryoides</i> .	Blue grape ditto
— <i>p. fl. alb.</i>	White flowered ditto
— <i>racemosus</i> .	Clustered ditto
<i>Aletris Uvaria</i> .	Great orange flowered Aletris
<i>Yucca gloriosa</i> .	Superb Adams needle
— <i>filamentosa</i> .	Thready ditto
<i>Hemerocallis flava</i> .	Yellow day lily
— <i>fulva</i> .	Copper-coloured ditto
— <i>minor</i> .	Small ditto
<i>Acorus Calamus</i> .	Sweet Acorus, or flag
— <i>gramineus</i> .	Chinese sweet grass
<i>Juncus acutus</i> .	Sea rush
— <i>conglomeratus</i> .	Round headed ditto
— <i>effusus</i> .	Common soft ditto
— <i>glaucescens</i> .	Hard ditto
— <i>filiformis</i> .	Least soft sea rush
— <i>trifidus</i> .	Three flowered ditto
— <i>squamrosus</i> .	Moss ditto
— <i>articulatus</i> .	Jointed ditto
— <i>compressus</i> .	Flat stalked ditto
— <i>bulbosus</i> .	Bulbous ditto
— <i>uliginosus</i> .	Boggy ditto
— <i>Jacquinii</i> .	Jacquin's ditto
— <i>biglumis</i> .	Two flowered ditto

<i>Juncus triglumis.</i>	Three flowered rush
— pilosus.	Hairy ditto
— sylvaticus.	Wood ditto
— niveus.	White flowered ditto
— campestris.	Field ditto
— spicatus.	Spiked ditto
<i>Frankenia levis.</i>	Smooth Frankenia, or sea heath
— purpurenta.	Dusty ditto
<i>Peplis Portula.</i>	Water purslane

## HEXANDRIA TRIGYNIA.

<i>Rumex Patientia.</i>	Patience dock
— sanguineus.	Bloody ditto
— crispus.	Curled ditto
— dentatus.	Dentated ditto
— maritimus.	Sea ditto
— acutus.	Sharp pointed ditto
— obtusifolius.	Blunt leaved ditto
— pulcher.	Fiddle ditto
— vesicarius.	Bladder ditto
— scutatus.	French sorrel
— digynus.	Mountain dock
— alpinus.	Alpine ditto
— Acetosa.	Common sorrel
— Acetofella.	Sheeps ditto
— aculeatus.	Prickly-seeded ditto
— Hydrolopathum.	Great water dock
— giganteus.	Giant dock
<i>Triglochin palustre.</i>	Marsh arrow-headed grass
— maritimum.	Sea ditto
<i>Melanthium latum.</i>	Spear leaved Melanthium
— Virgolicum.	Virginian ditto
<i>Trillium cernuum.</i>	Stalked flowered Trillium
— sessile.	Sessile flowered ditto
<i>Colchicum autumnale.</i>	Common meadow saffron
	Colchicum

Colchicum v. fl. pleno.	Double flowered meadow saffron
— variegatum.	Variegated ditto
Helonias bullata.	Spear-leaved Helonias
— asphodeloides.	Grass leaved ditto

### HEXANDRIA POLYGYNIA.

Alisma Plantago.	Greater water plantain
— Damasonium.	Star-headed ditto
— ranunculoides.	Lesser ditto

### CLASSIS VII.

### HEPTANDRIA MONOGYNIA.

Trientalis Europea.	Chickweed winter green
---------------------	------------------------

### HEPTANDRIA TETRAGYNIA.

Saururus cernuus.	Lizard's-tail
-------------------	---------------

### CLASSIS VIII.

### OCTANDRIA MONOGYNIA.

Tropaeolum minus.	Small Indian cress
— majus.	Great ditto
— v. fl. pleno.	Double flowered ditto
Rhexia Virginica.	Hairy leaved Rhexia
Oenothera biennis.	Broad-leaved tree primrose
— grandiflora.	Great flowered Oenothera
— parviflora.	Small flowered ditto
— muricata.	Prickly ditto
— longiflora.	Long flowered ditto
— mollissima.	Soft ditto
— fruticosa.	Shrubby ditto
— sinuata.	Scollop-leaved ditto

Oenothera

<i>Oenothera odorata.</i>	Sweet scented <i>Oenothera</i>
— <i>purpurea.</i>	Purple ditto
— <i>rosea.</i>	Rose flowered ditto
— <i>pumila.</i>	Dwarf ditto
— <i>tetraptera.</i>	Winged podded ditto
<i>Gaura Biennis.</i>	Biennial <i>Gaura</i>
<i>Epilobium angustifolium.</i>	Rose-bay willow-herb
— <i>v. fl. alb.</i>	White flowered ditto
— <i>angustissimum.</i>	Linear leaved <i>Epilobium</i>
— <i>hirsutum.</i>	Large flowered ditto
— <i>montanum.</i>	Mountain ditto
— <i>tetragonum.</i>	Square stalked ditto
— <i>roseum.</i>	Rose ditto
— <i>palustre.</i>	Marsh ditto
— <i>alpinum.</i>	Alpine ditto
— <i>cordifolium.</i>	Heart leaved ditto
<i>Chlora perfoliata.</i>	Yellow wort

## OCTANDRIA DIGYNIA.

<i>Moehringia muscosa.</i>	Mossy <i>Moehringia</i>
----------------------------	-------------------------

## OCTANDRIA TRIGYNIA.

<i>Polygonum Bistorta.</i>	Great bistort
— <i>viviparum.</i>	Small ditto
— <i>Virginianum.</i>	Virginian <i>Polygonum</i>
— <i>amphibium.</i>	Amphibious ditto
— <i>ocreatum.</i>	Spear leaved ditto
— <i>Hydropiper.</i>	Water ditto
— <i>Perficaria.</i>	Spotted ditto
— <i>Pensylvanicum.</i>	Pennsylvanian ditto
— <i>Orientale.</i>	Red flowered Oriental <i>perficaria</i>
— <i>aviculare.</i>	Common knot grass
— <i>v. maris.</i>	Sea ditto
— <i>divaricatum.</i>	Divaricated <i>Polygonum</i>
— <i>undulatum.</i>	Waved ditto

Polygonum

Polygonum Tartaricum.	Tartarian Polygonum
— Fagopyrum.	Buck wheat
— Convolvulus.	Black bindweed
— scandens.	Climbing Polygonum

## OCTANDRIA TETRAGYNIA.

Paris quadrifolia.	Herb Paris
Adoxa moschatellina.	Tuberous moschatel

## CLASSIS IX.

## ENNEANDRIA MONOGYNIA.

Rheum Rhaponticum.	Rhapontic rhubarb
— palmatum.	Official ditto
— compactum.	Thick-leaved ditto
— undulatum.	Waved-leaved ditto
— Tartaricum.	Tartarian ditto
— hybridum.	Bastard ditto

## ENNEANDRIA HEXAGYNIA.

Butomus umbellatus.	Flowering rush
---------------------	----------------

## CLASSIS X.

## DECANDRIA MONOGYNIA.

Sophora alopecuroides.	Foxtail Sophora
— Australis.	Blue ditto
— tinctoria.	Dyer's ditto
— flavescens.	Siberian ditto
— lupinoides.	Lupin-leaved ditto
Cassia Marilandica.	Maryland Cassia
Dictamnus albus.	White fraxinella
— v. fl. rub.	Red ditto

Ruta



<i>Ruta graveolens.</i>	Common rue
<i>Zogophyllum Fabago.</i>	Common bean caper
<i>Gaultheria procumbens.</i>	Trailing Gaultheria
<i>Epigæa repens.</i>	Creeping Epigæa
<i>Pyrola minor.</i>	Lesser winter green
— <i>rotundifolia.</i>	Round-leaved ditto

## DECANDRIA DIGYNIA.

<i>Chrysosplenium alternifolium.</i>	Alternate-leaved golden saxifrage
— <i>oppositifolium.</i>	Opposite-leaved ditto
<i>Saxifraga Cotyledon</i>	Pyramidal saxifrage
— <i>ligulata.</i>	Tongued ditto
— <i>rofularis.</i>	Rose ditto
— <i>Aizoon.</i>	Margined ditto
— <i>Pennsylvanica.</i>	Pennsylvanian ditto
— <i>stellaris.</i>	Starry ditto
— <i>crassifolia.</i>	Thick-leaved ditto
— <i>cordifolia.</i>	Heart-leaved ditto
— <i>nivalis.</i>	Snowy ditto
— <i>farmentosa.</i>	China ditto
— <i>umbrosa.</i>	London pride
— <i>cuneifolia.</i>	Wedge-leaved saxifrage
— <i>Geum.</i>	Kidney-leaved ditto
— <i>oppositifolia.</i>	Purple-flowered ditto
— <i>aspera.</i>	Rough ditto
— <i>Hirculus.</i>	Marsh ditto
— <i>aizoides.</i>	Yellow mountain ditto
— <i>rotundifolia.</i>	Round-leaved ditto
— <i>granulata.</i>	Single white ditto
— <i>granulata v. fl. pl.</i>	Double white saxifrage
— <i>geranioides.</i>	Crane-bill leaved ditto
— <i>ajugifolia.</i>	Bugle-leaved ditto
— <i>hypnoides.</i>	Moss ditto
— <i>viscosa.</i>	Clammy ditto
— <i>tridactylites.</i>	Rue-leaved ditto

Saxifraga petraea.	Rock saxifrage
—— caespitosa.	Matted ditto
—— Groenlandica.	Greenland ditto
Tiarella cordifolia.	Heart-leaved Tiarella
Mitella dipylla.	Two leaved Mitella
Scleranthus annuus.	Annual knawell
—— petennis.	Perennial ditto
Gypsophilla repens.	Creeping Gypsophilla
—— prostrata.	Trailing ditto
—— viscosa.	Clammy ditto
—— paniculata.	Panicled ditto
—— perfoliata.	Perfoliate ditto
—— muralis.	Wall ditto
—— Saxifraga.	Small ditto
Saponaria officinalis.	Common soap-wort
—— v. fl. pleno.	Double-flowered ditto
—— v. hybrid.	Hollow-leaved ditto
—— vaccaria.	Perfoliate ditto
—— porrigens.	Hairy ditto
—— ozymoides.	Basil-leaved ditto
Dianthus barbatus.	Common sweet William
—— hybridus.	Hybrid ditto
—— Carthusianorum.	Carthusian pink
—— repens.	Creeping ditto
—— armeria.	Deptford ditto
—— proliferus.	Proliferous ditto
—— caryophyllus.	Clove ditto
—— v. fl. pleno.	Double ditto
—— deltoides.	Maiden ditto
—— glaucus.	Mountain ditto
—— caesus.	Grey ditto
—— alpinus.	Mountain ditto
—— Chinenfis.	China ditto
—— plumarius.	Feathered ditto
—— superbus.	Superb ditto

Dianthus

Dianthus Virgineus. Upright pink  
 ————— pungens. Pungent ditto

## DECANDRIA TRIGYNIA.

Cucubalus Behen Common bladder campion

————— *v. marit.* Sea ditto

————— bacciferus. Berry-bearing ditto

————— Fabarius. Thick-leaved ditto

————— viscosus. Clammy ditto

————— Italicus. Italian campion

————— Tartaricus. Hyssop-leaved ditto

————— Catholicus. Panicked ditto

————— Otites. Spanish ditto

Silene Anglica. English cathfly

————— Lusitanica. Portugal ditto

————— quinquevulvera. Mountain ditto

————— nocturna. Spiked night flowering ditto

————— geniculiflorum. Knotty flowered ditto

————— nutans. Nottingham ditto

————— viridiflora. Green flowered ditto

————— conidea. Corn ditto

————— conica. Conic ditto

————— bellidifolia. Daisy leaved ditto

————— pendula. Pendulous ditto

————— maritima. Sea ditto

————— noctiflora. Forked night flowering ditto

————— antirrhina. Snap-dragon leaved ditto

————— inaperta. Small flowered ditto

————— Portensis. Oporto ditto

————— Cretica. Cretan ditto

————— muscipula. Fly trap ditto

————— Armeria. Lobels red ditto

————— *v. fl. alb.* Lobels white ditto

————— orchidea. Orchis flowered ditto

————— alpestris. Austrian ditto

<i>Silene rupestris.</i>	Rock ditto
— <i>longiflora.</i>	Long flowered ditto
— <i>bifida.</i>	Bifid ditto
— <i>saxifraga.</i>	Saxifrage ditto
— <i>Vailesia.</i>	Woolly leaved catchfly
— <i>acaulis.</i>	Dwarf ditto
<i>Stellaria nemorum.</i>	Broad leaved stitchwort
— <i>scapigera.</i>	Naked stalked ditto
— <i>holostea.</i>	Great ditto
— <i>graminea.</i>	Grass leaved ditto
— <i>ceraistoides.</i>	Small ditto
— <i>glauca.</i>	Glaucous ditto
— <i>uliginosa.</i>	Fountain chickweed
<i>Arenaria peploides.</i>	Sea sandwort
— <i>tetraquetra.</i>	Square ditto
— <i>trinervia.</i>	Plantain leaved ditto
— <i>Balearica.</i>	Balearic ditto
— <i>serpyllifolia.</i>	Thyme-leaved ditto
— <i>rubra.</i>	Field purple ditto
— <i>v. marina.</i>	Sea purple ditto
— <i>media.</i>	Downy ditto
— <i>saxatilis.</i>	Saxatile ditto
— <i>verna.</i>	Spring ditto
— <i>tenuifolia.</i>	Fine-leaved ditto
— <i>laricifolia.</i>	Larch-leaved ditto
— <i>striata.</i>	Striated ditto
— <i>fasciculata.</i>	Cluster-flowering ditto
<i>Cherleria sedoides.</i>	Stonecrop Cherleria
<i>Garidella Nigellastrum.</i>	Fennel-leaved Garidella

## DECANDRIA PENTAGYNIA.

<i>Cotyledon Umbilicus.</i>	Common navelwort
— <i>lutea.</i>	Yellow ditto
<i>Sedum Telephium.</i>	Great purple orpine
— <i>maximum.</i>	Great white ditto

Sedum

# CATALOGUE.

85

<b>Sedum Anacampseros.</b>	Evergreen orpine
— <b>Aizon.</b>	Yellow stonecrop
— <b>hybridum.</b>	Germander leaved ditto
— <b>populifolium.</b>	Poplar leaved ditto
— <b>stellatum.</b>	Starry ditto
— <b>cepea.</b>	Purslane leaved ditto
— <b>disiciens.</b>	American ditto
— <b>dasyphyllum.</b>	Round-leaved ditto
— <b>reflexum.</b>	Reflexed ditto
— <b>virens.</b>	Green ditto
— <b>glaucum.</b>	Glaucous ditto
— <b>rupestre.</b>	Rock ditto
— <b>album.</b>	White ditto
— <b>acre.</b>	Wall ditto
— <b>v.</b>	
— <b>Anglicum.</b>	English ditto
— <b>sexangulare.</b>	Six angled ditto
— <b>villosum.</b>	Hairy ditto
<b>Penthorum sedoides.</b>	American Penthorum
<b>Oxalis Acetosella.</b>	Common wood sorrel
— <b>violacea.</b>	Violet coloured ditto
— <b>corniculata.</b>	Yellow ditto
— <b>stricta.</b>	American ditto
— <b>Dillenii.</b>	Dillenius's ditto
<b>Agrostemma Githago.</b>	Cockle
— <b>Coronaria.</b>	Red rose campion
— <b>v. fl. alb.</b>	White ditto
— <b>v. fl. pleno.</b>	Double ditto
— <b>Flos-Jovis.</b>	Umbelled ditto
— <b>Cocli-rofa.</b>	Smooth-leaved ditto
<b>Lychnis Chalcidonica.</b>	Single flowered scarlet <b>Lychnis</b>
— <b>v.</b>	
— <b>v. alb.</b>	White flowered ditto
— <b>v. fl. pleno.</b>	Double flowered ditto
— <b>Flos-cuculi.</b>	Red flowered ditto
— <b>v. fl. alb.</b>	White ditto
<b>Lychnis</b>	



<i>Lychnis Viscaria.</i>	Single flowered viscaus ditto
_____ <i>v. fl. alb.</i>	White flowered ditto
_____ <i>v. fl. pleno.</i>	Double flowered ditto
_____ <i>Alpina.</i>	Alpine ditto
_____ <i>dioica.</i>	Red campion
<i>Cerastium perfoliatum.</i>	Perfoliate Cerastium
_____ <i>vulgatum.</i>	Moufe ear chick-weed
_____ <i>viscosum.</i>	Clammy Cerastium
_____ <i>semidetrandrum.</i>	Least ditto
_____ <i>tetrandrum.</i>	
_____ <i>arvense.</i>	Corn ditto
_____ <i>dichotomum.</i>	Forked ditto
_____ <i>Alpium.</i>	Alpine ditto
_____ <i>repens.</i>	Creeping ditto
_____ <i>suffruticosum.</i>	Underhrub ditto
_____ <i>aquaticum.</i>	Water ditto
_____ <i>latifolium.</i>	Broad leaved ditto
_____ <i>tomentosum.</i>	White ditto
_____ <i>dioicam.</i>	Spanish ditto
<i>Spergula arvensis.</i>	Corn spurry
_____ <i>nodosa.</i>	Knotted ditto
_____ <i>laricina.</i>	Larix leaved ditto

## DECANDRIA DECAGYNIA.

<i>Phytolacca decandra.</i>	Branching Phytolacca
-----------------------------	----------------------

## CLASSIS XI.

## DODECANDRIA MONOGYNIA.

<i>Afarum Europeanum.</i>	Common asarabacca
_____ <i>Canadense.</i>	Canadian ditto
_____ <i>Virginicum.</i>	Sweet scented ditto
<i>Portulaca oleracea.</i>	Garden purslane
_____ <i>fol. aur.</i>	Golden ditto
<i>Lythrum salicaria.</i>	Purple spiked willow-herb

Lythrum

<i>Lythrum virgatum.</i>	Fine branched willow-herb
—— <i>hyssopifolia.</i>	Three-leaved ditto

## DODECANDRIA DIGYNIA.

<i>Agrimonia Eupatoria.</i>	Common agrimony
—— <i>odorata.</i>	Sweet scented ditto
—— <i>repens.</i>	Creeping ditto
—— <i>agrimonoides.</i>	Three-leaved ditto

## DODECANDRIA TRIGYNIA.

<i>Reseda luteola.</i>	Dyer's weed
—— <i>alba.</i>	Upright white Reseda
—— <i>undulata.</i>	Wave-leaved ditto
—— <i>lutea.</i>	Yellow ditto
—— <i>phyteuma.</i>	Trifid ditto
—— <i>odorata.</i>	Mignonette
<i>Euphorbia maculata.</i>	Spotted spurge
—— <i>peplus.</i>	Petty ditto
—— <i>exigua.</i>	Dwarf ditto
—— <i>Lathyris.</i>	Caper ditto
—— <i>Portlandica.</i>	Portland ditto
—— <i>Paralias.</i>	Sea ditto
—— <i>Helioscopia.</i>	Wart-wort
—— <i>pilosa.</i>	Hairy spurge
—— <i>Platyphyllos.</i>	Broad notched leaved ditto
—— <i>Esula.</i>	Gromwell leaved ditto
—— <i>Cyparissias.</i>	Cypress ditto
—— <i>Myrsinites.</i>	Glaucous ditto
—— <i>palustris.</i>	Marsh ditto
—— <i>Hiberna.</i>	Irish ditto
—— <i>amygdaloides</i>	Wood ditto

## DODECANDRIA DODECAGYNIA.

<i>Sempervivum tectorum.</i>	Common house-leek
—— <i>globiferum.</i>	Globular ditto

Sempervivum

<i>Sempervivum arachnoideum.</i>	Cobweb house-leek
— <i>hirtum.</i>	Hairy ditto
— <i>montanum.</i>	Mountain ditto
— <i>sediforme.</i>	Stone-crop leaved ditto

## CLASSIS XII.

## ICOSANDRIA PENTAGYNIA.

<i>Spiraea rubra.</i>	Goats-beard Spiraea
— <i>Filipendula.</i>	Single flowered drop-wort
— <i>v. fl. pleno.</i>	Double ditto
— <i>ulmaria.</i>	Single flowered meadow sweet
— <i>v. fl. pleno.</i>	Double ditto
— <i>v. fol. variegat.</i>	Variegated ditto
— <i>lobata.</i>	Lobe leaved Spiraea
— <i>trifoliata.</i>	Three-leaved ditto

## ICOSANDRIA POLYGYNIA.

<i>Rubus saxatilis.</i>	Stone bramble
— <i>Arcticus.</i>	Dwarf ditto
— <i>Chamaemorus.</i>	Mountain ditto
<i>Fragaria Vesca.</i>	Wood strawberry
— <i>v. pratensis.</i>	Hautboy ditto
— <i>v. Chilensis.</i>	Chili ditto
— <i>v. Virginiana.</i>	Scarlet Virginian ditto
— <i>v. ananas.</i>	Pine ditto
— <i>monophylla.</i>	Simple leaved ditto
— <i>sterilis.</i>	Barren ditto
<i>Potentilla anserina.</i>	Wild tansy
— <i>sericea.</i>	Silky cinquefoil
— <i>multifida.</i>	Multifid ditto
— <i>rupastria.</i>	Rock ditto
— <i>bifurca.</i>	Bifid-leaved ditto
— <i>Pennsylvanica.</i>	Agrimony-leaved ditto
	Potentilla

# CATALOGUE.

89

Potentilla supina.	Trailing cinquefoil
— recta.	Upright ditto
— argentea.	Satin ditto
— hirta.	Hairy ditto
— opaca.	Hairy Potentilla
— verna.	Spring ditto
— aurea.	Golden ditto
— Astracipes.	Astracan ditto
— alba.	White ditto
— Valderia.	
— reptans.	Common ditto
— Monspeliensis.	Montpelier ditto
— Norwegica.	Norway ditto
— grandiflora.	Great flowered ditto
— tridentata.	Trifid leaved ditto
Tormentilla erecta.	Common Tormentil
— reptans.	Creeping ditto
Geum Virginianum.	American ayons
— urbanum.	Common ditto
— intermedium.	Wood ditto
— Canadense.	Canadian ditto
— montanum.	Mountain ditto
— aristatum.	Awned ditto
— rivale.	Water ditto
— hybridum.	Bastard ditto
— potentilloides.	Siberian ditto
Dryas octopetala.	Mountain Dryas
Comarum palustre.	Marsh Cinquefoil

## CLASSIS XIII.

### POLYANDRIA MONOGYNIA.

Aster spicata.	Herb Christopher
— racemosa.	American ditto
POLYANDRIA	N
	Sanguinaria

<i>Sanguinaria Canadensis.</i>	Canadian Sanguinaria
<i>Podophyllum peltatum.</i>	Duck's foot
<i>Chelidonium majus.</i>	Common celandine
— <i>laciniatum.</i>	Cut-leaved ditto
— <i>glaucium.</i>	Yellow horned poppy
— <i>corniculatum.</i>	Red celandine
— <i>hybridum.</i>	Violet coloured ditto
<i>Papaver hybridum.</i>	Bastard poppy
— <i>argemone.</i>	Rough ditto
— <i>nudicaule.</i>	Naked stalked ditto
— <i>Rheas.</i>	Single red ditto
— <i>v. fl. pleno.</i>	Double ditto
— <i>dubium.</i>	Smooth ditto
— <i>somniferum.</i>	Common white ditto
— <i>v. semine nigro.</i>	Black seeded ditto
— <i>v. fl. pleno.</i>	Double flowered ditto
— <i>Cambricum.</i>	Welsh ditto
— <i>Orientale.</i>	Oriental ditto
<i>Argemone Mexicana.</i>	Prickly Argemone, or poppy
<i>Nymphaea lutea.</i>	Yellow water lily
— <i>alba.</i>	White ditto
<i>Cistus tuberarius.</i>	Plantain leaved Cistus
— <i>guttatus.</i>	Annual spotted flowered ditto
— <i>salicifolius.</i>	Willow leaved annual ditto
— <i>Aegyptiacus.</i>	Egyptian ditto

## POLYANDRIA DIGYNIA.

<i>Paeonia officinalis.</i>	Common Paeony
— <i>v. fl. pleno rub.</i>	Double red flowered ditto
— <i>v. fl. pleno pallid.</i>	Double pale flowered ditto
— <i>corallina.</i>	Intire ditto
— <i>albiflora.</i>	White flowered ditto
— <i>anomala.</i>	Jagged leaved ditto
— <i>hybrida.</i>	Hybrid ditto
— <i>tenuifolia.</i>	Slender-leaved ditto

## POLYANDRIA



# CATALOGUE.

91

## POLYANDRIA TRIGYNIA.

Delphinium Ajacis.	Single upright larkspur
— v. fl. pleno.	Double ditto
— v. pumil.	Dwarf ditto
— Consolida.	Branching ditto
— grandiflorum.	Single great flowered ditto
— v. fl. pleno.	Double ditto
— intermedium.	Palmated ditto
— elatum.	Common bee ditto
— exaltatum.	American ditto
— Punicum.	Scarlet ditto
Aconitum Napellus.	Monks hood
— Lycoctonum.	Great yellow wolfs-bane
— Japonicum.	Japan ditto
— Anthora.	Wholesome ditto
— variegatum.	Variegated ditto
— album.	White ditto
— commarum.	Purple ditto
— uncinatum.	American ditto
— volubile.	Twining ditto

## POLYANDRIA TETRAGYNIA.

Cimicifuga foetida.	Fetid Cimicifuga
---------------------	------------------

## POLYANDRIA PENTAGYNIA.

Aquilegia vulgaris.	Common Columbine
— v. fl. pleno.	Double flowered ditto
— v. fl. rub.	Double red ditto
— v. fl. alb.	Double white ditto
— alpina.	Alpine ditto
— Canadensis.	Canadian Columbine
— Sibirica.	Siberian ditto
Nigella Damascena.	Common fennel flower
— fativa.	Small ditto

Nigella

Nigella

<i>Nigella arvensis.</i>	Field fennel flower
— <i>Hispanica.</i>	Spanish ditto
— <i>Orientalis.</i>	Yellow ditto

## POLYANDRIA HEXAGYNIA.

<i>Stratiotes aloides.</i>	Water aloe
----------------------------	------------

## POLYANDRIA POLYGYNIA.

<i>Anemone Hepatica.</i>	Single red Hepatica
— <i>v. fl. pleno.</i>	Double ditto
— <i>v. fl. carul. simp.</i>	Single blue ditto
— <i>v. fl. pleno.</i>	Double ditto
— <i>v. fl. alb.</i>	White ditto
— <i>patens.</i>	Woolly leaved ditto
— <i>Baldensis.</i>	Creeping rooted ditto
— <i>vernalis.</i>	Vernal ditto
— <i>pulsatilla.</i>	Pasque-flower ditto
— <i>pratensis.</i>	Meadow Anemone
— <i>alpina.</i>	Alpine ditto
— <i>coronaria.</i>	Narrow leaved garden ditto
— <i>v. fl. pleno.</i>	Narrow leaved double ditto
— <i>hortensis v. fl. simp.</i>	Broad-leaved ditto
— <i>v. fl. pleno.</i>	Broad leaved double ditto
— <i>sylvestris.</i>	Large white flowered wood ditto
— <i>Virginiana.</i>	Virginian ditto
— <i>Pennsylvanica.</i>	Pennsylvanian ditto
— <i>memorosa.</i>	Wood ditto
— <i>v. fl. pleno.</i>	Double flowered ditto
— <i>appennina.</i>	Mountain wood ditto
— <i>ranunculoides.</i>	Yellow wood ditto
— <i>thalictroides.</i>	Meadow rue leaved ditto
<i>Atragene alpina.</i>	Alpine Atragene
<i>Clematis recta.</i>	Upright virgins bower
— <i>ochroleuca.</i>	Yellow flowered ditto
— <i>integrifolia.</i>	Entire leaved ditto

Thalictrum

<i>Thalictrum alpinum</i> .	Alpine meadow rue
— <i>foetidum</i> .	Fetid ditto
— <i>Cornuti</i> .	Canadian ditto
— <i>dioicum</i> .	Dioecious ditto
— <i>minus</i> .	Small ditto
— <i>majus</i> .	Great ditto
— <i>medium</i> .	Middle ditto
— <i>Sibiricum</i> .	Siberian ditto
— <i>rugosum</i> .	Rough ditto
— <i>angustifolium</i> .	Narrow-leaved ditto
— <i>nigricans</i> .	Black ditto
— <i>flavum</i> .	Shining leaved ditto
— <i>simplex</i> .	Simple stalked ditto
— <i>lucidum</i> .	Common ditto
— <i>aquilegifolium</i> .	Feathered columbine
— <i>contortum</i> .	Twisted ditto
— <i>speciosum</i> .	Glaucous leaved ditto
<i>Adonis autumnalis</i> .	Common Flos Adonis
— <i>vernalis</i> .	Perennial, or spring ditto
<i>Ranunculus Flammula</i> .	Small spearwort crowfoot
— <i>repens</i> .	Narrow leaved ditto
— <i>Lingua</i> .	Great ditto
— <i>gramineus</i> .	Grass leaved ditto
— <i>Pyrenæus</i> .	Pyrenean ditto
— <i>parnassifolius</i> .	Parnassia-leaved ditto
— <i>amplexicaulis</i> .	Plantain-leaved ditto
— <i>Ficaria</i> .	Common pilewort
— <i>vi fl. pleno</i> .	Double flowered ditto
— <i>Cassubicus</i> .	Various leaved ditto
— <i>auricomus</i> .	Wood crow-foot, or goldilocks
— <i>sceleratus</i> .	Marsh ditto
— <i>aconitifolius</i> .	Aconite leaved crow-foot
— <i>v. fl. pleno</i> .	Double aconite ditto
— <i>platanifolius</i> .	Platanus leaved ditto
— <i>Illyricus</i> .	Illyrian ditto

Ranunculus

<b>Ranunculus Pensylvanicus.</b>	Pennsylvanian crow-foot
—— Asiaticus.	Persian ditto, or garden Ranunculus
—— rutzfolius.	Rue leaved ditto
—— nivalis.	Alpine yellow ditto
—— alpestris.	Alpine ditto
—— bulbosus.	Bulbous ditto
—— v. fl. pleno.	Double bulbous ditto
—— repens.	Creeping ditto
—— v. fl. pleno.	Double flowered ditto
—— acris.	Upright ditto
—— v. fl. pleno.	Double upright ditto
—— hirsutus.	Pale leaved ditto
—— lanuginosus.	Broad-leaved ditto
—— arvensis.	Corn ditto
—— muricatus.	Spreading prickly capsuled ditto
—— parvislorus.	Small flowered ditto
—— hederaceus.	Ivy ditto
—— aquatilis.	Various leaved water ditto
—— v. circinata.	Fennel leaved ditto
<b>Trollius Europeanus.</b>	European globe flower
—— Asiaticus.	Asiatic ditto
<b>Isopyrum fumarioides.</b>	Fumatory-leaved Isopyrum
<b>Helleborus hyemalis.</b>	Winter Hellebore
—— niger.	Black ditto, or Christmas rose
—— viridis.	Green ditto
—— foetidus.	Bears foot
—— lividus.	Great three leaved black hellebore
—— trifolius.	Small three leaved ditto
<b>Caltha palustris.</b>	Marsh marygold
—— v. fl. pleno.	Double ditto
<b>Hydrastis Canadensis.</b>	Yellow root

## CLASSIS XIV.

## DIDYNAMIA GYMNOSPERMIA.

Ajuga Orientalis.	Oriental bugle
—— alpina.	Mountain ditto
—— Genevensis.	Flesh coloured ditto
—— reptans.	Common ditto
—— v. fl. alb.	White flowered ditto
Teucrium campanulatum.	Small flowered ditto
—— Pyrenaicum.	Pyrenean ditto
—— Botrys.	Cut leaved annual ditto
—— Chamæpitys.	Ground-pine ditto
—— multiflorum.	Many flowered ditto
—— Regium.	Box leaved ditto
—— Canadense.	Nettle-leaved ditto
—— hircanicum.	Betony-leaved ditto
—— Scrodonia.	Wood ditto
—— Scordium.	Water ditto
—— Chamædrys.	Common ditto
—— lucidum.	Shining ditto
—— montanum.	Dwarf ditto
—— polium.	White mountain ditto
—— v. supinum.	Sea ditto
Satureja montana.	Winter savory
—— hortenensis.	Summer ditto
Hyssopus officinalis.	Common hyssop
—— Lophanthus.	Mint-leaved ditto
—— Nepetoides.	Square stalked ditto
Nepeta Cataria.	Common catmint
—— violacea.	Violet coloured ditto
—— incana.	Hoary ditto
—— cærulea.	Blue flowered ditto
—— Nepetella.	Small ditto
—— nuda.	Spanish ditto

Nepeta



Nepeta Italica.	Italian catmint
— ucranica.	Spanish ditto
— botryoides.	Cut-leaved ditto
Sideritis perfoliata.	Perfoliate iron-wort
— montana.	Mountain ditto
— elegans.	Dark flowered ditto
— hyssopifolia.	Hyssop-leaved ditto
— scordioides.	Crenated ditto
— hirsuta.	Hairy ditto
Elischolzia crustata.	Crested Elischolzia
Mentha villosa. v. rma. Sole.	Long-leaved horse mint
— v. rda. ditto.	Common ditto
— sylvestris ditto	Strong scented ditto
— v. fol. varieg.	Variegated ditto
— rotundifolia Sole.	Round-leaved ditto
— viridis ditto.	Spear ditto
— palustris ditto.	Marsh ditto
— piperita v. officin. ditto.	True pepper ditto
— v. sylvestris ditto.	Wild pepper ditto
— v. vulg. ditto.	Common ditto
— odorata ditto.	Burgamot ditto
— aquatica. v. minor Sole.	Small water ditto
— v. major ditto.	Great ditto
— v. tomentosa.	Hoary ditto
— arvensis Sole.	Corn ditto
— præcox ditto.	Early flowered ditto
— agrestis ditto.	Field ditto
— gentilis ditto.	Cardiac ditto
— gracilis ditto.	Slender ditto
— pratensis ditto.	Meadow ditto
— rubra ditto.	Common red mint
— variegata ditto.	Window mint
— rivalis ditto.	Brook mint
— v. ditto.	Variety of
— v. ditto.	Ditto
— sativa ditto.	Tall red mint

Mentha

# CATALOGUE.

97

<i>Mentha paludosa</i>	<i>Solo.</i>	Fen mint
— <i>pulegium</i>	<i>ditto.</i>	Pennyroyal
— <i>multiflora.</i>		Many flowered ditto
— <i>crispa.</i>		Curled ditto
— <i>cervina</i>		Hyssop-leaved ditto
— <i>incana.</i>		Hoary ditto
<i>Glechoma hederacea</i>		Ground Ivy
<i>Lamium Orvala.</i>		Balm-leaved archangel
— <i>levigatum.</i>		Smooth ditto
— <i>garganicum.</i>		Woolly ditto
— <i>rugosum.</i>		Purple wrinkled ditto
— <i>v. fl. alb.</i>		White ditto
— <i>maculatum.</i>		Spotted ditto
— <i>album.</i>		White ditto, or dead nettle
— <i>purpureum.</i>		Purple ditto
— <i>molle.</i>		Pellitory leaved ditto
— <i>amplexicaule.</i>		Perfoliate ditto
— <i>diffusum.</i>		Cut-leaved ditto
<i>Galeopsis Ladanum.</i>		Red dead nettle
— <i>Tetrahit.</i>		Common ditto
— <i>cannabina.</i>		Hemp ditto
— <i>villosa.</i>		Hairy ditto
— <i>Galeobdolon.</i>		Yellow ditto
<i>Betonica striata.</i>		Danish betony.
— <i>officinalis.</i>		Wood ditto
— <i>incana.</i>		Hoary ditto
— <i>Orientalis.</i>		Oriental ditto
— <i>hirsuta.</i>		Hairy ditto
<i>Stachys sylvatica.</i>		Wood Stachys
— <i>palustris.</i>		Marsh ditto
— <i>alpina.</i>		Alpine ditto
— <i>circinata.</i>		Blunt leaved ditto
— <i>Germanica.</i>		Base horehound
— <i>lanata.</i>		Woolly Stachys.
— <i>Cretica.</i>		Cretan ditto

O

Stachys

Stachys hirta.	Procumbent Stachys
—— recta.	Upright ditto
—— annua.	White annual ditto
—— arvensis.	Corn ditto
Ballota nigra.	Black horehound
—— v. fl. alb.	White flowered ditto
—— lanata.	Woolly ditto
Marrubium Alysson.	Plaited-leaved white horehound
—— peregrinum.	
—— candidissimum.	Woolley white ditto
—— supinum.	Procumbent white ditto
—— vulgare.	Common white ditto
—— Hispanicum.	Spanish white ditto
Leonurus Cardiaea.	Common mother-wort
—— Marrubiastrum.	Small flowered ditto
—— Tartaricus.	Tartarian ditto
—— Sibiricus.	Siberian ditto
Phlomis Herba-venti.	Rough-leaved Phlomis
—— tuberosus.	Tuberous ditto
Moluccella laevis.	Smooth Molucca balm
—— spinosa.	Prickly ditto
Clinopodium vulgare.	Wild basil
Origanum Creticum.	Cretan Origanum
—— heracleoticum.	Winter sweet majoram
—— vulgare.	Common ditto
—— Onites.	Pot ditto
—— Majorana.	Sweet, or knotted marjoram
Thymus Serpyllum.	Common smooth mother of thyme
—— v. chili-odor.	Lemon thyme
—— v. villosum.	Hoary mother of thyme
—— v. hirsutum.	Hairy ditto
—— vulgare.	Broad-leaved garden ditto
—— Zygis.	Linear-leaved ditto
—— Acinos.	Corn ditto
—— Patavinus.	Great flowered ditto

Thymus

Thymus Virginicus.	Virginian, or favory ditto
Melissa officinalis.	Common balm
—— v. varieg.	Variegated ditto
—— grandiflora.	Great flowered ditto
—— v. fol. varieg.	Variegated ditto
—— Calamintha.	Mountain ditto
—— Nepeta.	Field ditto
Dracocephalum Virginianum.	Virginian dragon's head
—— denticulatum.	Denticulated ditto
—— peregrinum.	Prickly-leaved ditto
—— Austriacum.	Austrian ditto
—— Ruyschianum.	Hyssop-leaved ditto
—— Sibiricum.	Siberian ditto
—— Moldavicum.	Moldavian ditto
—— canescens.	Hoary ditto
—— peltatum.	Willow-leaved ditto
—— grandiflorum.	Great flowered ditto
—— nutans.	Nodding ditto
—— thymiflorum.	Small flowered ditto
Melittis Melisophyllum.	Common bastard balm
—— grandiflorum.	Great flowered ditto
Ocimum Basilicum.	Common sweet basil
Scutellaria albidula.	Hairy skull-cap
—— Alpina.	Alpine ditto
—— lupulina.	Great flowered ditto
—— lateriflora.	Virginian ditto
—— galericulata.	Common ditto
—— minor.	Least ditto
—— integrifolia.	Entire leaved ditto
—— peregrina.	Florentine ditto
—— altissima.	Tall ditto
Prunella vulgaris.	Common self-heal
—— v. fl. alb.	White flowered ditto
—— grandiflora.	Great flowered ditto
—— intermedia.	
—— laciniata.	Jagged-leaved ditto



## DIDYNAMIA ANGIOSPERMIA.

Bartfia viscosa.	Marsh Bartfia
— Alpina.	Mountain ditto
Rhinanthus Crista-Galli.	Yellow rattle
Euphrasia officinalis.	Common eye-bright
— Odontites.	Red ditto
Melampyrum pratense.	Meadow cow wheat
— sylvaticum.	Wood ditto
Pedicularis palustris.	Marsh louse wort.
— sylvatica.	Common ditto
Chelone glabra.	White Chelone
— obliqua.	Red ditto
Antirrhinum Cymbalaria.	Ivy-leaved toad-flax
— Elatine.	Sharp pointed ditto
— spurium.	Round leaved ditto
— medium.	Two coloured ditto
— cirrhosum.	Tendrill'd ditto
— triphyllum.	Three-leaved ditto
— purpureum.	Purple ditto
— verticillatum.	Spiked flowered ditto
— repens.	Creeping ditto
— Monspeliense.	Montpelier ditto
— sparteum.	Branching ditto
— bipunctatum.	Dotted flowered ditto
— arvense.	Blue flowered corn ditto
— v. fl. lute.	Yellow flowered ditto
— viscosum.	Clammy snap-dragon
— minus.	Lesser toad-flax
— genistifolium.	Broom-leaved ditto
— Chalepense.	White-flowered ditto
— Linnaria.	Common yellow ditto
— v. pelorin.	Common snap-dragon
— majus.	Common snap-dragon
— v. fl. rubetrim.	Scarlet-flowered ditto

Antirrhinum



# CATALOGUE.

101

<i>Antirrhinum majus v. fl. alb.</i>	White-flowered ditto
— <i>v. fl. pleno.</i>	Double-flowered ditto
— <i>Orontium.</i>	Calf's snout
— <i>Afarina.</i>	Heart-leaved toad-flax
<i>Scrophularia nodosa.</i>	Knobby rooted fig-wort.
— <i>aquatica.</i>	Water ditto
— <i>auriculata.</i>	Ear-leaved ditto
— <i>Scorodonia.</i>	Balm-leaved ditto
— <i>Altaica.</i>	White-flowered ditto
— <i>betonicifolia.</i>	Betony-leaved ditto
— <i>Orientalis.</i>	Hemp-leaved ditto
— <i>vernalis.</i>	Yellow ditto
— <i>sambucifolia.</i>	Elder-leaved ditto
— <i>canadensis.</i>	Cut-leaved ditto
— <i>lucida.</i>	Shining-leaved ditto
— <i>peregrina.</i>	Nettle-leaved ditto
<i>Celfia Cretica.</i>	Great flowered Celfia
<i>Digitalis purpurea.</i>	Purple fox glove
— <i>v. fl. albo.</i>	White flowered ditto
— <i>minor.</i>	Small yellow fox-glove
— <i>lutea.</i>	Greater yellow ditto
— <i>ambigua.</i>	Iron coloured ditto
— <i>ferruginea.</i>	Ciliated foxglove
— <i>ciliaria.</i>	Alpine Erinus
<i>Erinus alpinus.</i>	Cornish Sibthorpia
<i>Sibthorpia Europea.</i>	Mudwort
<i>Limofella aquatica.</i>	Oriental Dodartia
<i>Dodartia Orientalis.</i>	Hairy Pentstemon
<i>Pentstemon pubescens.</i>	Smooth ditto
— <i>— levigata.</i>	Oblong-leaved monkey-flower.
<i>Mimulus ringens</i>	Oval-leaved ditto
— <i>— alatus.</i>	Smooth bears birch
<i>Acanthus mollis.</i>	Portuguese ditto
— <i>v. nigr.</i>	Prickly ditto
— <i>spinosus.</i>	

CLASSIS

## CLASSIS XV.

## TETRADYNAMIA SILICULOSA.

Myagrum perenne.	Perennial gold of pleasure
— Orientale.	Oriental ditto
— rugosum.	Rough ditto
— perfoliatum.	Perfoliate ditto
— fativum.	Cultivated ditto
— paniculatum.	Panicked ditto
— saxatile.	Rock ditto
Vella annua.	Annual Vella
Draba verna.	Common whitlow-grass
— aizoides.	Hairy leaved Alpine ditto
— Pyrenaica.	
— muralis.	Wall ditto
— hirta.	Hairy ditto
— incana.	Hoary ditto
Lepidium perfoliatum.	Various leaved pepper-wort
— alpinum.	Alpine ditto
— petreum.	Rock ditto
— spinosum.	Prickly ditto
— fativum.	Garden, or common cress
— lyratum.	
— latifolium.	Broad leaved ditto
— didymum.	Procumbent ditto
— ruderale.	Narrow leaved ditto
— Iberis.	Bushy ditto
Thlaspi arvense.	Hairy ditto
— saxatile.	Rock ditto
— hirtum.	Fied bastard cress
— campestre.	Wild ditto, or mithridate mustard
— montanum.	Mountain ditto
— perfoliatum.	Perfoliate bastard-cress

Thlaspi

Thlaspi Bursa-pastoris.	Shepherd's purse
— Ceratocarpon.	Siberian bastard cress.
Cochlearia officinalis.	Common scurvy grass
— Danica.	Danish ditto
— Anglica.	Sea ditto
— Coronopus.	Wild ditto, or swines-cress
— Armoracia.	Horse-radish
— glastifolia.	Wood leaved scurvy-grass
— Draba.	
Iberis sempervirens.	Narrow leaved evergreen candy-tuft
— saxatilis.	Rock ditto
— umbellata.	Purple ditto
— amara.	Normandy ditto
— nudicaulis..	White candy tuft
— pinnata.	Naked stalked ditto
	Winged ditto
Alyssum halimifolium.	Sweet scented madwort
— saxatile.	Rock ditto
— incanum.	Hoary ditto
— minimum.	Small ditto
— montanum.	Mountain ditto
— clypeatum.	Upright ditto
— sinuatum.	Sinuuated ditto
— Creticum.	Cretan ditto
— utriculatum.	Bladder ditto
— deltoidem.	Purple ditto
Peltaria alliacea.	Garlick scented Peltaria
Biscutella articulata.	Ear podded Biscutella
— apula.	Spear leaved ditto
— lavigata.	Smooth ditto
Lunaria rediviva.	Perennial honesty
— annua.	Annual ditto

## TETRADYNAMIA SILIQUOSA.

Dentaria bulbifera.	Coral-wort
— pentaphyllos.	Five leaved toothwort
Cardamine bellidifolia.	Daisy leaved ladies smock
— asarifolia.	Heart leaved ditto
— nivalis.	
— petraea.	Mountain ditto
— trifolia.	Three leaved ditto
— impatiens.	Impatient ditto
— hirsuta.	Hairy ditto
— pratensis. v. fl. simp.	Common ditto
— v. fl. pleno.	Double flowered ditto
— amara.	Bitter ladies smock
Sisymbrium Nasturtium.	Common water cress
— sylvestre.	Water rocket
— amphibium.	Water radish
— tetrestre.	Various leaved ditto
— Pyrenaicum.	Pyrenean Sisymbrium
— polyceratium.	Dandelion leaved ditto
— murale.	Wall ditto
— monense.	Procumbent ditto
— Sophia.	Flix weed
— Irio.	Broad leaved hedge-mustard
— Læselii.	Hairy Sisymbrium
— Columnæ.	Hoary leaved ditto
— Supinum.	Trailing ditto
— Pannonicum.	Hungarian ditto
— Barbarea.	
— strigosum.	Spear leaved ditto
Erysimum officinale.	Common hedge mustard
— Barbarea. v. fl. simp.	Winter cress
— v. fl. pleno.	Double flowered ditto
— Alliaria.	Sauce-alone
— repandum.	Small flowered hedge-mustard

Erysimum

## CATALOGUE.

103

<i>Erysimum cheiranthoides.</i>	Wormseed
— <i>hieracifolium.</i>	Saw-leaved ditto
<i>Cheiranthus erysimoides.</i>	Wild stock
— <i>alpinus.</i>	Alpine ditto
— <i>Cheiri v. fl. lut. simp.</i>	Single yellow wall-flower
— <i>v. fl. plen.</i>	Double yellow ditto
— <i>v. fl. coccin. simp.</i>	Single bloody ditto
— <i>v. fl. plen.</i>	Double bloody ditto
— <i>maritimus v. fl. viol.</i>	Dwarf annual stock
— <i>v. fl. alb.</i>	White flowered ditto
— <i>fruticulosus.</i>	Willow-leaved ditto
— <i>incanus.</i>	Queen stock gillyflower
— <i>v. fl. coccin.</i>	Bromptons stock ditto
— <i>v. fl. alb.</i>	White stock ditto
— <i>v. glab.</i>	Wall flower leaved ditto
— <i>annuus.</i>	Ten weeks stock ditto
— <i>tristis.</i>	Dark flowered ditto
— <i>tricuspidatus.</i>	Trifid ditto
— <i>sinuatus.</i>	Greater sea stock
<i>Hesperis tristis.</i>	Night smelling rocket
— <i>matronalis v. fl. alb.</i>	
— <i>simp.</i>	Single white ditto
— <i>v. fl. plen.</i>	Double flowered ditto
— <i>v. fl. purp. simp.</i>	Single purple ditto
— <i>v. fl. plen.</i>	Double ditto
— <i>African.</i>	African ditto
— <i>verna.</i>	Early flowering ditto
<i>Arabis alpina.</i>	Alpine wall cress
— <i>lucida.</i>	Shining-leaved ditto
— <i>thaliana.</i>	Common ditto
— <i>bellidifolia.</i>	Daisy-leaved ditto
— <i>hispida.</i>	Rough ditto
— <i>turrita.</i>	Tower ditto
<i>Turritis glabra.</i>	Smooth tower mustard
— <i>hirsuta.</i>	Hairy ditto
<i>Brassica Orientalis.</i>	Perfoliate cabbage

P

Brassica



<i>Brassica campestris.</i>	Field cabbage
— <i>Napus.</i>	Wild ditto
— <i>Rapa.</i>	Turnep
— <i>oleracea v. alb.</i>	White cabbage
— <i>v. rub.</i>	Red ditto
— <i>v. sabad.</i>	Savoy ditto
— <i>v. sabellit. virid.</i>	Borecole ditto
— <i>v. purp.</i>	Red borecole ditto
— <i>v. botrytis.</i>	Cauliflower
— <i>v. Italica alba.</i>	White cauliflower broccoli
— <i>v. Italica purp.</i>	Purple ditto
— <i>v.</i>	Brofels sprout
— <i>v. Napo-brassica</i>	Turnep rooted cabbage
— <i>muralis.</i>	Wall ditto
— <i>Eruca.</i>	Hairy stalked ditto
— <i>vesicaria.</i>	Hairy podded ditto
<i>Sinapis arvensis.</i>	Charlock
— <i>Orientalis.</i>	Oriental mustard
— <i>alba.</i>	White ditto
— <i>nigra.</i>	Common black ditto
— <i>pubescens.</i>	Pubescent ditto
— <i>junceae.</i>	Fine-leaved ditto
— <i>erucoides.</i>	
— <i>lævigata.</i>	Smooth ditto
— <i>incana.</i>	Hoary ditto
<i>Raphanus sativus v. purp.</i>	Common garden radish
— <i>v. pallid.</i>	
— <i>v. Rapa.</i>	Turnep rooted ditto
— <i>v. niger.</i>	Black Spanish ditto
— <i>Raphanistrum.</i>	Wild charlock
— <i>tenellus.</i>	Small radish
<i>Bunias Erucago.</i>	Prickly podded Bunias
— <i>Orientalis.</i>	Oriental ditto
— <i>Cakile.</i>	Sea ditto
— <i>Balearica.</i>	Minorca ditto
<i>Isatis tinctoria.</i>	Dyers weed

Crambe

Crambe maritima.	Sea colewort
—— Hispanica.	Spanish ditto
—— Tartarica.	Tartarian ditto

## CLASSIS XVI.

## MONADELPHIA PENTANDRIA.

Erodium Romanum.	Roman cranes-bill
—— cicutarium <i>v. fl. plen.</i>	Hemlock leaved ditto
—— <i>v. fl. alb.</i>	White flowered ditto
—— bimaculatum.	Two spotted ditto
—— moschatum.	Musk ditto
—— malacoides.	Mallow leaved ditto
—— maritimum.	Sea ditto
—— gruinum.	Broad leaved annual ditto
—— ciconium.	Long bearded ditto
—— trilobatum.	Three lobed ditto
—— chamædryoides.	Dwarf ditto

## MONADELPHIA DECANDRIA.

Geranium tuberosum.	Tuberous rooted cranes-bill
—— macrorrhizum.	Long rooted ditto
—— phæum.	Dwarf flowered ditto
—— reflexum.	Purple flowered ditto
—— lividum.	Wrinkled leaved ditto
—— nodosum.	Knotty ditto
—— striatum.	Streaked ditto
—— sylvaticum.	Wood ditto
—— palustre.	Marsh ditto
—— pratense <i>v. fl. carul.</i>	Meadow ditto
—— <i>v. fl. alb.</i>	White flowered meadow ditto
—— argenteum.	Silvery leaved ditto
—— maculatum.	Spotted ditto
—— Pyrenaicum.	Mountain ditto

Geranium aconitifolium.	Aconite-leaved ditto
— angulatum.	Angular stalked ditto
— Bohemicum.	Bohemian ditto
— Robertianum v. fl.	
— rub.	Herb-robert
— v. fl. alb.	White flowered ditto
— v. saxatile.	Rock ditto
— lucidum.	Shining ditto
— molle v. fl. purp.	Doves foot ditto
— v. fl. alb.	White flowered ditto
— Carolinianum.	Carolina ditto
— Columbinum.	Long stalked ditto
— dissectum.	Jagged ditto
— rotundifolium.	Round leaved ditto
— pusillum.	Small flowered ditto
— Sibiricum.	Siberian ditto
— sanguineum.	Bloody ditto
— Lancastriense.	Lancashire ditto

## MONADELPHIA POLYANDRIA.

Althæa officinalis.	Common marsh mallow
— cannabina.	Hemp leaved ditto
— hirsuta.	Hairy ditto
Alcea rosea v. fl. simp. purp.	Single flowered purple
—	holly-hock
— v. fl. pleno.	Double flowered ditto
— v. fl. lut. simp.	Single flowered yellow ditto
— v. fl. plen.	Double flowered ditto
— v. Chinensis.	Chinese ditto
— ficifolia.	Fig-leaved ditto
Malva Americana.	American mallow
— Peruviana.	Peruvian ditto
— Limensis.	Blue flowered ditto
— Caroliniana.	Creeping ditto
— parviflora.	Small flowered ditto

Malva

Malva rotundifolia.	Round leaved ditto
— sylvestris.	Common ditto
— Mauritian.	Ivy-leaved ditto
— verticillata.	Whorl flowered ditto
— crispa.	Curled ditto
— Alcea.	Vervain ditto
— moschata v. fl. purp.	Purple flowered musk ditto
— v. fl. alb.	White flowered ditto
Lavatera arborea.	Tree mallow
— Thuringiaca.	Great flowered ditto
— Cretica.	Cretan ditto
— trinestris v. fl. ros.	Annual ditto
— v. fl. alb.	White flowered ditto
Hibiscus palustris.	Marsh Hibiscus
— Trionum.	Common bladder ditto

## CLASSIS XVII.

## DIADELPHIA HEXANDRIA

Fumaria cucularia.	Naked stalked fumitory
— nobilis.	Great flowered ditto
— solida.	Solid rooted bulbous fumitory
— cava v. fl. albo.	Hollow rooted bulbous white
	ditto
— v. fl. rub.	Hollow rooted bulbous red ditto
— glauca.	Glaucous ditto
— lutea.	Yellow ditto
— capnoides.	White flowered ditto
— officinalis.	Common ditto
— capreolata.	Ramping ditto
— tenuifolia.	Slender leaved ditto
— spicata.	Narrow leaved ditto
— claviculata.	Climbing ditto

Fumaria

<i>Fumaria vesicaria.</i>	Bladdered fumitory
— <i>fungosa.</i>	Spungy flowered ditto

### DIADELPHIA OCTANDRIA.

<i>Polygala vulgaris v. fl. caerulea.</i>	Blue flowered milkwort
— <i>v. fl. alba.</i>	White ditto
— <i>v. fl. incarnata.</i>	Flesh-coloured ditto

### DIADELPHIA DECANDRIA.

<i>Ononis antiquorum.</i>	Tall ditto
— <i>spinosa v. fl. purp.</i>	Thorny purple rest-harrow
— <i>v. fl. alb.</i>	Thorny white ditto
— <i>mitissima.</i>	Cluster-flowered agnial ditto
— <i>alopeuroides.</i>	Foxtail ditto
— <i>hircina.</i>	Stinking ditto
— <i>viscosa.</i>	Clammy ditto
— <i>Columnea.</i>	Cluster flowered ditto
— <i>rotundifolia.</i>	Round-leaved ditto
<i>Anthyllis tetraphylla.</i>	Four leaved kidney vetch
— <i>vulneraria v. fl. lut.</i>	Yellow ditto
— <i>v. fl. coccinea.</i>	Scarlet ditto
— <i>montana.</i>	Mountain Anthyllis
<i>Lupinus perennis.</i>	Perennial lupine
— <i>albus.</i>	White ditto
— <i>varius.</i>	Small blue ditto
— <i>hirsutus.</i>	Great ditto
— <i>pilosus.</i>	Rose ditto
— <i>angustifolius.</i>	Narrow leaved blue ditto
— <i>luteus.</i>	Yellow ditto
<i>Phaseolus vulgaris v. fl. alb.</i>	Common kidney-bean
— <i>v. fl. punicea.</i>	Scarlet flowered ditto
— <i>nanus.</i>	
<i>Glycine Apios.</i>	Tuberous rooted Glycine
<i>Pisum sativum v. majus.</i>	Common marrow-fat pea

*Pisum*



## CATALOGUE.

111

<i>Pisum sativum</i> v. <i>viride</i> .	Green rouncival marrow-fat pea
— v. <i>edul.</i>	Sugar ditto
— v. <i>nanum</i> .	Dwarf ditto
— <i>umbellatum</i> .	Rose, or crown ditto
— <i>maritimum</i> .	Sea ditto
— <i>ochrus</i> .	Yellow-flowered ditto
<i>Orobis lathyroides</i> .	Upright bitter vetch
— <i>luteus</i> .	Yellow ditto
— <i>vernus</i> .	Spring ditto
— <i>tuberosus</i> .	Tuberous ditto
— <i>sylvaticus</i> .	Wood ditto
— <i>angustifolius</i> .	Narrow leaved ditto
— <i>niger</i> .	Black ditto
<i>Lathyrus Aphaca</i> .	Yellow Lathyrus
— <i>Nissolia</i> .	Crimson ditto
— <i>amphicarpos</i> .	Subterranean ditto
— <i>Cicera</i> .	Flat podded ditto
— <i>sativus</i> v. <i>fl. cerul.</i>	Common ditto
— v. <i>fl. alb.</i>	White flowered ditto
— <i>inconspicuus</i> .	Small flowered ditto
— <i>setifolius</i> .	Narrow leaved ditto
— <i>angulatus</i> .	Angular seeded ditto
— <i>odoratus</i> v. <i>fl. purp.</i>	Purple sweet pea
— v. <i>Zeylanicus</i>	Painted lady ditto
— v. <i>fl. alb.</i>	White flowered ditto
— v. <i>coccin.</i>	Scarlet ditto
— <i>annuus</i> .	Two flowered yellow Lathyrus
— <i>Tingitanus</i> .	Tangier ditto
— <i>Clymenum</i> .	Various flowered ditto
— <i>hirsutus</i> .	Hairy ditto
— <i>tuberosus</i> .	Tuberous ditto
— <i>sylvestris</i> .	Wild ditto
— <i>latifolius</i> .	Broad-leaved ditto
— <i>pratensis</i> .	Meadow ditto
— <i>palustris</i> .	Marsh ditto
— <i>pisiformis</i> .	Siberian ditto

Lathyrus

<b>Lathyrus articulatus.</b>	Jointed podded ditto
<b>Vicia pisiformis.</b>	Pale flowered vetch
— <b>sylvatica.</b>	Common wood ditto
— <b>canescens.</b>	Hoary ditto
— <b>Cracca.</b>	Tufted ditto
— <b>nissolia.</b>	Red flowered ditto
— <b>biennis.</b>	Biennial ditto
— <b>Bengaliensis.</b>	Bengal ditto
— <b>fativa.</b>	Common tare
— <b>alba.</b>	White ditto
— <b>angustifolia.</b>	Narrow-leaved vetch
— <b>lathyroides.</b>	Dwarf ditto
— <b>lutea.</b>	Smooth flowered yellow ditto
— <b>hybrida.</b>	Hairy flowered yellow ditto
— <b>Panonica.</b>	
— <b>laevigata.</b>	Smooth ditto
— <b>peregrina.</b>	Broad podded ditto
— <b>sepium.</b>	Bush ditto
— <b>Bithynica.</b>	Rough ditto
— <b>Faba v.</b>	Common bean
— <b>v.</b>	Long podded ditto
— <b>v.</b>	Windser ditto
— <b>v.</b>	Toker ditto
— <b>ferratifolia.</b>	Sawed leaved ditto
<b>Ervum Lens.</b>	Common lentil
— <b>tetraspermum.</b>	Smooth tare
— <b>hirsutum.</b>	Hairy ditto
— <b>monanthus.</b>	One flowered tare
— <b>Ervilia.</b>	Officinal ditto
<b>Cicer arietinum.</b>	Chick pea
<b>Glycyrrhiza echinata.</b>	Prickly headed liquorice
— <b>glabra.</b>	Common ditto
<b>Coronilla coronata.</b>	Crowned Coronilla
— <b>Securidaca.</b>	Hatchet ditto
— <b>varia.</b>	Purple ditto
— <b>Cretica.</b>	Cretan ditto

Ornithopus

Ornithopus perpusillus	Common birds foot
intermedius	
compressus	Hairy ditto
scorpioides	Purslane-leaved ditto
Hippocrepis unifiliquosa	Single-podded horse-shoe vetch
multifiliquosa	Many-podded ditto
comosa	Tufted ditto
Scorpiurus vermiculatus	Common caterpillar
muricatus	Two flowered ditto
fulcatus	Furrowed ditto
Hedysarum canadense	Canadian Hedysarum
obscurum	Creeping rooted ditto
coronarium v. fl. viol.	French honey-suckle
v. fl. alb.	White flowered ditto
fluxuosum	Zigzag podded ditto
Onobrychis	St. Foin
Caput-Galli	Cocks-head Hedysarum
Crista-Galli	Cocks-comb ditto
Galega officinalis v. fl. carul.	Official blue goats-rue
v. fl. alb.	Official white ditto
Phaca Boetica	Hairy Phaca, or bastard vetch
Alpina	Smooth ditto
Astragalus alopecuroides	Fox-tail milk vetch
fulcata	Furrowed ditto
galegiformis	Goats rue leaved ditto
Onobrychis	Purple spiked ditto
tenuifolius	Slender leaved ditto
uliginosus	Violet coloured ditto
virescens	Green flowered ditto
Cicer	Bladdered ditto
Glycyphyllos	Liquorice ditto
hamosus	Dwarf yellow flowered ditto
coarctuplicatus	Wave podded ditto
Botricus	Triangular podded ditto
stans	Starry ditto
Austriacus	Austrian ditto

<i>Astragalus epiglottis.</i>	Heart podded ditto
— hypoglottis.	Purple mountain ditto
— Sibiricus.	Siberian ditto
— alpinus.	Alpine ditto
— trimeltris.	Egyptian ditto
— montanus.	Mountain ditto
— uralensis.	Silky ditto
— Montpellieranus.	Montpeher ditto
— leucophaeus.	White flowered ditto
— campestris.	Field ditto
— exscapus.	Hairy podded ditto
— tragacantha.	Goat's thorn ditto
<i>Biserrula Pelecinus.</i>	Bastard hatchet vetch
<i>Trifolium M. carulea.</i>	Blue melilot trefoil
— M. Indica.	Indian ditto
— M. Polonica.	Polonian ditto
— M. officinalis.	Common ditto
— M. Italica.	Italian ditto
— M. Cretica.	Cretan ditto
— M. ornithopodioides.	Bird's-foot ditto
— Lupinaster.	Bastard lupine
— reflexum.	Reflexed ditto
— hybridum.	Bastard ditto
— repens.	Dutch Clover
— alpinum.	Alpine trefoil
— subterraneum.	Subterranean ditto
— lappaceum.	Burdock seeded ditto
— rubens.	Lung-spiked ditto
— medium.	Long-leaved ditto
— pratense.	Purple ditto
— alpestre.	Oval-spiked ditto
— incarnatum.	Flesh coloured ditto
— involucreatum.	Striped flowered ditto
— ochroleucum.	Pallid ditto

A. legum.

Trifolium

# CATALOGUE.

115

<i>Trifolium angustifolium.</i>	Narrow leaved trefoil
— <i>arvense.</i>	Hare's-foot ditto
— <i>stellatum.</i>	Star ditto
— <i>maritimum.</i>	Sea ditto
— <i>clypeatum.</i>	Oriental ditto
— <i>scabrum.</i>	Rough ditto
— <i>glomeratum.</i>	Round-headed ditto
— <i>striatum.</i>	Knotted ditto
— <i>spumofum.</i>	Bladdered ditto
— <i>tomentosum.</i>	Woolly ditto
— <i>fragiferum.</i>	Strawberry ditto
— <i>montanum.</i>	Mountain ditto
— <i>agrarium.</i>	Hop ditto
— <i>spadiceum.</i>	Pale-flowered ditto
— <i>procumbens.</i>	Procumbent ditto
— <i>suffocatum.</i>	Dwarf ditto
<i>Lotus maritimus.</i>	Sea bird's foot trefoil
— <i>filiculofus.</i>	Square podded ditto
— <i>tetragonolobus.</i>	Winged pea
— <i>fulvus.</i>	Yellow flowered ditto
— <i>angustissimus.</i>	
— <i>ornithopodioides.</i>	Claw-podded trefoil
— <i>rectus.</i>	Upright flowered ditto
— <i>corniculatus.</i>	Common ditto
— <i>v. villosus.</i>	Hairy ditto
<i>Trigonella platycarpus.</i>	Round-leaved fenugreek
— <i>spinosa.</i>	Thorny ditto
— <i>polycerata.</i>	Broad-leaved, or Spanish ditto
— <i>Monspeliaca.</i>	Trailing ditto
— <i>Fœnum-græcum.</i>	Common ditto
<i>Medicago radiata.</i>	Ray podded ditto
— <i>circinata.</i>	Kidney-podded medick
— <i>fativa.</i>	Lucern
— <i>falcata.</i>	Yellow mudick
— <i>lupulina.</i>	Black ditto
— <i>polymorpha.</i>	Variable ditto

Q 2

Medicago



## Medicago polymorpha

<i>v. orbicularis.</i>	Flat-podded medick
<i>v. scutellata.</i>	Snail ditto
<i>v. tornata.</i>	Smooth-podded ditto
<i>v. turbinata.</i>	Turban ditto
<i>v. intertexta.</i>	Hedgehog ditto
<i>v. Arabica.</i>	Heart ditto
<i>v. coronata.</i>	
<i>v. ciliaris.</i>	
<i>v. rigidula.</i>	Thorny-podded ditto
<i>v. muricata.</i>	Prickly ditto
<i>v. latiniata.</i>	Cut-leaved ditto

## CLASSIS XVIII.

## POLYADELPHIA. ICOSANDRIA.

<i>Hypericum calycinum.</i>	Great flowered St. John's wort
<i>Androsæmum.</i>	Common tuscan
<i>hirtum v. major.</i>	Common stinking St. John's wort.
<i>minus.</i>	Small ditto
<i>quadrangulum.</i>	St. Peter's wort
<i>perforatum.</i>	Perforated St. John's wort
<i>humifusum.</i>	Trailing ditto
<i>montanum.</i>	Mountain ditto
<i>hirsutum.</i>	Hairy ditto
<i>elodes.</i>	Marsh ditto
<i>pulehrum.</i>	Upright ditto
<i>dubium.</i>	Doubtful ditto
<i>elatum.</i>	Tall ditto
<i>Olympicum.</i>	Olympian ditto
<i>proliferum.</i>	Proliferous ditto
<i>Pyramidatum.</i>	Pyramidal ditto

## CLASSIS

## CLASSIS XIX.

## SYNGENESIA POLYGAMIA ÆQUALIS.

Geropogon glabrum.	Smooth old man's beard
Tragopogon pratensis.	Yellow goat's beard
_____ majus.	Great ditto
_____ porifolius.	Purple ditto
_____ crocifolius.	Crocus-leaved ditto
_____ picroides.	Prickly-cupped ditto
_____ asper.	Rough ditto
Scorzonera Hispanica.	Garden Scorzonera
_____ graminifolia.	Grass-leaved vipers grass
_____ angustifolia.	Narrow-leaved ditto
_____ laciniata.	Cut-leaved ditto
_____ Tingitana.	Poppy-leaved ditto
_____ Picroides.	Various-leaved ditto
Picris echioides.	Rough Picris, or ox tongue
_____ hieracioides.	Yellow succory
Sonchus palustris.	Marsh sow-thistle
_____ arvensis.	Corn ditto
_____ oleraceus v. levis.	Smooth-leaved common ditto
_____ v. asper.	Rough ditto
_____ alpinus.	Alpine ditto
_____ Sibiricus.	Willow-leaved ditto
_____ Canadensis.	Canadian ditto
Lactuca quercina.	Oak leaved Lactuca
_____ intybacea.	
_____ fativa v.	Common cabbage lettuce
_____ v.	Brown Dutch ditto
_____ v.	White cofs ditto
_____ v.	Green cofs ditto
_____ v.	Spotted
_____ v.	Brown ditto

Lactuca

<i>Lactuca scariola.</i>	Prickly cabbage lettuce
— <i>virosa.</i>	Strong-scented ditto
— <i>saligna.</i>	Least ditto
— <i>perennis.</i>	Perennial ditto
<i>Prenanthus viminea.</i>	Twiggy Prenanthus
— <i>purpurea.</i>	Purple ditto
— <i>muralis.</i>	Wall ditto
<i>Leontodon Taraxacum.</i>	Common dandelion
— <i>aureum.</i>	Golden ditto
— <i>palustre.</i>	Marsh ditto
— <i>alpinum.</i>	Alpine ditto
— <i>hispidum.</i>	Rough ditto
— <i>hirtum.</i>	Hairy ditto
— <i>autumnale v. glab.</i>	Smooth autumnal ditto
— <i>v. hispid.</i>	Rough ditto
<i>Hieracium incanum.</i>	Hoary hawk-weed
— <i>alpinum.</i>	Alpine ditto
— <i>Pilosella.</i>	Moose-ear ditto
— <i>albidum.</i>	White ditto
— <i>dubium.</i>	Creeping ditto
— <i>Auricula.</i>	Narrow-leaved ditto
— <i>cymosum.</i>	Small-flowered ditto
— <i>aurantiacum.</i>	Orange-flowered ditto
— <i>porrifolium.</i>	Leek-leaved ditto
— <i>murorum.</i>	Wall ditto
— <i>paludosum.</i>	Marsh ditto
— <i>cerinthoides.</i>	Honeywort ditto
— <i>amplexicaule.</i>	Heart-leaved ditto
— <i>pyrenaicum.</i>	Pyrenean ditto
— <i>undulatum.</i>	Wave-leaved ditto
— <i>molle.</i>	Soft-leaved ditto
— <i>villosum.</i>	Villous ditto
— <i>Kalmii.</i>	Kalm's ditto
— <i>Sprengerianum.</i>	Branched ditto
— <i>spicatum.</i>	Hairy ditto
— <i>sabaudum.</i>	Shrubby ditto

Hieracium

<i>Hieracium v. fol. macul.</i>	Spotted shrubby hawk-weed
— <i>umbellatum.</i>	Umbelled ditto
— <i>sylvaticum.</i>	Wood ditto
<i>Crepis barbata.</i>	Spanish Crepis
— <i>alpina.</i>	Alpine ditto
— <i>rubra.</i>	Purple ditto
— <i>foetida.</i>	Stinking ditto
— <i>aspera.</i>	Rough ditto
— <i>ragadioloides.</i>	Intire leaved ditto
— <i>Sibirica.</i>	Siberian ditto
— <i>testorum.</i>	Smooth ditto
— <i>biennis.</i>	Biennial ditto
— <i>Dioscoridis.</i>	Dioscorides's ditto
— <i>pulchra.</i>	Small-flowered ditto
— <i>coronopifolia.</i>	
<i>Andryala integrifolia.</i>	Hoary Andryala
— <i>lanata.</i>	Woolly ditto
<i>Hyoseris foetida.</i>	Stinking Hyoseris
— <i>radiata.</i>	Starry ditto
— <i>lucida.</i>	Shining ditto
— <i>minima.</i>	Least ditto
— <i>hedynois.</i>	Branching ditto
— <i>rhagadioides.</i>	Nipple-wort ditto
— <i>Cretica.</i>	Cretan ditto
<i>Seriola Aethenensis.</i>	Rough Seriola
<i>Hypochaeris maculata.</i>	Spotted Hypochaeris
— <i>glabra.</i>	Smooth ditto
— <i>radicata.</i>	Long rooted ditto
<i>Lapsana communis.</i>	Common nipplewort
— <i>Zacintha.</i>	Warted ditto
— <i>stellata.</i>	Starry ditto
— <i>rhagadiolus.</i>	Heart-leaved ditto
<i>Catananche caerulea.</i>	Blue Catananche
— <i>lutea.</i>	Yellow ditto
<i>Cichorium Intybus.</i>	Wild endive, or succory
— <i>Endivia v. latifol.</i>	Broad-leaved endive

Cichorium

Cichorum Endivia <i>v. crisp. virid.</i>	Green curled endive
— <i>v. crisp. alb.</i>	White curled ditto
— spinosum.	Prickly ditto
Scolymus maculatus.	Annual golden thistle
Arctium Lappa.	Common burdock
Serratula tinctoria <i>v. fl. purp.</i>	Common saw wort
— <i>v. fl. alb.</i>	White flowered ditto
— alpina.	Mountain ditto
— præalta.	Tall ditto
— spicata.	Spiked ditto
Carduus arvensis.	Way thistle
— laccolatus.	Spear ditto
— Monspesulanus.	Montpelier ditto
— nutans.	Musk ditto
— speciosus.	
— crispus.	Curled ditto
— tenuiflorus.	Slender flowered ditto
— palustris <i>v. fl. rub.</i>	Common marsh ditto
— <i>v. fl. alb.</i>	White flowered ditto
— pycnocephalus.	Italian ditto
— canus.	Hoary ditto
— defloratus.	Various leaved thistle
— marianus.	Milk ditto
— Syriacus.	Syrian ditto
— eriophorus.	Woolly headed ditto
— heterophyllus.	Various leaved ditto
— helenioides.	Melancholy ditto
— Tartaricus.	Tartarian ditto
— ciliatus.	Fringed cuped ditto
— pratensis.	Meadow ditto
— acaulis.	Dwarf ditto
Cnicus oleraceus.	Pale-flowered Cnicus
— Centauroides.	Artichoke leaved ditto
— cernuus.	Siberian ditto
Onopordum acanthium.	Cotton thistle
— Illyricum.	Illyrian Onopordum
	Onopordum



Onopordum Arabicum.	Arabian Onopordum
— acaulon.	Dwarf ditto
Cynara Scolymus v. <i>aculeat.</i>	French artichoke
— v. <i>non-aculeat.</i>	Globe ditto
— Cardunculus.	Cardoon ditto
Carlina acaulis.	Dwarf Carlina
— vulgaris.	Common ditto
Carthamus tinctorius.	Bastard saffron
— lanatus.	Woolly Carthamus
— Creticus.	Cretan ditto
Bidens tripartita.	Water Hemp
— cernua.	Nodding Bidens
— pilosa.	Hairy ditto
Cacalia Saracenicæ.	Creeping rooted Cacalia
— hastata.	Spear-leaved ditto
— suaveolens.	Sweet scented ditto
— alpina.	Alpine ditto
Eupatorium sessilifolium.	Sessile-leaved Eupatorium
— trifoliatum.	Three leaved ditto
— cannabinum.	Hemp agrimony
— purpureum.	Purple Eupatorium
— maculatum.	Spotted ditto
— perfoliatum.	Perfoliate ditto
— cælestinum.	Blue-flowered ditto
— aromaticum.	Aromatic ditto
— ageratoides.	Nettle leaved ditto
Chrysocoma Lynofyris.	German goldy-locks
— biflora.	Two-flowered ditto
Athanasia maritima.	Sea Athanasia

## SYNGENESIA POLYGAMIA SUPERFLUA.

Tanacetum vulgare.	Common tanfy
— v. <i>fol. crisp.</i>	Curled ditto
— myriophyllum.	
— Balfamita.	Cost-mary
	R Artemisia

Artemisia Abrotanum.	Common southern-wood
— fantonica.	Tartarian ditto
— campestris.	Field ditto
— maritima.	Sea wormwood
— glacialis.	Silky ditto
— spicata.	Spiked ditto
— Pontica.	Roman ditto
— annua.	Annual ditto
— Absinthium.	Common ditto
— vulgaris.	Mug-wort
— v. fol. varieg.	Variegated ditto
— rupestris.	Creeping ditto
— filiginoides.	Downy southernwood
— caerulea.	Lavender-leaved worm-wood
— Dracunculus.	Tarragon
Gnaphalium luteo-album.	Jersey cud-weed
— foetidum.	Strong scented everlasting
— margaritaceum.	American ditto
— dioicum v. maz.	Mountain ditto
— v. sam.	Female mountain ditto
— plantagineum.	Plantain-leaved ditto
— erectum.	Upright ditto
— uliginosum.	Marsh ditto
— glomeratum.	
Xeranthemum annuum	
— v. fl. purp.	Purple Xeranthemum
— v. fl. alb.	White ditto
Conyza squarrosa.	Great flea-bane
— linifolia.	Flax-leaved ditto
— asteroides.	Star-wort ditto
— bifrons.	Oval-leaved ditto
Erigeron Canadensis.	Canadian Erigeron
— Philadelphicus.	Spreading ditto
— purpureus.	Purple ditto
— acer.	Blue ditto
— alpinus.	Alpine ditto

Erigeron

Erigeron serpentarium.	Creeping ditto
Tussilago alpina	Alpine colt's-foot
— sylvestris.	
— palmata.	Palmated ditto
— Farfara.	Common ditto
— paradoxa.	Downy-leaved ditto
— frigida.	
— alba.	White ditto
— hybrida.	Long-stalked ditto, or butter- bur
— Petasites.	Great colt's foot, or butter-bur
Senecio vulgaris.	Groundfel
— Arabicus.	Arabian ditto
— triflorus.	Three-flowered ditto
— lividus.	Dingy ditto
— viscosus.	Stinking ditto
— sylvaticus.	Mountain ditto
— elegans v. fl. simp. rub.	Single purple Jacobza
— v. fl. plen.	Double ditto
— v. fl. alb. simp.	Single white ditto
— v. fl. plen.	Double white ditto
— erucifolius.	Hoary perennial groundfel
— abrotanifolius.	Southern-wood leaved ditto
— Jacobza.	Rag-wort ditto
— v. tomentosa.	Woolly ditto
— palustris.	Marsh ditto
— paludosus.	Bird's tongue
— v. coriaceous.	Thick-leaved groundfel
— Saracenicus.	Creeping ditto
— Doria.	Broad-leaved ditto
— Doronicum.	Alpine ditto
Boltonia asteroides.	Starwort-flowered Boltonia
Aster alpinus.	Alpine star wort
— Sibiricus.	Siberian ditto
— Tripolium.	Sea ditto
— amellus.	Plain-leaved Italian ditto

After hyssopifolius.	Hyssop-leaved star wort
— dumosus.	Bushy ditto
— ericoides.	Heath-leaved ditto
— linarifolius.	Savory-leaved ditto
— linifolius.	Flax-leaved ditto
— concolor.	Woolly ditto
— rigidus.	Rigid ditto
— Nova-anglica.	New England clustered ditto
— undulatus.	Wave-leaved ditto
— grandiflorus.	Great flowered ditto
— paludosus.	Marsh ditto
— patens.	Spreading hairy stalked ditto
— foliolosus.	Leafy ditto
— multiflorus.	Late flowering small leaved ditto
— salicifolius.	Willow-leaved ditto
— cestivus.	Labrador ditto
— Tradescanti v. fl. cerul.	Tradescants dwarf ditto
— v. fl. alb.	Tradescants tall ditto
— pendulus.	Pendulous ditto
— diffusus.	Diffuse ditto
— divergens.	Spreading downy stalked ditto
— mutabilis.	Variable ditto
— Novi-belgii.	New Holland ditto
— laevis.	Smooth ditto
— paniculatus.	Smooth stalked ditto
— corymbosus.	Heart-leaved purple ditto
— cordifolius.	Heart-leaved ditto
— machrophyllus.	Broad-leaved ditto
— Chinenfis.	Chinese ditto
— Punicus v. caule purp.	Tall purple stalked ditto
— v. tripedatus.	Dwarf purple stalked ditto
— spectabilis.	Shewy ditto
— tardiflorus.	Spear-leaved ditto
— umbellatus.	Umbeled ditto
— annuus.	American annual ditto
— Radula.	Rough ditto

After

After miser.	Small white ditto
— elegans.	Elegant ditto
Solidago Canadensis.	Common Canadian golden rod
— sempervirens.	Narrow-leaved evergreen ditto
— reflexa.	Reflexed ditto
— lateriflora.	Lateral-flowered ditto
— aspera.	Rough-leaved ditto
— altissima.	Tall ditto
— — <i>v. rugos.</i>	Wrinkled-leaved ditto
— nemoralis.	Woolly-stalked ditto
— arguta.	Sharp notched ditto
— elliptica.	Oval-leaved ditto
— odora.	Sweet scented ditto
— lanceolata.	Grass-leaved ditto
— lævigata.	Fleshy-leaved ditto
— Mexicana.	Mexican golden-rod
— viminea.	Twiggy ditto
— stricta.	Willow-leaved ditto
— bicolor.	Two coloured ditto
— rigida.	Hard-leaved ditto
— caesia.	Maryland ditto
— flexicaulis.	Crooked-stalked ditto
— ambigua.	Angular-stalked ditto
— Virga-aurea.	Common ditto
— Cambrica.	Welsh ditto
Cineraria cordifolia.	Heart-leaved Cineraria
— alpina.	Mountain ditto
— palustris.	Marsh ditto
— maritima.	Sea rag-wort
Inula Helenium.	Elecampane
— dysenterica.	Middle sea-bane
— pulicaria.	Small Inula
— squarrosa.	Net-leaved ditto
— salicina.	Willow-leaved ditto
— crithmoides.	Golden samphire
— Æstuans.	Oval-leaved ditto



<i>Inula hirta.</i>	Hairy Inula
<i>Arnica montana.</i>	Mountain Arnica
— <i>scorpioides.</i>	Alternate-leaved ditto
<i>Doronicum Pardalianches.</i>	Great leopard's-bane
— <i>plantagineum.</i>	Plantain-leaved ditto
— <i>Bellidiastrum.</i>	Daisy-leaved ditto
<i>Helenium autumnale.</i>	Smooth Helenium
<i>Bellis perennis v. folio.</i>	Common daisy
— <i>v. fl. plen. rub.</i>	Double red ditto
— <i>v. fl. plen. alb.</i>	Double white ditto
— <i>v. fl. plen. varieg.</i>	Double flowered variegated do.
— <i>v. fl. plen. fistulos.</i>	Double quilled ditto
— <i>v. prolifer.</i>	Hen and chicken ditto
— <i>Lusitanica.</i>	Portugal ditto
<i>Bellium minus.</i>	Bastard daisy
<i>Tagetes patula v. fl. simp.</i>	Single flowered French mary- gold
— <i>v. fl. plen.</i>	Double ditto
— <i>v. fl. varieg. simp.</i>	Single flowered striped ditto
— <i>v. fl. varieg. plen.</i>	Double ditto
— <i>erecta v. fl. simp.</i>	Single flowered African ditto
— <i>v. fl. pleno.</i>	Double ditto
— <i>v. fistulos.</i>	Quilled ditto
<i>Zinnia pauciflora.</i>	Yellow Zinnia
— <i>multiflora.</i>	Red ditto
— <i>verticillata.</i>	
<i>Chrysanthemum serotinum.</i>	Creeping rooted Chrysanthemum
— <i>alpinum.</i>	Alpine ditto
— <i>Leucanthemum.</i>	Oxe-eye daisy
— <i>montanum.</i>	Mountain ditto
— <i>inodorum.</i>	Scentless ditto
— <i>corymbosum.</i>	Mountain Chrysanthemum
— <i>Indicum.</i>	Indian ditto
— <i>millefoliatum.</i>	Milfoil leaved ditto
	Chrysanthemum

**Chrysanthemum coronarium**

- \_\_\_\_\_ *v. simp.* Common garden ditto  
 \_\_\_\_\_ *v. fl. plen.* Double flowered ditto  
 \_\_\_\_\_ *v. fistulos.* Quilled ditto  
 \_\_\_\_\_ *segetum.* Corn marygold  
 \_\_\_\_\_ *tricolor.* Three coloured ditto

**Madia mellita.****Matricaria Parthenium *v. fl.***

- \_\_\_\_\_ *v. simp.* Common feverfew  
 \_\_\_\_\_ *v. fl. plen.* Double ditto  
 \_\_\_\_\_ *maritima.* Sea ditto  
 \_\_\_\_\_ *Chamomilla.* Corn ditto  
 \_\_\_\_\_ *sauveolens.* Sweet ditto  
**Anthemis** *maritima.* Sea camomile  
 \_\_\_\_\_ *Chia.* Cut-leaved ditto  
 \_\_\_\_\_ *nobilis v. fl. simp.* Garden ditto  
 \_\_\_\_\_ *v. fl. plen.* Double-flowered ditto  
 \_\_\_\_\_ *arvensis.* Corn ditto  
 \_\_\_\_\_ *Austriaca.* Austrian ditto  
 \_\_\_\_\_ *Cotula.* Stinking ditto  
 \_\_\_\_\_ *Pyrethrum.* Spanish ditto  
 \_\_\_\_\_ *tinctoria.* Yellow ditto

**Achillea Santolina.**

- \_\_\_\_\_ *Ageratum.* Lavender cotton-leaved milfoil  
 \_\_\_\_\_ *falcata.* Sweet ditto  
 \_\_\_\_\_ *tomentosa.* Woolly ditto  
 \_\_\_\_\_ *pubescens.* Downy ditto  
 \_\_\_\_\_ *abrotanifolia.* Southern wood leaved ditto  
 \_\_\_\_\_ *macrophylla.* Feverfew-leaved ditto  
 \_\_\_\_\_ *impatiens.*  
 \_\_\_\_\_ *Clavenna.* Silvery-leaved ditto  
 \_\_\_\_\_ *Ptarmica v. fl. simp.* Common sneeze-wort  
 \_\_\_\_\_ *v. fl. plen.* Double flowered ditto  
 \_\_\_\_\_ *ferrata.* Notch-leaved milfoil  
 \_\_\_\_\_ *alpina.* Alpine ditto  
 \_\_\_\_\_ *atrata.* Black cuped ditto

**Achillea**

<i>Achillea magna.</i>	Great ditto
— <i>Græca.</i>	
— <i>Millefolium v. fl. alb.</i>	Common yarrow
— <i>v. fl. purp.</i>	Purple ditto
— <i>nobilis.</i>	Shewy ditto
<i>Sigesbeckia Orientalis.</i>	Oriental Sigesbeckia
— <i>Occidentalis.</i>	American ditto
<i>Bupthalmum maritimum.</i>	Sea ox-eye
— <i>falicifolium.</i>	Willow-leaved ditto
— <i>helianthoides.</i>	Sun flower leaved ditto

## SYNGENESIA POLYGAMIA FRUSTRANEA.

<i>Helianthus annuus v. fl. simp.</i>	Common annual sun-flower
— <i>v. fl. plen.</i>	Double flowered ditto
— <i>multiflorus v. simp.</i>	Many flowered perennial ditto
— <i>v. fl. plen.</i>	Double flowered ditto
— <i>tuberosus.</i>	Jerusalem artichoke
— <i>decapetalus.</i>	Ten petaled sun-flower
— <i>giganteus.</i>	Gigantic ditto
— <i>altissimus.</i>	Tall ditto
— <i>divaricatus.</i>	Rough-leaved ditto
<i>Rudbeckia laciniata.</i>	Broad Jagged leaved Rudbeckia
— <i>digitata.</i>	Narrow ditto
— <i>hirta.</i>	Hairy ditto
— <i>fulgida.</i>	Bright ditto
— <i>purpurea.</i>	Purple ditto
— <i>amplexicaulis.</i>	Stem clasping ditto
<i>Ximenesia enseloides.</i>	Hoary leaved Ximenesia
<i>Coreopsis verticillata.</i>	Whorled-leaved Coreopsis
— <i>minor.</i>	Small ditto
— <i>tripteris.</i>	Three-leaved ditto
— <i>aurea.</i>	Hemp-leaved ditto
— <i>auriculata.</i>	Ear-leaved ditto
— <i>alternifolia.</i>	Alternate-leaved ditto

Coreopsis

<i>Coreopsis procera.</i>	Tall ditto
<i>Centaurea Crapina.</i>	Black seeded centaury
<i>moenchiana.</i>	Purple sweet sultan
<i>v. Amberlei.</i>	Yellow ditto
<i>v. p. alb.</i>	White ditto
<i>alpina.</i>	Alpine centaury
<i>Centaureum.</i>	Great ditto
<i>Phrygia.</i>	Austrian ditto
<i>nigra.</i>	Black ditto
<i>pullata.</i>	Various coloured ditto
<i>montana v. latifol.</i>	Broad-leaved mountain ditto
<i>v. angust.</i>	Narrow-leaved ditto
<i>Cyanus.</i>	Corn ditto
<i>paniculata.</i>	Panicled ditto
<i>Sibirica.</i>	Siberian ditto
<i>sempervirens.</i>	Evergreen ditto
<i>Scabiosa.</i>	Greater knapweed
<i>Orientalis.</i>	Oriental centaury
<i>Jacea.</i>	Common ditto
<i>Rhapontica.</i>	Swiss ditto
<i>glaberrima.</i>	Wood-leaved ditto
<i>sonchifolia.</i>	Sow-thistle leaved ditto
<i>Isnardi.</i>	Jersey star thistle
<i>benedicta.</i>	Blessed ditto
<i>eriphora.</i>	Woolly-headed centaury
<i>Calcitrapa.</i>	Common star ditto
<i>soltitialis.</i>	St. Barnaby's thistle
<i>melitensis.</i>	Cluster-headed <i>Centaurea</i>
<i>ficula.</i>	Brown spined ditto
<i>Verutum.</i>	Dwarf ditto
<i>Salmantica.</i>	Lyre-leaved ditto
<i>muricata.</i>	Purple flowered ditto
<i>aurea.</i>	Great golden ditto

## SYNGENESIA POLYGAMIA NECESSARIA.

Silphium laciniatum.	Jagged-leaved Silphium
— terebinthum.	Broad-leaved ditto
— perfoliatum.	Square-stalked ditto
— vaginatum.	
— trifoliatum.	Three-leaved ditto
Alcina perfoliata.	Perfoliate Alcine
Polymnia Uvedalia.	Broad-leaved Polymnia.
Calendula arvensis.	Field mary gold
— officinalis v. fl. simp.	Common ditto
— — v. fl. alb.	Double flowered ditto
— pluvialis.	Small cape ditto
— hybrida.	Great cape ditto
Arctotis anthemoides.	
Filago Germanica.	Common cudweed
— montana.	Least ditto
— Gallica.	Corn ditto
— Leontopodium.	Lions-foot

## SYNGENESIA POLYGAMIA SEGREGATA.

Echinops spherocephalus.	Great globe thistle
— Ritro.	Small ditto

## SYNGENESIA MONOGAMIA.

Jasione montana.	Annual sheeps scabious
— v. perennis.	Perennial ditto
Lobelia Dortmanna.	Water Lobelia
— Cardinalis.	Scarlet ditto, or cardinal flower.
— siphilitica.	Blue ditto
— inflata.	Bladder podded ditto
— Cliffortiana.	Purple ditto
— v. urens.	Stringy ditto
— minima.	Least ditto

SYNGENESIA

Viola



Viola palmata.	Palmated violet
— pedata.	Multifid ditto
— sagittata.	Arrow-leaved ditto
— lanceolata.	Spear-leaved ditto
— obliqua.	Oblique-flowered ditto
— cucullata.	Hollow-leaved ditto
— hirta.	Hairy ditto
— palustris.	Marsh ditto
— odorata v. fl. purp.	Single purple sweet ditto
— v. fl. plen.	Double purple ditto
— v. fl. alb. simp.	Single white ditto
— v. fl. plen.	Double white ditto
— pilosa.	
— canina v. fl. carul.	Blue flowered dog's violet
— v. alb.	White flowered ditto
— montana.	Mountain violet
— striata.	Striated ditto
— pubescens.	Downy ditto
— mirabilis.	Broad-leaved ditto
— biflora.	Two flowered ditto
— uniflora.	Siberian ditto
— lutea.	Yellow ditto
— tricolor.	Hearts-ease
— v. bicolor.	Panfies
— v. lutea.	Yellow-flowered hearts-ease
— grandiflora.	Great yellow violet
— Zeyfi.	
— calcarata.	Alpine ditto
— cornuta.	Pyrenean ditto
Impatiens Balsamina.	Garden balsam
— Noli-tangere.	Touch-me-not

## CLASSIS XX.

## GYNANDRIA DIANDRIA.

Orchis bifolius.	Butterfly Orchis
—— pyramidalis.	Pyramidal ditto
—— Morio.	Female ditto
—— masculus.	Male ditto
—— latifolius.	Broad-leaved ditto
—— maculatus.	Spotted ditto
—— conopseus.	Red handed ditto
Satyrium viride.	Frog satyrium
—— albidum.	White ditto
Ophrys ovata.	Tway blade
—— spiralis.	Lady's traces
—— Monorchis.	Musk Ophrys
—— mucifera.	Fly ditto
—— apifera.	Bee ditto
Serapias longifolia.	Long-leaved helleborine
—— grandiflora.	Great-flowered ditto

## GYNANDRIA TRIANDRIA.

Sisyrinchium Bermudianum.	Small Sisyrinchium
—— striatum.	

## GYNANDRIA HEXANDRIA.

Aristolochia rotunda.	Round rooted birthwort
—— Clematis.	Upright ditto

## GYNANDRIA POLYANDRIA.

Arum Dracunculus.	Common dragon
—— Dracontium.	Green ditto
—— triphyllum.	Three-leaved green-stalked ditto

Arum

<i>Arum maculatum</i> v. <i>fol. macul.</i>	Common spotted Arum
———— v. <i>fol. non macul.</i>	Unspotted ditto
———— <i>Italicum.</i>	Italian ditto
———— <i>tenuifolium.</i>	Grass-leaved ditto
<i>Calla palustris.</i>	Marsh Calla
<i>Zostera marina.</i>	Sea grass-weed

## CLASSIS XXI.

## MONOECIA MONANDRIA.

<i>Zannichellia palustris.</i>	Marsh Zannichellia
<i>Chara tomentosa.</i>	Brittle stonewort
———— <i>vulgaris.</i>	Stinking ditto
———— <i>hispida.</i>	Prickly ditto
———— <i>flaxilis.</i>	Smooth ditto

## MONOECIA DIANDRIA.

<i>Lemna trifolia.</i>	Ivy-leaved duck's meat
———— <i>minor.</i>	Least ditto
———— <i>gibba.</i>	Gibbous ditto
———— <i>polyrrhiza.</i>	Greater ditto

## MONOECIA TRIANDRIA.

<i>Typha latifolia.</i>	Great cat's-tail
———— <i>angustifolia.</i>	Narrow-leaved ditto
<i>Sparganium erectum.</i>	Great bur-reed
———— <i>simplex.</i>	Small ditto
<i>Tripsacum dactyloides.</i>	Rough-seeded Tripsacum
<i>Carex dioica.</i>	Small Carex
———— <i>pulicaris.</i>	Flea ditto
———— <i>stellulata.</i>	Starry ditto
———— <i>curta.</i>	White ditto
———— <i>ovalis.</i>	Naked ditto
———— <i>remota.</i>	Remote ditto

Carex

<b>Carex axillaris.</b>	Common Carex
— incurva.	Curved Carex
— arenaria.	Sea ditto
— intermedia.	Soft ditto
— divisa.	Marsh ditto
— muricata.	Prickly ditto
— divulsa.	Gray ditto
— vulpina.	Great ditto
— paniculata.	Panicled ditto
— teretifolia.	Round stalked ditto
— digitata.	Digitated ditto
— clandestina.	
— pendula.	Pendulous ditto
— strigosa.	Loose ditto
— praecox.	Vernal ditto
— filiformis.	Downy ditto
— flava.	Yellow ditto
— fulva.	
— extensa.	Extended ditto
— distans.	Distant flowering ditto
— panicea.	Pink ditto
— capillaris.	Capillary ditto
— depauperata.	Charleston ditto
— sylvatica.	Wood ditto
— recurva.	Heath ditto
— pallescens.	Pale ditto
— limosa.	Brown ditto
— Pseudo-Cyperus.	Bastard ditto
— atrata.	Black ditto
— pilulifera.	Ball-bearing ditto
— rigida.	Rigid ditto
— caespitosa.	Turfy ditto
— stricta.	Stiff ditto
— riparia.	Common ditto
— paludosa.	Acute ditto
— acuta.	Slender spiked ditto

Carex

Carex vesicaria.	Bladder Carex
—— ampullacea.	Beaked ditto
—— hirta.	Hairy ditto

## MONOECIA TETRANDRIA.

Littorella lacustris.	Small Littorella
Urtica pilulifera.	Roman nettle
—— Dodartii.	Pellitory-leaved ditto
—— urens.	Lesser ditto
—— dioica.	Common ditto
—— Canadensis.	Canada ditto

## MONOECIA PENTANDRIA.

Xanthium Strumarium.	Lesser burdock
Parthenium integrifolium.	Entire-leaved Parthenium
Amaranthus tricolor.	Three coloured Amaranthus
—— lividus.	Livid ditto
—— Blitum.	Least ditto
—— viridis.	Green ditto
—— oleraceus.	Eatable ditto
—— hybridus.	Clustered ditto
—— flavus.	Pale ditto
—— retroflexus.	Hairy ditto
—— hypocondriacus.	Prince's feather
—— caudatus.	Love-lies-bleeding

## MONOECIA POLYANDRIA.

Ceratophyllum demersum.	Prickly-seeded hornwort
Myriophyllum spicatum.	Spiked water milfoil
—— verticillatum.	Whorled ditto
Sagittaria sagittifolia.	Common arrow-head
Poterium Sanguisorba.	Common burnet
—— hybridum.	Sweet ditto

## MONOECIA



## MONOECIA SYNGENESIA.

Momordica Elaterium.	Squirting cucumber
Cucurbita Pepo	Pumpkin-gourd
—— verrucosa.	Warted ditto
—— Melopepo.	Squash ditto
Cucumis Melo.	Common melon
—— sativus.	Common cucumber
Bryonia dioica.	Red berried briony

## CLASSIS XXII.

## DIOECIA PENTANDRIA.

Spinacia oleracea v. <i>femin-lea</i> .	Smooth Spinage
—— v. <i>femin-spinos</i> .	Prickly ditto
Cannabis fativa.	Common hemp
Humulus Lupulus.	Hops

## DIOECIA HEXANDRIA.

Tamus communis.	Black briony
Rhodiola Rosea.	Rose root
Dioscorea villosa.	Hairy Dioscorea

## DIOECIA ENNEANDRIA.

Mercurialis perennis.	Dog's mercury
—— annua.	Annual ditto
Hydrocharis Morsus-ranæ.	Frog-bit

## DIOECIA DODECANDRIA.

Datisca cannabina.	Bastard hemp
--------------------	--------------

## DIOECIA MONADELPHIA.

Napæa levis.	Smooth Napæa
—— scabra.	Rough ditto

## CLASSIS

## CLASSIS XXIII.

## POLYGAMIA MONOECIA.

Veratrum album.	White hellebore
——— nigrum.	Dark-flowered Veratrum
——— luteum.	Yellow-flowered ditto
——— viride.	Green-flowered ditto
Holcus mollis.	Creeping soft grass
——— lanatus.	Meadow ditto
——— odoratus.	Sweet scented Holcus
Ægilops ovata.	Oval spiked hard-grass
——— triuncialis.	Long spiked ditto
Valentia cruciata.	Common cross-wort
——— glabra.	Smooth ditto
Parietaria officinalis.	Wall pellitory
Atriplex portulacoides.	Common sea purslane
——— hortensis v. virid.	Green garden orache
——— ——— v. rubr.	Red ditto
——— laciniata.	Jagged sea ditto
——— hastata.	Wild ditto, or lamb's-quarters
——— patula.	Spreading ditto
——— littoralis.	Grass-leaved ditto
——— ferrata.	Serrated ditto





SYSTEMATIC  
C A T A L O G U E  
OF  
*Green and Hothouse Plants,*  
IN  
THE DUBLIN SOCIETY'S  
BOTANICAL GARDEN  
AT  
GLASNEVIN;

WITH

THEIR SCIENTIFIC NAME, COMMON NAME, COUNTRY OR  
NATIVE SOIL, TIME OF FLOWERING, AND WHETHER  
*ANNUAL, BIENNIAL, PERENNIAL, TREE OR SHRUB.*

Dublin :

PRINTED BY GRAISBERRY & CAMPBELL, 10, BACK-LANE

---

1801.

SYSTEMATIC

CATALOGUE



THE DUBLIN SOCIETY

BOYACONIA GLADIA

CLASSIFIED

WITH

THEIR SCIENTIFIC NAMES, COMMON NAMES, AND  
NATIVE USES, FROM THE DUBLIN SOCIETY  
LIBRARY, DUBLIN, IRELAND, 1801.

LONDON:

PRINTED BY GARRISON & SONS, 1801.

1801.



---

### ABBREVIATIONS EXPLAINED.

---

<i>S.</i>	Stove, or hot house.
<i>G.</i>	Green house.
<i>C. G. H.</i>	Cape of Good Hope.
<i>M. P. Y.</i>	Most part of the year.
<i>M. P. S.</i>	Most part of the summer.
<i>V. S.</i>	Various seasons.
<i>an.</i>	Annual.
<i>bi.</i>	Biennial.
<i>pe.</i>	Perennial.
<i>tr.</i>	Tree or shrub.

---

CVIA-1912-1000 (1) 1250

1. The first part of the document is a list of names and their corresponding addresses. The names are: John A. Smith, John B. Smith, John C. Smith, John D. Smith, John E. Smith, John F. Smith, John G. Smith, John H. Smith, John I. Smith, John J. Smith, John K. Smith, John L. Smith, John M. Smith, John N. Smith, John O. Smith, John P. Smith, John Q. Smith, John R. Smith, John S. Smith, John T. Smith, John U. Smith, John V. Smith, John W. Smith, John X. Smith, John Y. Smith, John Z. Smith. The addresses are: 123 Main St., 456 Main St., 789 Main St., 101 Main St., 202 Main St., 303 Main St., 404 Main St., 505 Main St., 606 Main St., 707 Main St., 808 Main St., 909 Main St., 1010 Main St., 1111 Main St., 1212 Main St., 1313 Main St., 1414 Main St., 1515 Main St., 1616 Main St., 1717 Main St., 1818 Main St., 1919 Main St., 2020 Main St., 2121 Main St., 2222 Main St., 2323 Main St., 2424 Main St., 2525 Main St., 2626 Main St., 2727 Main St., 2828 Main St., 2929 Main St., 3030 Main St., 3131 Main St., 3232 Main St., 3333 Main St., 3434 Main St., 3535 Main St., 3636 Main St., 3737 Main St., 3838 Main St., 3939 Main St., 4040 Main St., 4141 Main St., 4242 Main St., 4343 Main St., 4444 Main St., 4545 Main St., 4646 Main St., 4747 Main St., 4848 Main St., 4949 Main St., 5050 Main St., 5151 Main St., 5252 Main St., 5353 Main St., 5454 Main St., 5555 Main St., 5656 Main St., 5757 Main St., 5858 Main St., 5959 Main St., 6060 Main St., 6161 Main St., 6262 Main St., 6363 Main St., 6464 Main St., 6565 Main St., 6666 Main St., 6767 Main St., 6868 Main St., 6969 Main St., 7070 Main St., 7171 Main St., 7272 Main St., 7373 Main St., 7474 Main St., 7575 Main St., 7676 Main St., 7777 Main St., 7878 Main St., 7979 Main St., 8080 Main St., 8181 Main St., 8282 Main St., 8383 Main St., 8484 Main St., 8585 Main St., 8686 Main St., 8787 Main St., 8888 Main St., 8989 Main St., 9090 Main St., 9191 Main St., 9292 Main St., 9393 Main St., 9494 Main St., 9595 Main St., 9696 Main St., 9797 Main St., 9898 Main St., 9999 Main St.

# CLASSIS I.

## MONANDRIA MONOGYNIA.

<i>Scientific Name.</i>	<i>Common Name.</i>	<i>Country, or Native Soil.</i>	<i>Time of Flowering, &amp;c.</i>	<i>Systematic</i>
CANNA	INDIAN SHOT			
1. Indica.	common	{ Asia, Africa, America,	M. P. S.	S. pe.
v. striata.	Striated do.			
v. lutea.	Yellow do.		July.	S. pe. S. pe.
2. glauca.	glaucous leaved.	S. America.	—	S. pe.
3. flaccida.	flaccid.	Carolina.	—	S. pe.
RENEALMIA	RENEALMIA			
1. nutans.	nodding.	E. India.	March.	S. pe.
AMOMUM	GINGER			
1. Zingiber.	narrow-leaved.	E. India, naturalized to Jamaica.	September.	S. pe.
2. Zerumbet.	broad-leaved.	Indies.	—	pe.
3. Granum paradisi.	Grains of Paradise.	Madagascar, Guinea, Zeylon.	—	S. pe.
COSTUS	COSTUS			
1. speciosa.	superb Costus.	E. India.	—	S. pe.
MARANTA	ARROWROOT			
1. arundinacea.	Indian.	S. America.	August.	S. pe.

# MONANDRIA MONOGYNIA.

CURCUMA	TURMERIC		
1. long.	long rooted.	- E. India.	August.
KAEMPPERIA	KAEMPPERIA	-	S. fr.
1. Galanga.	Galangale.	- Indies.	June, July.
THALIA	THALIA	-	S. fr.
1. geniculata.	jointed.	- S. America.	S. fr.
LOPEZIA	LOPEZIA	-	S. an.
1. Mexicana.	Mexican.	- Mexico.	October.
POLLICHIA	POLLICHIA	- C. G. H.	September.
1. campestris.	whorl leaved.	-	G. bi.

## CATALOGUE.

144

## CLASSIS II.

# DIANDRIA MONOGYNIA.

JASMINUM	JASMINE		
1. Sambac.	Arabian.	Indies.	M. P. S.
v. fl. plen.	Double flowered ditto.	-	S. tr.
v. Tuscenic.	Tuscany ditto.	-	tr.
2. vimineum.	twiggy.	Java, Malabaria.	S. tr.

# DIANDRIA MONOGYNIA.

JASMINUM	JASMINE				
3. glaucum.	glaucous.	-	C. G. H.	Aug.	G. tr.
4. Azoricum.	Azorian.	-	Madeira.	M. P. S.	G. tr.
5. odoratissimum.	yellow Indian.	-	Madeira.	May, October.	G. tr.
6. grandiflorum.	Catalonian.	-	Indies.	June, Oct.	S. tr.
OLEA	OLIVE	-			
1. Europea.	European.	-	S. of Europe.	July.	G. tr.
var. latifol.	broad leaved ditto	-			G. tr.
var. laevisfol.	low leaved ditto.	-		July.	G. tr.
2. Capensis.	Cape.	-	C. G. H.		G. tr.
var. undulata.	wavy leaved ditto	-			G. tr.
fragrans.	sweet scented.	-		July.	G. tr.
3. Americana.	American.	-		June.	G. tr.
4. FONTANESIA	FONTANESIA	-			G. tr.
1. phyllireoides.	phillyrea leaved.	-	Cochinchina, China, Japan,		
JUSJICIA	JUSTICIA	-	Carolina and Florida.		
1. Echolium.	long spiked.	-	Syria.		tr.
2. coccinea.	scarlet flowered	-			
3. nufuta.	dichotomous.	-	Arabia, Malabar, Ceylon.	May, August.	S. tr.
4. pectoralis.	forked.	-	Cajenne, South America.	March.	S. tr.
5. Adharoda.	Malabar nut.	-	India.	M. P. S.	S. tr.
6. Peruviana.	Peruvian.	-	Domingo, Marunico.		S. p.
		-	Ceylon.	June.	G. tr.
		-	Lima.	M. P. S.	S. tr.

## CATALOGUE



# DIANDRIA MONOGYNIA

JUSTICIA	JUSTICIA.				
7. hyfipifolia.	Snap tree.	-	Canary Islands.	M. P. S.	G. tr.
8. orchitoides.	broom leaved.	-	C. G. H.	Augst.	G. tr.
9. parviflora.	small flowered.	-	Calcutta.		G. pe.
CALCEOLARIA					
1. pinnata.	winged leaved.	-	Peru.	M. P. S.	S. an.
2. Fothergillii.	spatula leaved.	-	Falkland Islands.	June.	G. bi.
VERBENA					
1. nodiflora.	creeping.	-	{	M. P. S.	S. pe.
2. triphylla.	three leaved.	-	{	Augst.	G. tr.
3. Aubletia.	cut leaved rose.	-	{	M. P. S.	G. bi.
SALVIA			{		
1. bicolor.	two coloured.	-	{	June.	G. pe.
2. Canariensis.	Canary.	-	{	— O&t.	G. tr.
3. Africana.	African.	-	{	April, June.	G. tr.
4. aurea.	gold flower'd African.	-	{	May, Nov.	G. tr.
5. paniculata.	panicled.	-	{	June Augst.	G. tr.
6. pinnata.	winged leaved.	-	{		G. bi.
7. Mexicana.	Mexican.	-	{	May, July.	G. tr.
8. rugosa.	wrinkle leaved.	-	{		G. tr.

## DIANDRIA MONOGYNIA.

SALVIA	SAGE.			
9. violacea.	violet flowered.	West India.	April, May.	S. tr.
10. formosa.	shining leaved.	Peru.	M. P. S.	G. tr.
11. coccinea.	scarlet flowered.	East Florida.		S. tr.
ERANTHEMUM	ERANTHEMUM.			
1. pulchellum.	blue flowered.	East India.	January, May.	S. tr.

## CLASSIS III.

## TRIANDRIA MONOGYNIA.

OXYBAPHUS				
1. vicifolius.	clammy.	Peru.	June, September.	S. p.
IXIA				
1. bulbifera.	bulb bearing.	C. G. H.	April.	G. p.
2. purpurea.	purple.		July.	G. p.
3. rubeo-cyana.	swans neck.		May.	G. p.
4. reflexa.	reflex flowered.			G. p.
5. capitata.	headed.		April.	G. p.
6. crispa.	curled.		June.	G. p.

TRIANDRIA MONOGYNIA.

IXIA.	C. G. H.		
7. <i>spicata</i> .			May.
8. <i>cinnamomea</i> .			June.
9. <i>filulola</i> .			April.
10. <i>tricolor</i> .			May.
11. <i>erecta</i> .			June.
12. <i>polytachia</i> .			July.
13. <i>pechabilis</i> .			May.
14. <i>densa</i> .			June.
15. <i>crocata</i> .			May.
16. <i>arifata</i> .			April.
17. <i>conica</i> .			June.
18. <i>longiflora</i> .			May.
19. <i>maculata</i> .			May, June.
20. <i>propinqua</i> .			
21. <i>flexuosa</i> .			
22. <i>internata</i> .			
23. <i>coelestina</i> .			
24. <i>corymbiflora</i> .			
25. <i>rosea</i> .			

## TRIANDRIA MONOGYNIA.

GLADIOLUS	CORN FLAG.	C. G. H.			
1. tristis.	square stalked.	_____	_____	May, June.	G. fl.
2. longiflorus.	long flowered.	_____	_____	June, July.	G. fl.
3. galeatus.	helmet flowered.	_____	_____	_____	G. fl.
4. reflex.	rose.	_____	_____	May, June.	G. fl.
5. versicolor.	various coloured.	_____	_____	June.	G. fl.
6. ringens.	gaping.	_____	_____	May.	G. fl.
7. precox.	early.	_____	_____	April.	G. fl.
8. polyflachius.	many spiked.	_____	_____	May, July.	G. fl.
9. gramineus.	grass leaved.	_____	_____	May, August.	G. fl.
10. Merianellus.		_____	_____	May, June.	G. fl.
11. Merianus.		_____	_____	_____	G. fl.
12. angustatus.	narrow leaved.	_____	_____	_____	G. fl.
13. securiger.	copper coloured.	_____	_____	_____	G. fl.
14. tubiflorus.	tube flowered.	_____	_____	_____	G. fl.
15. blandus.	bluish coloured.	_____	_____	_____	G. fl.
16. plicatus.	pleated.	_____	_____	_____	G. fl.
17. strictus.	upright blue.	_____	_____	May.	G. fl.
18. pulchellus.	superb.	_____	_____	_____	G. fl.
19. superbus.	large flowering.	_____	_____	May, July.	G. fl.
20. cardinalis.		_____	_____	_____	G. fl.

## TRIANDRIA MONOGYNIA.

ANTHOLYZA	ANTHOLYZA.	C. G. H.	May, June.	G. p.
1. ringens.	gaping.	—	—	G. p.
2. Cunonia.	scarlet.	—	—	G. p.
3. Æthiopia.	broad leaved.	—	—	G. p.
4. plicata.	plated.	—	April.	G. p.
5. spicata.	spiked.	—	June.	G. p.
N. B. Many beautiful varieties, besides the species mentioned of Ixia, Gladiolus and Antholyza.				
ARISTEA	ARISTEA.	C. G. H.	June, July.	G. p.
1. cyanca.	grass leaved.	—	—	G. p.
2. tris.	iris, or Flower de Luce.	—	—	G. p.
3. triculpis.	three pointed.	—	—	G. p.
4. fisyrrinchium.	crocus rooted.	—	—	G. p.
5. Martinicensis.	Martinico.	—	June, August.	G. p.
6. pavonia.	peacock.	—	—	G. p.
7. Chintensis.	Chinese.	—	May, June.	G. p.
8. bulbifera.	bulb bearing.	—	—	G. p.
9. longifolia.	long leaved.	—	—	G. p.
10. maculata.	spotted ditto.	—	—	G. p.
MORAEA	MORAEA.	—	—	G. p.
1. cerulea.	blue.	—	May, June.	G. p.



# TRIANDRIA MONOGYNIA.

MORAEA					
1. inopetala.	Iris flowered.	C. G. H.	June.	G. pe.	
3. iridoides.	sword leaved.	Constantinople.	—	G. pe.	
4. Northiana.	broad leaved.	S. America.	—	G. pe.	
CYPERUS					
1. alternifolius.	alternate leaved.	Madagascar.	March.	S. pe.	
2. denudatus.	naked.	C. G. H.		G. pe.	
WACHENDORFIA					
1. thyrsiflora.	thyrsiflora.	C. G. H.	May, June.	G. pe.	
KYLLINGIA					
1. triceps.	three headed.	America, and E. India.	M. P. S.	S. pe.	
2. umbellata.	umbelled.	East India.	July, August.	S. pe.	
TAMARINDUS					
1. Indica.	Tamarind tree.	Egypt, E. & W. Indies.	June, July.	S. pe.	

## CATALOGUE.

151

# DIGYNIA.

SACCHARUM					
1. officinarum.	common.	Indies.		S. pe.	
PANICUM					
1. polygamum.	Guinea-grass.	W. India.		S. pe.	

## TRIANDRIA DIGYNIA.

GENOSERUS	DOG'S TAIL GRASS.	Africa, Asia, America.	July, September. S. am.
1. <i>Egyptius.</i>	Egyptian.	Indies.	S. am.
2. <i>Indicus.</i>	Indian.		

## CLASSIS IV.

## TETRANDRIA MONOGYNIA.

PROTEA	PROTEA	C. C. H.			
1. <i>decumbens.</i>	decumbent.	-	-	May, June.	G. tr.
2. <i>conocarpa.</i>	tooth leaved.	-	-	Jan. Feb.	G. tr.
3. <i>purpurea.</i>	purple.	-	-	June.	G. tr.
4. <i>Scolymus.</i>	small smooth leaved.	-	-	April, June.	G. tr.
5. <i>mellifera.</i>	honey bearing red backed.	-	-	August.	G. tr.
6. <i>pallens.</i>	pale.	-	-	June, July.	G. tr.
7. <i>conifera.</i>	cone bearing.	-	-		G. tr.
8. <i>sericea.</i>	silky.	-	-		G. tr.
9. <i>argentea.</i>	silvery.	-	-		G. tr.
10. <i>grandiflora.</i>	great flowered.	-	-		G. tr.
11. <i>speciosa.</i>	showy, or oblique leaved.	-	-		G. tr.

# TETRANDRIA MONOGYNIA.

PROTEA	PROTEA.	C. G. H.			
11. speciosa.	shewy.	—	—	June, July.	G. tr.
var. alb.	white leaved.	—	—		
var. nigr.	black ditto.	—	—		
12. hirta.	hairy.	—	—		
13. spathulata.	flat leaved.	—	—	July, August.	G. tr.
14. umbellata.	umbelled.	—	—		
15. torta.	twisted leaved.	—	—	July, August.	G. tr.
16. parviflora.	small flowered.	—	—	August.	G. tr.
17. tomentosa.	woolly.	—	—		
18. plumosa.	feathered.	—	—	June, August.	G. tr.
19. pulcella.	fennel leaved.	—	New Holland.	June, July.	G. tr.
20. incurva.	incurved.	—	C. G. H.		G. tr.
21. glabra.	smooth.	—	—	June, July.	G. tr.
22. racemosa.	branching.	—	—		
23. Levifanus.	linear leaved.	—	—	April, July.	G. tr.
24. corymbosa.		—	—		
25. linearis.		—	—		
26. pubera.		—	—		
27. alba.	white.	—	—		G. tr.
BANKSIA		—	—		G. tr.
1. ferrata.	few leaved.	—	New Holland.		
2. dentata.	tooth leaved.	—	—		G. tr.

## CATALOGUE.

## TETRANDRIA MONOGYNIA.

BANKSIA					
3. cricifolia.	heath leaved.	-	New Holland.	May, August.	G. tr.
4. prismorfa.	snipped.	-	—		G. tr.
5. spinulosa.	spiny.	-	—		G. tr.
PERSOONIA					
1. lucida.	shining.	-	New Holland.	July, August.	G. tr.
2. linearis.	linear leaved.	-	—	—	G. tr.
EMBOTHRUM					
1. buxifolium	box leaved.	-	New Holland.	M. P. T.	G. tr.
2. sericeum.	silky.	-	—		G. tr.
GLOBULARIA					
1. longifolia.	long leaved.	-	Madeira.	July, August.	G. tr.
SCABIOSA					
1. rigida.	Æthiopian, or rough leaved.	-	Æthiopia.	July, October.	G. tr.
2. Africana.	African.	-	Africa.	June, October.	G. tr.
3. Cretica.	Cretan.	-	Crete.	June, July.	G. tr.
OPERCULARIA					
1. aspera.	rough.	-	New Zealand.		G. tr.
HOUSTONIA					
1. coccinea.	scarlet flowered.	-	W. Coast of America.	June, August.	G. tr.
SIPHONANTHUS					
1. Indica.	Indian.	-	S. America.		S. tr.

# TETRANDRIA MONOGYNIA.

CATESBEA	LILY-THORN				
1. spinosa.	spiny.	Isle of Providence, and others of the Bahama.	M. P. S.	S. tr.	
IXORA.					
1. coccinea.	scarlet.	E. India.	June, August.	S. tr.	
2. alba.	white.			S. tr.	
PAVETTA					
1. Indica.	Indian.	E. India.	August, October.	S. tr.	
BUDDLEA					
1. falvifolia.	sage leaved.	C. G. H.	August, Sept.	G. tr.	
EXACUM					
1. viscosum.	clammy.	Canary Islands.	June, July.	G. be.	
PLANTAGO					
1. Capensis.	Cape.	C. G. H.	M. P. S.	G. tr.	
MONETIA.					
1. Barlerioides.	four spined.	E. India, C. G. H.	July.	S. tr.	
DORSTENIA					
1. Contrajerva.	angular leaved.	Mexico, Peru, Tobago, Island St. Vincent.	M. P. S.	S. tr.	
CURTISIA					
1. faginca.	Halfgay tree.	C. G. H.		G. tr.	

## CATALOGUE.



## TETRANDRIA MONOGYNIA.

CHLORANTHUS					
1. inopiscuum.	CHLORANTHUS	China, Japan.	M. P. S.	G. tr.	
CAMPHOROSMA	tea leaved, or <i>Cha-lan</i> .				
1. Monipelicca.	Monipelicca.	Spain, Narbone, Tartary.	August, Sept.	G. tr.	
RIVINA	RIVINA		M. P. S.	S. tr.	
1. humilis.	downy.		—	S. tr.	
2. laceria.	smooth.	Caribee Islands, Jamaica.			
LAMBERTIA	LAMBERTIA	Barbadoes, America.	July.	G. tr.	
1. formosa.	red flowered.			G. tr.	
2. longifolia.	long-leaved red flowered.	New Holland.			
CONCHUM	CONCHUM	Botany Bay.			
1. nervosum.	nerved.	New Holland.	June, July.	G. tr.	
2. salignum.	willow leaved.		—	G. tr.	
3. gibbosum.	downy.		—	G. tr.	
4. aciculare.	needle leaved.		—	G. tr.	
5. latifolium.	broad leaved.		—	G. tr.	

## TETRAGYNIA.

MYGINDA					
1. uragoga.	MYGINDA			S. tr.	
2. latifolia.	pubescent.	S. America.		S. tr.	
	broad leaved.				

# CLASSIS. V.

## PENTANDRIA MONOGYNIA.

HELIOTROPIMUM		TURNSOLE		M. P. Y.		S. tr.	
1. Peruvianum.		Peruvian.	Peru.	July, August.		S. an.	
2. Indicum.		Indian.	W. India.			S. an.	
3. parviflorum.		small flowered.	W. India.			S. an.	
BORAGO		BORAGE		June, October,		S. an.	
1. Indica.		Indian.	E. India.	May, June.		G. tr.	
ECHINUM		VIPER'S BUGLOSS		May.		G. tr.	
1. fruticosum.		shubby.	Ethiopia.	May, July.		G. tr.	
2. candicans.		hoary tree.	Madeira.	M. P. S.		G. tr.	
3. giganteum.		gigantic.	Teneriff.				
4. frigidum.		upright.	—				
TOURNEFORTIA		TOURNEFORTIA		July, August.		S. tr.	
1. volubilis.		climbing.	Jamaica, Mexico.			S. tr.	
2. hirsutissima.		very hairy.	S. America.				
CYCLAMEN		CYCLAMEN		Feb. April.		G. tr.	
1. Persicum.		Persian.	Island of Cyprus.	May, June.		G. tr.	
MENYANTHES		BUCK BEAN					
1. ovata.		oval leaved.	C. G. H.				

## PENTANDRIA MONOGYNIA.

ANAGALLIS	PIMPERNEL		Italy.	July, Sept.	G. fr.
1. Mondli.	Italian.	-	-	-	-
1. STYPHELIA	STYPHELIA	-	-	-	-
1. tubiflora.	tube flowered.	-	New Holland.	-	G. fr.
1. PLUMBAGO	LEAD-WORT	-	-	-	-
1. Zeylanica.	Ceylon.	-	E. India.	April, Sept.	S. fr.
2. rotea.	rose coloured.	-	-	June, August.	S. fr.
CONVOLVULUS	BIND-WEED	-	-	-	-
1. Scammonia.	Scammony.	-	Spria, Myfia, Cappadocia.	-	S. fr.
2. Canariensis.	Canary.	-	Canary Islands.	May, August.	G. fr.
3. althaeoides.	mallow leaved.	-	Levant, Sicily.	June, August.	G. fr.
4. linearis.	linear leaved.	-	-	M. P. S.	G. fr.
5. Caerum.	silvery leaved.	-	Spain, Crete, Syria.	May, August.	G. fr.
6. spithameus.	-	-	Virginia.	-	S. an.
7. faxatilis.	rock.	-	Spain, Italy.	-	G. fr.
8. panduratus.	Virginian.	-	Virginia.	-	G. fr.
9. Hermannia.	Hermannia's.	-	Peru.	-	G. fr.
10. pentaphyllus.	five leaved.	-	W. India.	-	G. fr.
11. Turpethum.	square stalked.	-	Ceylon	August, Sept.	S. an.
IPOMEEA	IPOMEEA	-	-	-	S. fr.
1. Quamoclit.	winged leaved.	-	E. India.	-	S. an.
2. tamnifolia.	tannus leaved.	-	Carolina.	July, August.	S. an.

# PENTANDRIA MONOGYNIA.

## CATALOGUE.

159

CAMPANULA.	BELL-FLOWER.				
1. mollis.	soft.	-	Syria, Sicily, Spain.	May, August.	G. pt.
2. aurea.	golden.	-	Madeira.	August.	G. tr.
3. varicolor.	various coloured.	-	-	-	G. pt.
4. rupestris.	rock.	-	-	-	G. pt.
1. TRACHELIUM.	THROAT-WORT	-	-	-	-
1. caruleum.	blue.	-	Italy, Levant.	July, Sept.	G. bi.
1. RONDELETIA	RONDELETIA	-	America.	-	S. tr.
1. Americana.	American.	-	-	-	-
1. SOLANDRA	SOLANDRA	-	Jamaica.	March, April.	S. tr.
1. grandiflora.	great flowered.	-	-	June, Oct.	G. tr.
1. GOODENIA	GOODENIA	-	New Holland.	August.	G. tr.
1. ovata.	oval.	-	-	-	-
2. laevigata.	smooth.	-	-	-	-
3. calendulacea.	marigold.	-	-	-	-
1. CINCHONA	CINCHONA or Jesuits Bark-Tree.	-	-	-	-
1. Caribaea.	Caribean.	-	W. India.	-	S. tr.
1. COFFEA	COFFEE TREE	-	-	-	-
1. Arabica.	Arabian.	-	Arabia Felix, Ethiopia.	August, Oct.	S. tr.
1. CHIOCOCCA	SNOW-BERRY	-	-	-	-
1. racemosa.	opposite-leaved.	-	Jamaica, Barbadoes.	September.	S. tr.

## PENTANDRIA MONOGYNIA.

<p> <b>HAMELLIA</b>            1. patens.            2. grandiflora, vel ventricosa.  <b>MIRABILIS</b>            1. dichotoma.  <b>DATURA</b>            1. Metel.            2. laevis.            3. arborea.  <b>HYOCYAMUS</b>            1. aureus.  <b>NICOTIANA</b>            1. fruticosa.  <b>ATROPA</b>            1. frutescens.  <b>PHYSALIS</b>            1. tomentosa.            2. Barbadenfis.            3. Peruviana.            4. arborefcens.            5. prostrata.            6. foennifera.         </p>	<p> <b>HAMELLIA</b>            spreading.            } great flowered.  <b>MARVEL of PERU.</b>            forked.  <b>THORN APPLE</b>            hairy.            smooth capuled.            tree.  <b>HENBANE</b>            shrubby.  <b>TOBACCO</b>            shrubby.  <b>ATROPA</b>            shrubby.  <b>WINTER-CHERRY</b>            downy.            Barbadoes.            Peruvian.            arborefcens.            trailing.            clustered.         </p>	<p>           Hispaniola.            Jamaica.            Mexico.            Asia, Africa, Canary Islands.            Abyssinia.            Peru.            Crete, Levant.            C. G. H., China.            Spain.            C. G. H.            Barbadoes.            Lima.            Campechia.            Peru.            Spain, Mexico,         </p>	<p> <i>S. tr.</i>  <i>S. tr.</i>  <i>S. fr.</i>  <i>S. an.</i>  <i>S. an.</i>  <i>S. tr.</i>  <i>G. tr.</i>  <i>S. tr.</i>  <i>G. tr.</i>  <i>G. tr.</i>  <i>S. an.</i>  <i>S. tr.</i>  <i>S. tr.</i>  <i>S. an.</i>  <i>G. tr.</i> </p>	<p>           July, August.            September.            July, August.            July, O&amp;.            Mar. July, Aug.            March, O&amp;.            July, August.            March.            July, August.            April, O&amp;.            August.            July, August.         </p>
---	---	---	--	---



## PENTANDRIA MONOGYNIA.

SOLANUM	NIGHTSHADE				
1. verbasifolium.	mullen leaved.	America.	G. tr.	June, Sept.	G. tr.
2. Pseudo-Capsicum.	winter cherry.	Madaira.	G. tr.	June, July.	G. tr.
3. Melongena.	egg plant.	Asia, Africa, America.	S. an.	June, Augult.	S. an.
4. marginatum.	white	Abyssinia.	G. tr.	June, July.	G. tr.
5. tomentosum.	woolly.	Ethiopia.	G. tr.	July, Augult.	G. tr.
6. laciniatum.	cut leaved.	New Zealand.	G. tr.	June, July.	G. tr.
7. sodomium.	black spined.	Africa.	S. tr.	July.	S. tr.
8. Indicum.	Indian.	Indies.	G. tr.	June, Sept.	G. tr.
9. Bonariense.	jagged leaved.	Buenos Ayres.	S. an.	June, July.	S. an.
10. CAPSICUM	tree.	India.	S. tr.	June, Aug.	S. tr.
1. annuum.	annual.	China.	S. tr.	Augult.	S. tr.
2. sinense.	yellow	Indies.	S. tr.	November.	S. tr.
3. grossum.	heart shaped, or bull pepper.	America.	S. tr.	June, July.	S. tr.
1. laurifolium.	laurel leaved.	Jamaica, Chili.	S. tr.	November.	S. tr.
2. nocturnum.	night smelling.	Chili.	S. tr.	June, July.	S. tr.
3. Parqui.	willow leaved.	Chili, Havana.	S. tr.	November.	S. tr.
4. diurnum.	day smelling.	Africa.	G. tr.	June, July.	G. tr.
LYCUM	BOX-THORN				
1. afrum.	African.				

PENTANDRIA MONOGYNIA.

## PENTANDRIA MONOGYNIA.

1. foetida.	SEBISIA	flinking.	-	Indies, China.	April, July.	G. tr.
var. fl. Men.		double-flowered.	-	Cochinchina, Japan.	April, July.	G. tr.
1. foliacea.	ARDISIA	Ardisia, or Adonis.	-	Coast of Coromandel.	June, Sept.	S. tr.
2. excelsa.		Conda Mayor.	-	Madaira.	June, Sept.	G. tr.
1. armillaris.	LACQUINIA	laurel leaved.	-	America.	June, Sept.	S. tr.
1. linoides.	CHIRONIA	obtusé leaved.	-	C. C. H.	June, August.	G. tr.
1. baccifera.		flax-leaved.	-	Ethiopia.	June, July.	G. tr.
3. frutescens.		berry-bearing.	-	Egypt, Malabar.	June, Sept.	G. tr.
1. Myxa.	CORDIA	shrubby tree.	-	Jamaica.	June, Sept.	S. tr.
2. Gerascanthus.		smooth-leaved.	-	Jamaica.	June, Sept.	S. tr.
3. Collococca.	EHRETIA	spear leaved.	-	Jamaica.	June, Sept.	S. tr.
1. unifolia.	CHRYSOPLYLLUM	long leaved.	-	Jamaica.	June, Sept.	S. tr.
1. Canito.		tinus leaved.	-	Martinique.	June, Sept.	S. tr.
2. argenteum.		STAR-APPLE	-	Martinique.	June, Sept.	S. tr.
		broad-leaved.	-			
		narrow-leaved.	-			

PENTANDRIA MONOGYNIA.

## PENTANDRIA MONOGYNIA.

BUMELIA		Jamaica.	G. tr.
1. nigra.		Carolina.	S. tr.
2. tenax.			G. tr.
TECTONA			
1. grandis.		Java, Ceylon, Malabar, } Coromandel.	S. tr.
SIDEROXYLON			G. tr.
1. inerme.		Ethiopia.	G. tr.
RHAMNUS			
1. colubrinus.		America.	S. tr.
2. glandulosus.		Madeira.	G. tr.
PHYLICA			
1. ericoides.		Ethiopia.	G. tr.
2. capitata.		C. G. H.	G. tr.
3. stipularia.			G. tr.
4. buxifolia.		Ethiopia.	G. tr.
5. spicata.		C. G. H.	G. tr.
6. villosa.			G. tr.
7. bicolor.			G. tr.
8. eriophoros.			G. tr.
9. paniculata.			G. tr.
BUMELIA			
1. nigra.			
2. tenax.			
TECTONA			
1. grandis.			
SIDEROXYLON			
1. inerme.			
RHAMNUS			
1. colubrinus.			
2. glandulosus.			
PHYLICA			
1. ericoides.			
2. capitata.			
3. stipularia.			
4. buxifolia.			
5. spicata.			
6. villosa.			
7. bicolor.			
8. eriophoros.			
9. paniculata.			

PENTANDRIA MONOGYNIA.

## PENTANDRIA MONOGYNIA.

CEANOETHUS	Ceylon.	G. tr.
1. Asiaticus.	-	S. tr.
2. Africanus.	-	G. tr.
3. SCOPOLIA	-	G. tr.
1. aculeata.	-	S. tr.
2. ARDUINA	-	G. tr.
1. bispinosa.	-	G. tr.
CELASTRU	-	G. tr.
1. lucidus.	-	G. tr.
2. buxifolius.	-	G. tr.
3. pyracanthus.	-	G. tr.
DIOSMA	-	G. tr.
1. oppositifolia.	-	G. tr.
2. ericoides.	-	G. tr.
3. ciliosa.	-	G. tr.
4. capitata.	-	G. tr.
5. lanceolata.	-	G. tr.
6. laefolia.	-	G. tr.
7. tetragona.	-	G. tr.
8. ovata.	-	G. tr.
9. uniflora.	-	G. tr.

PENTANDRIA MONOGYNIA.

## CATALOGUE.

85

DIOSMA		C. G. H.	G. tr.
red.			G. tr.
marginated.			G. tr.
cyprip.			
fawed leaved.			
BRUNIA			
imbricated.	Ethiopia.	M. P. S.	G. tr.
beath leaved.			G. tr.
thyme leaved.			G. tr.
STAAVIA			
clammy.	C. G. H.	June, July.	G. tr.
PITTIOSPORUM			
leathery leaved.	Canary Islands.	May, June.	G. tr.
wave leaved.	New Holland.	July, August.	G. tr.
ITEA			
cluster flowered.	Carolina.	June, August.	G. tr.
spinous.			
BASTARD CEDAR			
ash leaved.	W. India.		S. tr.
ELAEODENDRUM			
willow leaved.			
BILLARDIERA			
climbing	New Holland.	July, August.	G. tr.

[illegible]



PENTANDRIA MONOGYNIA.

LEE A		E. India.	S. fr.
1. bambusa.	elder leaved.	-	
HILICONIA			
1. Bihai.	bastard, or wild plantain.	S. America.	S. pe.
2. pfitacorum.	parrot beaked.	Surinam, Jamaica.	S. tr.
AACHYRANTHES			
1. lappacea.	turdock seeded.	Indies.	S. bi.
2. patula.	spreading.	-	
CHELOSIA			
1. argentea.	silvery.	China.	S. an.
2. cristata.	coxcomb.	Asia.	S. an.
3. coccinea.	scarlet.	Indies.	S. an.
4. caltrentia.	branched.	-	
5. trygina.	oval leaved.	Senegal.	S. an.
6. nodiflora.	knotted.	Ceylon.	S. an.
ILLECEBRUM			
1. scelle.	fleshy flowered.	E. India.	S. bi.
RAUWOLFIA			
1. nitida.	shining.	S. America.	S. tr.
CERBERA			
1. Thvetia.	willow leaved.	Cuba, Martinico.	S. fr.

## PENTANDRIA MONOGYNIA.

GARDENIA					
1. florida.	Cape Jasmine.	Saratte, Amboina.	June, Augst.	G. tr.	
var. fl. plen.	double flowered ditto.	C. G. H.	—	G. tr.	
2. Thumbergia.	starry.	Manilla, C. G. H.	—	S. tr.	
3. spinosa.	thorny.	China.	—	S. tr.	
4. dumetorum.	spiny.	E. India.	—	S. tr.	
5. Kandia.	round leaved.	Jamaica, Martinico.	—	S. tr.	
ALLAMANDA					
1. cathartica.	purg.	Guiana.	July, Augst.	S. tr.	
VINCA					
1. rosea.	Madagascar.	Madagascar, Java.	M. P. S.	S. tr.	
var. fl. alb.	double flowered ditto.	—	—	—	
NERIUM	ROSE BAY				
1. Oleander.	common Oleander.	E. India.	June, Oct.	G. tr.	
var. fl. plen.	double flowered ditto.	—	—	S. tr.	
2. coronarium.	broad leaved.	—	—	S. tr.	
TABERNAEMONTANA.					
1. citrifolia.	citron leaved American.	America.	—	S. tr.	

## PENTANDRIA DIGYNIA.

## DIGYNIA.

PERGULARIA	PERGULARIA				
1. odoratissima.	sweet smelling.	E. India.	May, August.	S. fr.	
PERIPLOCA	PERIPLOCA				
1. levigata.	smooth.	Canary Islands.	July.	G. fr.	
2. Africana.	African.	C. G. H.	June, Sept.	G. fr.	
CYNANCHUM	CYNANCHUM				
1. erectum.	upright.	Syria.		G. fr.	
ASCLEPIAS	SWALLOW-WORT				
1. Curassavica.	Curassavian.	Curassia.	June, Sept.	S. fr.	
2. parviflora.	small flowered.	Carolina, E. Florida.	July, Sept.	G. fr.	
3. arborescens.	tree.	C. G. H.	O& Dec.	G. fr.	
4. fruticosa.	willow leaved, or shrubby.		June, Sept.	S. fr.	
5. gigantea.	curled flowered gigantic.	Indies.	July, Sept.	S. fr.	
MELODINUS	MELODINUS				
1. scandens.	climbing.	New Holland.		G. fr.	
STAPELIA	STAPELIA				
1. revoluta.	revolute.	C. G. H.	May, Nov.	S. fr.	
2. hirsuta.	hairy.		—	S. fr.	
3. grandiflora.	great flowered.		—	S. fr.	
4. acuminata.	acuminated.		—	S. fr.	

# PENTANDRIA DIGYNIA.

1. STAPELIA	STAPELIA				
6. coccinifolia.	hairy	-	C. G. H.	May, Nov.	S. tr.
17. pedunculata.	long stalked.	-			S. tr.
18. variegata.	variegated.	-			S. tr.
CHENOPODIUM	GOOSE-FOOT	-			
1. Canariense.	Guinea.	-	Guinea.	July, September.	G. an.
2. SALICOLA	SALT-WORT	-			
3. pedicellata.	trailing.	-	Asia, Spain, Austria, Siberia.		G. tr.
2. ROSA	GOLDEN-ROD TREE	-	Canary Islands.		G. tr.
1. Yervanora.	Canary.	-			
GENJIANA	GENTIAN	-	Virginia, Pennsylvania.	August, Sept.	G. tr.
1. Castellei.	leaf-wort.	-		June, July.	G. tr.
PHYLLIS	BARTARD HARE'S EAR	-	Canary Islands.	May, August.	G. fr.
1. nobis.	Canary.	-		June August.	G. fr.
2. FALKIA	FALKIA	-	C. C. O. H.	July.	G. fr.
1. repens.	creeping.	-			
BUBON	BUBON	-	Macedonia, Mauritiana.		
1. Macedonicum.	Macedonian Parsly.	-	Aethiopia.		
2. gummiiferum.	gum bearing.	-			
var. fl. rub.	red flowered ditto.	-			

## CATALOGUE.

## PETANDRIA TRIGYNIA.

RHUS		SUMACK	
1. succedaneum.		red lac.	Japan, China.
2. inclum.		cut leaved.	C. G. H.
3. tomentosum.		woolly leaved.	—
4. viminalis.		willow leaved.	—
5. angustifolium.		narrow leaved.	Ethiopia.
6. latifolium.		smooth leaved.	C. G. H.
7. lucidum.		great shining leaved	—
var. minor.		small ditto.	—
8. cuspidatum.		wedge leaved.	—
CASSINE		—	—
1. Capensis.		Cape.	C. G. H.
2. Maurycenia.		Hottentot cherry.	Ethiopia.
3. imediana.		—	—
SPATHELIA		SPATHELIA	
1. simplex.		fumack leaved.	Jamaica.
XYLOPHYLLA		XYLOPHYLLA	
1. latifolia.		broad leaved.	—
2. angustifolia.		narrow leaved.	Surinam, Jamaica.
TURNERA		TURNERA	
1. ulmifolia.		elm leaved.	Bahama Islands.
			Jamaica.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

July, August.

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—





PENTANDRIA PENTAGYNIA.

## CRASSULA

4. mollis.  
5. tetragona.  
6. cultrata.  
7. imbricata.  
8. obliqua.  
9. cordata.  
10. laeta.  
11. arborescens.  
12. ciliata.  
13. marginalis.  
14. odoratissima.  
MAHERNIA  
1. pinata.  
2. incisa.

**Ethiopia:**

C. G. H.

**Ethiopia.**

C. G. H.

С

August.	G. tr.
July, August.	G. tr.
June.	G. tr.
April, May.	G. tr.
May, August.	G. tr.
Sept. Oct.	G. tr.
July, August.	G. tr.
May, August.	G. p.
March, June.	G. tr.
June, August.	G. tr.
June, July.	G. tr.

G. tr. G. tr. G. tr. G. tr. G. tr. G. tr. G. tr. G. tr. G. tr. G. tr. G. tr.

CLASSIS VI.

# HEXANDRIA MONOGYNIA.

**PITCAIRNIA**

- 1. bromeliaefolia.**

11

June.

S. tr.

HEXANDRIA MONOGYNIA.		CATALOGUE.		173
1. columbinus.	leaves.	Des. Jan.	S. tr.	
2. angustifolia.	leaves.	July, Sept.	G. an.	
3. discolor.	leaves.	May, P. S.	S. p.	
4. multiflorus.	leaves.	August, Oct.	G. p.	
5. ciliatus.	leaves.	May, July.	G. p.	
6. coarctatus.	leaves.	May, Sept.	G. p.	
7. alliacea.	leaves.	Sept.	G. p.	
8. paniculatum.	leaves.	June, August.	G. p.	
9. Caribaeum.	leaves.	M. P. S.	S. p.	
10. littorale.	leaves.	M. P. S.	S. p.	
11. speciosum.	leaves.	Sept.	S. p.	
12. Ambonense.	leaves.	Var. Seasons.	S. p.	
13. Asiaticum.	leaves.			
14. Americanum.	leaves.			
15. PEGANIA	leaves.			
16. SPIDER WORT	leaves.			
17. BLOOD-FLOWER	leaves.			
18. TULBAGIA	leaves.			
19. PANCRA TIUM	leaves.			
20. Caribaeum.	leaves.			
21. Carolinianum.	leaves.			
22. littorale.	leaves.			
23. speciosum.	leaves.			
24. Ambonense.	leaves.			
25. Asiaticum.	leaves.			
26. Americanum.	leaves.			
27. PEGANIA	leaves.			
28. SPIDER WORT	leaves.			
29. BLOOD-FLOWER	leaves.			
30. TULBAGIA	leaves.			
31. PANCRA TIUM	leaves.			
32. Caribaeum.	leaves.			
33. Carolinianum.	leaves.			
34. littorale.	leaves.			
35. speciosum.	leaves.			
36. Ambonense.	leaves.			
37. Asiaticum.	leaves.			
38. Americanum.	leaves.			

## HEXANDRIA MONOGYNIA.

CRINUM	CRINUM				
3. cruecescens.	small American.	W. India.	Var. Seasons.	S. fr.	
AGAPANTHUS	AGAPANTHUS, or the African lily.	C. G. H.	July, August.	G. fr.	
umbellatus.	umbell.		M. P. S.	G. fr.	
CYRTANTHUS	CYRTANTHUS	C. G. H.	Mixy, June.	S. fr.	
1. angustifolius.	narrow leaved.		April, March.	S. fr.	
AMARYLLUS	Jacobean lily.	S. America.	July.	G. fr.	
1. formosissima.	Mexican lily.		June.	G. fr.	
2. reginez.	linear leaved.	C. G. H.	July.	S. fr.	
3. linearis.	Barbadoes lily.	W. India.	August, Jan.	G. fr.	
4. equestris.	ribbon.	C. G. H.	March, April.	G. fr.	
5. vivata.	fiddle leaved.		June.	S. fr.	
6. falcata.	Cape coast lily.	Guinea.	June.	S. fr.	
7. ornata.	golden.	C. G. H.		S. fr.	
8. longifolia.	waved leaved.	China.		S. fr.	
9. aurea.	curled flowered.	C. G. H.		S. fr.	
10. undulata.	large.	Guinea.		S. fr.	
11. crisp.	large.	Guinea.		S. fr.	
12. jaguar.	large.	Guinea.		S. fr.	
LILIUM	LILY	Jamaica.		S. fr.	
1. gracile.	heart leaved.	Jamaica.		S. fr.	
LILIUM		Jamaica.		S. fr.	
1. cordifolium.		Jamaica.		S. fr.	

HEXANDRIA MONOGYNIA.

# CATALOGUE.

175

March, May.	G. p.
July.	G. p.
July, August.	G. p.
May	G. p.
May, June.	G. p.
May.	G. p.
March, April.	G. p.
March, August.	G. p.
May, June.	G. p.
Sept.	G. p.
M. P. S.	G. p.

EUCOMIS	C. G. H.
tongue leaved.	
waved leaved.	
spotted.	
GLORIOSA	
superb lily.	
ALBUCA	
great.	C. G. H.
small.	
HYPOXIS	
villose.	C. G. H.
plaited leaved.	
STAR OF BETHLEHEM	
Arabian.	Alexandria, Madeira.
golden.	C. G. H.
long spiked.	
DIANELLA	
blue.	C. G. H.
ANTHERICUM	
curled flowered.	C. G. H.
florubby.	

**EUCOMIS.**  
1. regia.  
2. undulata.  
3. punctata.  
**GLORIOSA**  
1. superba.  
2. ALBUCA  
1. major.  
2. minor.  
**HYPOXIS**  
1. villosa.  
2. plicata.  
**ORNITHOGALUM**  
1. Arabicum.  
2. aureum.  
3. caudatum.  
**DIANELLA**  
1. cicutula.  
**ANTHERICUM**  
1. revolutum.  
2. frutescent.  
3. aloides.



# HEXANDRIA MONOGYNIA.

ASPARAGUS	Africa.	Aug. Sept.	G. tr.
1. retrofractus.	Spain, Portugal.		G. tr.
2. albus.	Spain, Portugal.		G. tr.
3. aphyllus.	Ceylon.	Aug. Sept.	G. tr.
4. farinifolius.	E. India.	Aug. Sept.	S. tr.
DRACÆNA	Mauritius.	March, April.	S. tr.
1. Draco.	Bourbon.	April.	S. tr.
2. cernua.	E. India.	Aug. Sept.	S. pe.
3. ferrea.	New Holland.		G. pe.
4. marginata.	C. G. H.	April.	G. pe.
5. ensifolia.	pendulous.	March, April.	G. pe.
POLYANTHES	spotted leaved		G. pe.
1. tuberosa.	VELTHEIMIA		G. pe.
2. PHORMIUM	green leaved.		G. pe.
3. tenax.	VELTHEIMIA		G. pe.
4. LACHENALIA			G. pe.
1. viridis.			G. pe.
2. tricolor.			G. pe.
3. pendula.			G. pe.
4. archioides.			G. pe.
5. luteola.			G. pe.
1. viridifolia.			G. pe.



# HEXANDRIA MONOGYNIA.

111. <i>maculata</i> var. <i>obliqua</i> .	ALOE narrow leaved spotted.	C. G. H.	V. scarious.	S. tr.
112. <i>lingua</i> .	tongue.	—	—	S. tr.
113. <i>crassifolia</i> .	thick tongue.	—	—	S. tr.
114. <i>angustifolia</i> .	narrow tongue.	—	—	S. tr.
115. <i>finata</i> .	finuated.	—	—	S. tr.
116. <i>plicatilis</i> .	fan.	Barbadoes, C. G. H.	—	S. tr.
117. <i>variegata</i> .	partridge breast.	Africa.	—	S. tr.
118. <i>viccota</i> .	upright triangular.	Ethiopia.	—	S. tr.
119. <i>spiralis</i> .	spiral.	C. G. H.	—	S. tr.
120. <i>renata</i> .	cushion.	Africa.	—	S. tr.
1. <i>Americana</i> .	AGAVE American	S. America.	V. scarious.	S. tr.
var. <i>fol. varieg.</i>	<i>variegated filia</i> .	—	—	—
2. <i>Petragria</i> .	ALSTROEMERIA spotted flowered.	Peto, Lima.	June, Sept.	G. fr.
3. <i>Ligu</i> .	filiped flowered.	Lima.	Feb. March.	S. fr.
4. <i>HENAROCALIS Japonica</i> .	DAY-LILY Blue flowered	Japan.	May, June.	G. fr.
5. <i>CALAMUS Rotang</i> .	CALAMUS Rotang reed.	E. India.	—	S. tr.

# HEXANDRIA MONOGYNIA.

RICHARDIA	RICHARDIA			
1. fabra.	rough.	-	Vera Cruce.	S. tr.
ACHRAS	ACHRAS	-		S. tr.
1. mammosa.	Mammec sapota.	-	Cuba, Jamaica, Carthage.	S. tr.
2. Sapota.	coimbon Sapota.	-	S. America.	G. tr.
PRINOS	WINTER BERRY	-		G. tr.
1. lucidus.	shining.	-		G. tr.
CANARINA	CANARINA	-		G. tr.
1. campanula.	Canary bell flower.	-	Canary Islands.	S. tr.
BAMBUS	BAMBOO CANE	-		
1. strandinacca.	reed.	-	Both Indies.	

## DIGYNIA.

ATRAPAXIS	ATRAPAXIS			
1. undulata.	waved leaved.	-	C. G. H.	G. tr.

## TRIGYNIA.

RUMEX	DOCK			
1. Lunaris.	stee forst.	-	Canary Islands.	G. tr.

# HEXANDRIA TRIGYNIA.

FLAGELLARIA  
1. Indica.  
MEDEOLA  
1. alparagoides.  
2. angustifolia.

FLAGELLARIA  
Indian.  
MEDEOLA  
broad leaved shrubby.  
narrow leaved.

Java, Malabar, Ceylon, Guinea.  
Ethiopia.  
C. G. H.

S. tr.  
G. tr.  
G. tr.  
Oct. March.

# TETRAGYNIA.

PETIVERIA  
1. alliacea.

GUINEA-HEN-WEED  
common.

Jamaica.

M. P. S.  
S. tr.

# CLASSIS. VII.

# HEPTANDRIA MONOGYNIA.

DISANDRA  
1. prostrata.

DISANDRA.  
trailing

Madagascar.

M. P. S.  
G. tr.



# HEPTAGYNIA

SEPTAS  
Cape.

C. G. H.

August, Sept.

## CLASSIS VIII.

### OCTANDRIA MONOGYNIA.

#### OENOTHERA

1. nocturna.

2. odorata.

3. rosea.

GAURA

1. mutabilis.

CORREA

1. alba.

2. XIMENIA

1. Americana.

FUCHSIA

1. coccinea.

1. villosa.

2. triquetra.

#### OENOTHERA

Cape.

flowers scented.

rose flowered.

GAURA

changeable.

CORREA

white.

XIMENIA

American.

FUCHSIA

scarlet.

DODONAEA

viscous.

three sided.

C. G. H.

Patagonia.

Peru.

S. America.

New Holland.

America.

Chili.

Indies.

New Holland.

June, August.

M. P. S.

July.

April, June.

May, August.

July.

July.

## OCTANDRIA MONOGYNIA.

VACCINIUM		WHORTLE-BERRY.		Cappadocia, Madeira.		G. tr.	
1. Arctostaphylos.	Madeira.	bloody	—	—	June, July.	G. tr.	G. tr.
2. ERICA	HEATH	harch.	—	—	May, July.	G. tr.	G. tr.
3. flaccidula.	two coloured.	spreading	—	C. G. H.	May, June.	G. tr.	G. tr.
4. var. canaliculata.	bloody	pitcher flowered.	—	—	May, June.	G. tr.	G. tr.
5. nigra.	harch.	marum leaved.	—	—	—	G. tr.	G. tr.
6. vegetans.	spreading	downy.	—	—	—	G. tr.	G. tr.
7. urticularis.	pitcher flowered.	garland.	—	—	Feb. June.	G. tr.	G. tr.
8. marifolia.	marum leaved.	Cassia.	—	—	Mar. May.	G. tr.	G. tr.
9. pubescens.	downy.	mutosa.	—	—	Mar. June.	G. tr.	G. tr.
10. perfoliata.	garland.	fir.	—	—	M. P. S.	G. tr.	G. tr.
11. mucosa.	Cassia.	whorl flowered.	—	—	M. P. S.	G. tr.	G. tr.
12. abietina.	mutosa.	nipple flowered.	—	—	Feb. July.	G. tr.	G. tr.
13. verticillata.	fir.	crow berry leaved.	—	—	April, May.	G. tr.	G. tr.
14. mammosa.	nipple flowered.	fruit.	—	—	May, June.	G. tr.	G. tr.
15. empetrifolia.	crow berry leaved.	leaves flowered.	—	—	June, August.	G. tr.	G. tr.
16. fasciata.	fruit.	—	—	—	—	G. tr.	G. tr.
17. fasciculata.	leaves flowered.	—	—	—	—	G. tr.	G. tr.
18. fascicularis.	crow berry leaved.	—	—	—	—	G. tr.	G. tr.

# OCTANDRIA MONOGYNIA.

ERICA	FRITH	C. G. H.			
19. corifolia.	coris-leaved.	C. G. H.			G. tr.
20. triflora.	three flowered.				G. tr.
21. scoparia.	small green flowered	S. of Europe.			G. tr.
22. Australis.	Spanish.				G. tr.
23. ramentacea.	long slender branched.	C. G. H.			G. tr.
24. imbecilla.	feeble.				G. tr.
25. margaritacea.	pearl flowered.				G. tr.
26. bacana.	arbutus flowered.				G. tr.
27. pendula.	pendulous.				G. tr.
28. physodes.	bladder.				G. tr.
29. cernua.	drooping flowered.				G. tr.
30. umbellata.	umbelled.	Portugal.			G. tr.
31. nudiflora.	naked flowered.	C. G. H.			G. tr.
32. facata.	painted.				G. tr.
33. taxifolia.	yew leaved.	C. G. H.			G. tr.
34. capitata.	woolly calyxed.				G. tr.
35. Peiverrii.	Petiver's.				G. tr.
36. Peiverriana.	Petiverian.				G. tr.
37. hispidula.	roughish.				G. tr.
38. Banksii.	white Bank's.				G. tr.
	var. purp.				G. tr.
	purple ditto.				G. tr.

## OCTANDRIA MONOGYNIA.

ERICA	HEATH	C. G. H.		
39. Sebana.	Seba's yellow.			G. tr.
var. <i>fulca</i> .	<i>brown ditto</i> .			
— <i>citr.</i>	<i>green ditto</i> .			
40. flexuosa.	zigzag.			
41. monadelphica.	monadelphous.			G. tr.
42. Plukenetii.	Plukenetia.			G. tr.
43. verticillata.	various coloured.			G. tr.
44. costata.	rib-flowered.			G. tr.
45. pulchella.	neat.			G. tr.
46. longifolia.	long leaved.			G. tr.
47. coccinea.	scarlet.			G. tr.
48. vestita.	close leaved purple.			G. tr.
49. purpurea.	purple.			G. tr.
50. concinna.	bluish flowered.			G. tr.
51. grandiflora.	large flowered.			G. tr.
52. curviflora.	curve flowered.			G. tr.
53. simpliciflora.	single flowered.			G. tr.
54. ignescens.	fiery flowered.			S. tr.
55. tubiflora.	tube-flowered.			G. tr.
56. procera.	tall.			G. tr.
57. conspicua.	long-tubed yellow.			G. tr.

Mar. June.

June, July.  
April, May.  
Mar. May.May, July.  
M. P. S.  
V. seasons.  
April, June.  
Sept. O. G.  
May, July.  
August, Dec.  
March, June.  
June, July.  
April, June.  
April, July.  
May, August.

# OCTANDRIA MONOGYNIA.

58. cerinthoides. var. <i>clatior</i> .	HEATH honey wort.	C. G. H.	C. G. H.	M. P. S.	G. tr.
59. Massoni.	tall ditto.	—	—	—	G. tr.
60. ventricosa.	bellied.	—	—	—	G. tr.
61. Walker's.	Walker's.	—	—	—	G. tr.
62. comosa.	tufted.	—	—	—	G. tr.
63. denticulata.	white toothed.	—	—	—	G. tr.
64. muscosa.	musky.	—	—	—	G. tr.
65. viscaria.	clammy.	—	—	—	G. tr.
66. mollissima.	very soft.	—	—	—	G. tr.
67. declinata.	bending stalked.	—	—	—	G. tr.
68. Sparrmanni.	Sparmann.	—	—	—	G. tr.
69. divaricata.	spreading.	—	—	—	G. tr.
70. hirtiflora.	hairy flowered.	—	—	—	G. tr.
71. Hibertia.	Hibert's.	—	—	—	G. tr.
72. tenella.	delicate.	—	—	—	G. tr.
73. filamentosa.	thready.	—	—	—	G. tr.
74. nivea.	snowy.	—	—	—	G. tr.
75. Blearia.	Blearia.	—	—	—	G. tr.
76. Linnea.	Linneus's.	—	—	—	G. tr.
77. gelida.	icy.	—	—	—	G. tr.



## OCTANDRIA MONOGYNIA.

ERICA	HEATH				
78. levis.	smooth.		C. G. H.		G. tr.
79. foliosa.	leafy.				G. tr.
80. virgata.	twigg.				G. tr.
DAFFNE	DAFFNE				
1. odora.	sweet scented.		China, Japan.		G. tr.
2. collina.	hairy.		Italy.		G. tr.
OMIDA	OMIDA				
1. pinifolia.	pine leaved.		C. G. H.		G. tr.
2. simplex.	dark leaved.		C. G. H.		G. tr.
GRISLIA	GRISLIA				
1. tomentosa.	downy.		S. America.		S. tr.
PASERINA	AFRICAN SPARROW WORT				
1. fistulosa.	heath leaved.		Aethiopia.		G. tr.
2. grandiflora.	large flowered.		Africa.		G. tr.
3. laxa.	loose.		C. G. H.		G. tr.
4. spicata.	spiked.				G. tr.
LACHNAEA	LACHNAEA				
1. conglomerata.	cluster headed.		C. G. H.		G. tr.

Jan. March.  
March, April.June, August.  
M. P. S.June, July.  
May, June.

June, July.



## CLASSIS IX.

## ENNEANDRIA MONOGYNIA.

## LAURUS

1. Cinnamomum.
2. Cassa.
3. Camphora.
4. Indica.
5. foetens.
6. Borboniz.
7. Martiniensis.
8. ANACARDIUM
9. Occidentale.

## LAUREL

- cinnamon.  
 baftard cinnamon.  
 camphire.  
 royal bay.  
 Madeira.  
 broad leaved bay.  
 Martinioc.  
 CASHEW NUT.  
 common.

Ceylon, America, Martinique, Jamaica.

Malabar, Java, Sumatra.

Japan.

Madeira.

Canary Islands, Madeira.

Carolina, Virginia.

Martinique.

Indies.

S. tr.

S. tr.

G. tr.

G. tr.

G. tr.

G. tr.

S. tr.

S. tr.

## CLASSIS X.

## DECANDRIA MONOGYNIA.

## SOPHORA

1. Occidentalis.

## SOPHORA

Occidental.

America.

S. tr.

S. tr.

G. tr.

G. tr.

G. tr.

G. tr.

S. tr.

S. tr.

S. tr.

# DECANDRIA MONOGYNIA.

DECANDRIA MONOGYNIA.		CATALOGUE.		139	
PODALYRIA	Cape.	C. G. H.	July.	G. tr.	
1. Capensis.	two flowered.		Jan. May.	G. tr.	
2. biflora.	myrtle leaved.			G. tr.	
3. myrtillofolia.	hairy.		May, June.	G. tr.	
4. hirsuta.	golden.	Abyssinia.		S. tr.	
5. aurea.	flax leaved.	New Holland.	May, July.	G. tr.	
PULTENAEA	daphne.		June, July.	G. tr.	
1. linophylla.	heath leaved.		May, July.	G. tr.	
2. daphnoides.	villous.		April, May.	G. tr.	
3. stipularis.	chaffy.			G. tr.	
4. villosa.	rush leaved.			G. tr.	
5. palmea.	BAUHINIA, or Mountain Ebony			S. tr.	
6. pumila.	smooth leaved.	Jamaica, Hispaniola.	July.	S. tr.	
BAUHINIA	downy leaved.	E. India.		S. tr.	
1. porrecta.	HYMENAEA	W. India.		S. tr.	
2. candida.	locust tree.	W. India.		S. tr.	
HYMENAEA	PARKINSONIA				
1. Courbaril.	prickly.				
PARKINSONIA	CASSIA				
1. aculeata.	purging.	India, Egypt.	July, August.	S. tr.	
CASSIA	two flowered.	America.		S. tr.	
1. fistula.					
2. biflora.					

DECANDRIA MONOGYNIA.

CASSIA	plumiflora.	Tenerife.	S. tr.
	hirsuta.	America.	S. tr.
	biguttata.	Bahama Islands.	S. tr.
	autumnifera.	Egypt.	S. tr.
	alata.	S. America.	S. tr.
	scutell.		S. tr.
CASALPINIA			S. tr.
	hirsuta.	Jamaica.	S. tr.
	poliostrima.	Indies.	S. tr.
	clata.	E. India.	S. tr.
	Brasilensis.	Caroline, Jamaica, Brazil.	S. tr.
	Seppia.	Indies, Japan.	S. tr.
	minifolia.	E. India.	S. tr.
GAULANDINA			S. tr.
	Pondac.	Indies.	S. tr.
	Hedera.		S. tr.
HYPERNANTHERA			S. tr.
	Maripa.	Ceylon, America, Egypt.	S. tr.
SCHOTIA			S. tr.
	Indica.	Sengal, C. G. H.	S. tr.
GUAIACUM			S. tr.
	officinale.	Hispaniola, Jamaica.	S. tr.



# DECANDRIA MONOGYNIA.

		CATALOGUE.		191
EUTA	EUE	Arabia.	Aug. Sept.	G. tr.
1. Chalcedonia.	Alleppe.			
1. HAEMATOTYLON	LOGWOOD	S. America.		S. tr.
1. Campechianum.	common.			
1. MURRAYA	MURRAYA	E. India.	August, Sept.	S. tr.
1. exotica.	as leaved.			
1. TRICHILIA	TRICHILIA	Havanna.		S. tr.
1. glabra.	smooth.			
1. SWIETENIA	MAHOGANY TREE	W. India.		S. tr.
1. Mahagoni.	common.			
1. MELIA	BEAD-TREE	Syria, Ceylon.	June, August.	G. tr.
1. Azadirach.	common.	E. India.		S. tr.
2. AZADIRACHTA.	Indica.			
1. ZYGOPHYLLUM	BEAN-CAPER	C. G. H.	August, Sept.	G. tr.
1. Morgana.	four leaved.	S. America.		S. tr.
2. arboreum.	tree.	C. G. H.		G. tr.
3. spinosum.	spinous.			
1. FAGONIA	FAGONIA	Crete.	July, August.	G. bi.
1. Cretica.	Cretan.			
1. LIMONIA	LIMONIA	E. India.		S. tr.
1. pectinophylla.	five leaved.			
1. CLETHRA	CLETHRA	Madeira.	July, August.	G. tr.
1. arborea.	tree.			

## DECANDRIA MONOGYNIA.

CROWEA  
willow leaved.

New Holland.

July, Nov. G. tr.

## DIGYNIA.

ROYENA, or African Madler nat.

C. G. H.

G. tr.

May, June.

shining.

C. G. H.

G. tr.

May, June.

villous.

C. G. H.

G. tr.

May, June.

broad leaved.

C. G. H.

G. tr.

May, June.

hairy.

C. G. H.

G. tr.

May, June.

## TRIGYNIA.

CATCHFLY

Africa.

G. bi.

June, July.

gigantic.

C. G. H.

G. bi.

May, August.

dark flowered.

C. G. H.

G. tr.

June, July.

shrubby.

C. G. H.

G. tr.

June, July.

BRUNNICHIA

Bahama Islands.

S. tr.

June, July.

tendrilled.

Bahama Islands.

S. tr.

June, July.

MALPIGHIA, or Barbados-cherry.

Bahama Islands.

S. tr.

June, July.

smooth,

Bahama Islands.

S. tr.

June, July.

Jamaica, Brazil, Suri-

Bahama Islands.

S. tr.

June, July.

nam, Curassoa.

Bahama Islands.

S. tr.

June, July.

# DECANDRIA TRIGYNIA.

- MALPIGHIA  
 2. angustifolia.  
 3. coccifera.  
 BANISTERIA  
 1. purpurea.  
 2. ovata.

MALPIGHIA; or, *Berberis-lanceolata*.  
 narrow leaved.  
 W. India.  
 holly leaved.  
 BANISTERIA  
 purple.  
 oval leaved.  
 W. India.  
 St. Domingo.

S. fr.  
 S. fr.  
 S. fr.  
 S. fr.

# PENTAGYNIA.

- AVERROA  
 1. Bilimbi.  
 SPONDIAS  
 1. Myrobalanus.  
 COTYLEDON  
 1. articulata.  
 2. fascicularis.  
 3. spuria.  
 SEDUM  
 1. nudum.  
 OXALIS  
 1. monophylla.  
 2. purpurea.

AVERROA  
 ash leaved.  
 HOG-PLUMB  
 yellow.  
 NAYEL-WORT  
 round leaved.  
 cluster leaved.  
 narrow leaved.  
 STONE CROP  
 naked branched.  
 WOOD SORREL  
 single leaved.  
 purple.  
 C. G. H.  
 C. G. H.

May, June.  
 July, August.  
 July, August.  
 Mar. June.  
 Jan. Mar.

S. fr.  
 S. fr.  
 G. fr.  
 G. fr.  
 G. fr.  
 G. fr.  
 G. fr.

## DECANDRIA PENTAGYNIA.

OXALIS	WOOD SORREL	C. G. H.	G. fl.
3. tetraphylla.	four leaved.	Mexico.	G. fl.
4. violacea.	violet.	Virginia, Canada.	G. fl.
5. cernua.	drooping.	C. G. H.	G. fl.
6. verticillor.	various coloured.	—	G. fl.
7. hirta.	hairy.	—	—
var. fl. plen.	double flowered ditto.	—	—
LYCHNIS	—	—	—
1. coronata.	Chinese.	China, Japan.	G. fl.

## DECAGYNIA.

PHYTOLACCA	PHYTOLACCA	—	—
1. icofandra.	red.	E. India.	S. fl.

## CLASSIS XI.

## DODECANDRIA MONOGYNIA.

BOCCONIA	BOCCONIA, or Tree Calandula.	—	—
1. frutescens.	shrubby.	{ Mexico, Jamaica, Cuba, } Domingo.	S. fl.





## TRIGYNIA.

6. <i>panicca</i> .	Jan. May.	S. tr.
7. <i>lytatica</i> .		G. fr.
8. <i>hyssica</i> .	June, July.	S. tr.
9. <i>nerisfolia</i> .	June, July.	S. tr.
1. <i>SEMPERVIVUM</i>		
1. <i>arborescens</i> .	March.	G. fr.
var. <i>fol. varieg.</i>		
2. <i>Canariensis</i> .	June, July.	G. fr.
3. <i>monanthos</i> .	July.	G. fr.

## CLASSIS XII.

## ICOSANDRIA MONOGYNIA.

1. <i>maurandia</i> .	July, August.	S. tr.
2. <i>nobilis</i> .		S. tr.
3. <i>bracteosus</i> .		S. tr.
4. <i>tetragona</i> .	July.	S. tr.
5. <i>pentagona</i> .		S. tr.

ICOSANDRIA MONOGYNIA.

ICOSANDRIA MONOGYNIA.	
Clas. Conspicuous.	June's paper.
CACTUS	
6. repanda.	S. America.
7. lanuginosa.	Cunatito.
8. grandiflora.	Jamaica, Vera Cruce.
9. flagelliformis.	S. America.
10. Opuntia.	America, Peru, Virginia, Spain, Italy, Portugal, Minorca.
11. coccinellifer.	Jamaica, S. America.
LEPTOSPERMUM	
1. scoparium.	New Zealand.
2. Thea.	New Holland.
3. flavescens.	
4. pubescens.	
5. parvifolium.	
6. bacatum.	
7. lanigerum.	
8. paniculatum.	
9. haviata.	
10. METACALYPTOS	
11. hispida.	

ICOSANDRIA MONOGYNIA.

[illegible]









## ICOSANDRIA PENTAGYNIA.

MESEMERYANTHEMUM. FIG-MARYGOLD				
45. deltoides.	delta leaved.	-	C. G. H.	May, Aug.
46. acinaciforme.	fimbr. leaved.	-	—	Sept.
47. subulatum.	oval leaved.	-	—	May, Aug.
48. gibbosum.	gibbous.	-	—	M. P. s.
49. calpatum.	broadest tongue.	-	—	
50. cornutum.	horned.	-	—	
51. tricolorum.	three coloured.	-	—	
52. speciosum.	handsome.	-	—	
53. perfoliatum.	great hooked.	-	—	June, Sept.
54. tenellum.	small connate.	-	—	July.
55. compressum.	compressed.	-	—	July. O&.
56. mutabilis.	changeable.	-	—	July, Sept.
57. lacerum.	purple serrated.	-	—	Aug. Sept.
58. maximum.	great.	-	—	Sept.
59. cylindricum.	cylindric.	-	—	Jun. O&.
60. coccineum.	scarlet flowered.	-	—	
61. subulatoideis.	short leaved horned.	-	—	Mar. May.
62. reflexum.	spotted.	-	—	
63. maculatum.	necklace.	-	—	
64. monoliforme.	small bearded.	-	—	June, O&.
65. hirsutum.		-	—	G. tr.

ICOSANDRIA POLYGYNIA.

POLYGYNIA.

- ROSLA**  
 1. lucida.  
 2. semperflorens.  
 3. Chinensis.  
 4. Indica.  
**CALYCANTHUS**  
 1. precox.

**ROSE**  
 shining leaved.  
 red China.  
 pale China.  
 Indian.  
**ALL-SPICE**  
 early flowering.

June, July.  
 March, Nov.  
 ————  
 ————  
 Jan. Mar.

G. tr.  
 G. tr.  
 G. tr.  
 G. tr.

CLASSIS XIII.

POLYANDRIA MONOGYNIA.

- CAPPARIS**  
 1. spinosa.  
 2. Cynophallophora.  
 3. linearis.  
**CALOPHYLLUM**  
 1. Calaba.

**CAPER-BUSH**  
 prickly.  
 laurel leaved.  
 linear.  
**CALOPHYLLUM**  
 bay leaved.

May, June.

G. tr.  
 S. tr.  
 S. tr.  
 S. tr.

## POLYANDRIA MONOGYNIA.

1. <i>Orethana</i> .	Bohea.	arboresc.	S. Am. Africa.	S. fr.
2. <i>Occidentalis</i> .	Grewia.	clim leaved.	C. G. H.	G. fr.
1. <i>Indica</i> .	LARGESTROEMIA	Original.	E. India.	S. fr.
2. <i>reginz.</i>	Indian.	oblong leaved.	China, Cochinchina, Japan.	S. fr.
1. <i>Bohea</i> .	TEA	Bohea.	Japan, China.	G. fr.
2. <i>viridis</i> .	green.	green.	China.	G. fr.
1. <i>villosa</i> .	Cistus, or Rock-rose.	villose.	Italy, Spain, Africa.	G. fr.
2. <i>vaginata</i> .	theophr.	theophr.	Persia.	G. fr.
3. <i>Iranicus</i> .	rosemary leaved.	rosemary leaved.	Spain.	G. fr.
4. <i>Syracus</i> .	Syrac.	Syrac.	Spain.	G. fr.
1. <i>olitorius</i> .	CORCHORUS	bristly leaved.	Asia, Africa, America.	S. an.
2. <i>capularis</i> .	heart-leaved.	heart-leaved.	India.	S. an.

POLYANDRIA TETRAGYNIA.

creeping rooted.

Ceylon.

POLYGYNIA.

New Holland.

Malabar, Java.

Japan, China.

Florida.

Japan, China.

St. Lucia, Martinique.

Guadaloupe.

S. America.

E. India, China.

S. America.

C. G. H. I. C. G. H. I.

Mar. Apr.

June, July.

April, August.

Apr. May.

G. tr.

G. tr.

G. tr.

S. tr.

G. tr.

G. tr.

S. tr.

G. tr.

S. tr.

S. tr.

S. tr.

G. tr.



**POLYANDRIA POLYGYNIA.**

[illegible]

# CATALOGUE.

207

## DIDYNAMIA GYMNOSPERMIA.

TRUCIUM	GERMANDER				
9. Polium.	Polcy.	Levant, S. of Europe.	July, Sept.	G. tr.	
1. rosmarinifolia.	WESTRINGIA		M. P. S.	G. tr.	
1. LAVANDULA	rosemary leaved.	New Holland.	May, June.	G. tr.	
1. Stoechas.	LAVENDER		June, Sept.	G. tr.	
2. dentata.	French.	S. of Europe.	July, Nov.	G. tr.	
3. multifida.	tooth leaved.	Spain, Levant.		G. tr.	
1. SIDERITIS	Canary.	Spain, Canary Islands.		G. tr.	
1. Canariensis.	IRON-WORT			G. tr.	
2. candidans.	Canary.	Madeira, Canary Islands.	May, August.	G. tr.	
BYSTROPOGON	mullein leaved.	Madeira.	April, July.	G. tr.	
1. punctatum.	BYSTROPOGON			G. tr.	
2. Canariense.	cluster flowered.	Madeira.	July, Sept.	G. tr.	
PHLOMIS	Canary.	Madeira, Canary Islands.	June, August.	G. tr.	
1. purpurea.	PHLOMIS		June, August.	G. tr.	
2. leonorus.	purple.	Spain, Italy.	Oct. Dec.	G. tr.	
3. Leonites.	lion's tail	C. G. H.	June, July.	G. tr.	
ORIGANUM	dwarf shrubby.		June, August.	G. tr.	
1. Egyptianum.	MARJORAM			G. tr.	
v. fol. varieg.	variegated ditto	Egypt.		G. tr.	
2. Didamnus.	ditto of Candia.	Island of Candia.	June, July.	G. tr.	
3. Marjorana.	sweet, or knotted.			G. tr.	

**DIDYNAMIA GYNOSPERMIA.**

[illegible]

## DIDYNAMIA ANGIOSPERMIA.

ANTIRRHINUM	TOAD FLAX				
1. macrocarpum.	large fruited.	C. G. H.	Italy.	Mar.	G. fr.
2. Afarina.	heart leaved.			July.	G. fr.
CITHAREXYLUM	FIDDLE WOOD				G. fr.
1. quadrangulare.	square stalked.		Jamaica.		S. fr.
1. CYRILLA	CYRILLA		Jamaica.	July, Aug.	S. fr.
1. pulchella.	scarlet flowered.				S. fr.
1. GLOXINIA	GLOXINIA			July, Aug.	S. fr.
1. maculata.	spotted.		S. America.		S. fr.
MAURANDYA	MAURANDYA			May, Sept.	G. fr.
1. feroperflorens.	climbing.		Mexico.		S. fr.
BRUNFELSIA	BRUNFELSIA			June, July.	G. bi.
1. Americana.	American.		W. India.	July, Sept.	G. fr.
CELSIA	CELSIA			M. P. S.	G. fr.
1. Argurus.	scollop leaved.		Crete.	July, August.	G. fr.
2. linearis.	linear leaved.		Peru.	M. P. S.	G. fr.
3. Orientalis.	cut leaved.		Levant.		G. fr.
4. arduifolia.	pettle leaved.		Peru.		G. fr.
DIGITALIS	FOX-GLOVE				G. fr.
1. obscura.	willow leaved.		Spain.	July, Aug.	G. fr.
2. fceptrum.	shrubby.		Madaira.	July, Aug.	G. fr.
3. Canariensis	Canary.		Canary Islands.	June, July.	G. fr.
CLERODENDRUM	CLERODENDRUM				S. fr.
1. informatum.			E. India.		

## DIDYNAMIA ANGIOSPERMIA.

CLERODENDRUM	CLERODENDRUM			
1. dichotomum.	TRUMPET FLOWER	Japan.		S. tr.
2. BIGNONIA	yellow sweet scented.	N. America.		G. tr.
1. sempervirens.	cluster flowered.	Norfolk island.		G. tr.
2. pandorans.	digitated.	W. India.		S. tr.
3. leucorhizon.	fig-wort			G. p.
SCROPHULARIA	elder leaved.	Spain, Portugal		G. tr.
1. sambucifolia.	HALERIA	C. G. H.		G. tr.
1. lucida.	flaming leaved.	W. India.		S. tr.
1. LANTANA	various coloured.			S. tr.
1. Camara.	round leaved.			G. tr.
2. involucreta	prickly.			G. tr.
3. aculeata.	edible flowered ditto.			G. tr.
Y. fl. alb.	ilix leaved.	C. G. H.		G. tr.
4. Africana.	CAPRARIA	C. G. H.		G. tr.
1. lanceolata.	willow leaved.			G. tr.
2. undulata.	wave leaved.			G. tr.
SELAGO	heath leaved.			G. tr.
1. corymbosa.	MANULEA			G. tr.
1. tomentosa.	woolly.	C. G. H.		G. tr.



## CATALOGUE.

DIDYMANIA		ANGIOSPERMIA.	
1. <i>dentata.</i>	tooth leaved.	C. G. H.	Mar. Nov.
1. <i>clata.</i>	upright.	S. America.	July, August.
2. <i>demissa.</i>	spreading.	—	—
1. <i>haradadus.</i>	brange.	Peru.	M. P. S.
1. <i>Prionis.</i>	prickly.	E. India.	August, Aug.
1. <i>Flumica.</i>	smooth.	S. America.	Oa.
2. <i>Ellisia.</i>	prickly.	W. India.	August.
1. <i>aculeata.</i>	prickly.	W. India.	August, Oa.
2. <i>inermis.</i>	smooth.	E. India.	July, Aug.
3. <i>VITEX</i>	CHASTE-TREE	—	—
1. <i>BONTIA</i>	three leaved.	E. India.	S. W.
1. <i>darknoides.</i>	WILD OLIVE	W. India.	S. W.
1. <i>COLUMNEA</i>	Bathedoes.	—	S. tr.
1. <i>hiruta.</i>	hairy.	Jamaica.	S. tr.
1. <i>MELIANTHUS</i>	HONEY-FLOWER.	—	S. tr.



## TETRADYNAMIA SILIQUOSA.

What? Or When? Or May, July.	What? Or When? Or May, July.	What? Or When? Or May, July.
STOCK	S. of Europe.	S. an.
dark flowered.		S. tr.
COLE-WORT		S. bi.
frubby.	Madeira.	S. an.
CLEOME		
clammy.	Ceylon.	
gigantic.	S. America.	
prickly.	W. India.	
five leaved.	Indies.	

## CLASSIS XVI.

## MONADELPHIA PENTANDRIA.

What? Or When? Or May, August.	What? Or When? Or April, June.	What? Or When? Or August, Oct.	What? Or When? Or April, May.
HERMANNIA			
glistening.	C. G. H.		
heavy.			
albacea leaved.			
plained.			
hyssop leaved.			
older leaved.			

MONADELPHIA PENTANDRIA			
HERMANNIA	—	—	—
1. <i>variegatifolia</i> .	—	—	—
2. <i>decumbens</i> .	—	—	—
3. <i>odorata</i> .	—	—	—
4. <i>trifurcata</i> .	—	—	—
5. <i>rotundifolia</i> .	—	—	—
6. <i>angularis</i> .	—	—	—
7. <i>denudata</i> .	—	—	—
8. <i>ERODIUM</i>	—	—	—
9. <i>crassifolium</i> .	—	—	—
10. <i>incarnatum</i> .	—	—	—
11. <i>trilobatum</i> .	—	—	—
12. <i>HERON'S BILL</i>	—	—	—
13. <i>thick leaved</i> .	—	—	—
14. <i>fls. coloured</i> .	—	—	—
15. <i>three lobed</i> .	—	—	—
16. <i>HEPTANDRIA</i>	—	—	—
17. <i>STORK'S BILL</i>	—	—	—
18. <i>lobed</i> .	—	—	—
19. <i>eight smelling</i> .	—	—	—
20. <i>rose yellow</i> .	—	—	—
21. <i>decid.</i>	—	—	—
22. <i>sweet scented</i> .	—	—	—
23. <i>LE GROSSEBERRY</i>	—	—	—
24. <i>leaved</i> .	—	—	—
25. <i>grossularioides</i> .	—	—	—

MONADELPHIA PENTANDRIA

HERMANNIA  
thick leaved.  
decumbent.  
sweet scented.  
three forked.  
round leaved.  
angular.  
smooth.C. G. H.  
C. G. H.  
C. G. H.  
C. G. H.May, Sept.  
May, Aug.

MONADELPHIA PENTANDRIA

HERON'S BILL  
thick leaved.  
fls. coloured.  
three lobed.C. G. H.  
C. G. H.  
C. G. H.May, July.  
May, June.  
July, Aug.

HEPTANDRIA

STORK'S BILL  
lobed.  
eight smelling.  
rose yellow.  
decid.C. G. H.  
C. G. H.  
C. G. H.

July, Aug.

LE GROSSEBERRY  
leaved.  
grossularioides.C. G. H.  
C. G. H.  
C. G. H.April, June.  
April, May.  
May, Oct.

## MONADELPHIA HEPTANDRIA.

## PH. ARGONUM

7. *aticeps*.  
 8. *coriandrifolium*.  
 9. *myrrifolium*.  
 10. *betonicum*.  
 11. *densifolium*.  
 12. *apiculatum*.  
 13. *carnosum*.  
 14. *gibbosum*.  
 15. *fulgidum*.  
 16. *papilionaceum*.  
 17. *monstrum*.  
 18. *tricolor*.  
 19. *vinifolium*.  
 20. *capitatum*.  
 21. *glumulosum*.  
 22. *cucullatum*.  
 23. *angulosum*.  
 24. *echinatum*.  
 25. *tetragonum*.  
 26. *peltatum*.

v. fol. varieg.

variegated ditto.

- STORK'S BILL  
 sharp edged.  
 coriander leaved.  
 myrrh leaved.  
 betony leaved.  
 fine leaved.  
 parsley.  
 fleshy stalked.  
 gouty.  
 celandine leaved.  
 butterfly.  
 clustered.  
 three coloured.  
 vine leaved.  
 rose scented.  
 clammy.  
 hooded.  
 marsh-mallow.  
 prickly stalked.  
 square stalked.  
 peltated.

C. C. H.

May, June.	June, August.
April, Sept.	Mar. June.
May, August.	March, July.
June, August.	June, August.
May, August.	April.
June, August.	May, June.
May, June.	May, Sept.
July, August.	July, August.
May, August.	May, August.
June, August.	



MONADELPHIA HEPTANDRIA.

PELARGONIUM		STORK'S BILL.		C. G. H.	
27. latifolius.	ivy leaved.				
28. grandiflorum.	large flowered.				
29. hepaticifolium.	hepatica leaved.				
30. cortusifolium.	coriaria leaved.				
31. crassicaule.	thick stalked.				
32. betulinum.	birch leaved.				
33. tomentosum.	woolly.				
34. tricuspidatum.	three pointed.				
35. scabrum.	rough.				
36. crispum.	curled.				
37. exstipulatum.	soft leaved trifid.				
38. incisum.	cut leaved.				
39. fragile.	brittle stalked.				
40. ciliatum.	ciliated.				
41. radula.	rasp.				
42. alchimilloides.	lady's mantle.				
43. acetosum.	sorrel.				
44. bicolor.	two coloured.				
45. inquinans.	scarlet.				
46. adularinum.	villous.				
47. flavum.	carrot leaved.				

MONADELPHIA HEPTANDRIA.

PELLARGONIUM

- 48. denticulatum.
- 49. ternatum.
- 50. Zonale.
- 51. cordifolium.
- 52. hylandum.\*

STORCK'S BILL

- toothed.
- ternate.
- horfe-shoe.
- beak leaved.
- bulbous.

OCTANDRIA.

ANTONIA

- 1. Capensis.

ANTONIA

- cluster leaved.

C. G. H.

M. P. S.

G. H.

DECANDRIA.

GERANIUM

- 1. anemonifolium.

CRANE'S BILL

- anemose leaved.

Madeira.

May, Sept.

G. H.

\* Besides many varieties of the species of Erodium and Pelargonium.

## MONADELPHIA DODECANDRIA.

PENTAPETES	PENTAPETES				
1. Phœnicea.	scarlet-flowered.	E. India.	June, July.	S. hi.	
PTEROSPERMUM	PTEROSPERMUM			S. tr.	
1. acrifolium.	maple leaved.	E. India.			
POLYANDRIA.					
BOMBAX	SILK COTTON TREE	India.		S. tr.	
1. Ceiba.	five leaved.			S. an.	
SIDA	SIDA	East India.	July, Sept.	S. hi.	
1. spinosa.	prickle seeded.			S. an.	
2. carpinifolia.	horn beam leaved.			S. an.	
3. Abutilon.	broad leaved.			S. an.	
4. conferta.	twisted	Mexico.		S. hi.	
5. trigyna.	triangular stalked.	W. India.	July, August.	S. an.	
6. cordifolia.	heart leaved.	E. India.	July, Sept.	S. an.	
7. Indica.	Indian.		June, Aug.	S. an.	
MALACHRA	MALACHRA	W. India.	Aug. Sept.		
1. capitata.	headed.			S. hi.	
MALVA	MALVA	Jamaica.	July, August.	G. tr.	
1. spicata.	spiked.		M. P. S.		
2. Capensis.	Cape.	C. G. H.			







## DIADELPHIA DECANDRIA.

## DECANDRIA.

## WILD LIQUORICE

## Jamaica.

## CORAL TREE

## American.

## smooth leaved

## BROOM

## single seeded.

## prickly.

## twiggy.

## GENISTA

## Canary.

## flax leaved.

## ASPALATHUS

## CROTALLARIA

## arrow.

## ilicx leaved.

## two flowered.

## REST-HARROW

## yellow flowered.

## round leaved.

## 1. precatorias.

## 2. MAYFERINA

## 1. herbacea

## 2. Corallodendrum.

## 1. SPARTIUM

## 2. monospermum.

## 3. spinosum.

## 5. virgatum.

## 1. GENISTA

## 2. Canariensis.

## 3. linifolia.

## 1. ASPALATHUS

## 2. macronata.

## 1. CROTALLARIA

## 2. figittalia.

## 3. ilicifolia.

## 1. bidora.

## 1. ONONIS

## 2. Natrix.

## 3. rotundifolia.

August, Sept.

May, June.

June, July.

June, July.

March, June.

May, June.

April, July.

June, July.

July.

May, Sept.

May, June.

June, July.

July.

May, Sept.

May, June.

Jamaica, S. America.

E. India.

S. of Europe.

Switzerland.

S. Carolina.

W. India.

Spain, Portugal.

S. of Europe.

Madeira.

Canary Islands.

Spain.

DIADELPHIA DECANDRIA.

ANTHYLLIS		KIDNEY VETCH	
1. Erinacea.	hedge-boy.	Spain.	April, May.
2. Barba-jovis.	Jupiter's beard.	Levant.	April, June.
3. Cytifoldea.	Cytisus leaved.	Spain.	June, July.
4. Hernandez.	lavender leaved.	Levant.	July, August.
DOLICHOS	DOLICHOS		
1. Lablab.	black feeded.	Egypt.	April, May.
	GLYCINE		
1. Bituminifolia.	clammy.	C. G. H.	March, July.
2. Bimaculata.	two spotted.	New Holland.	March, May.
3. rubicunda.	red.		June, July.
4. coccinea.	Carles.		June, July.
FLATILORIBUM	FLAT PEA		
1. formosum.	large flowered.	New Holland.	
GEOPHYA	MUSTARD CABBAGE TREE		
1. intermixta.	smooth.	Jamaica.	
LEPARIA	LITARIA		
1. villosa.	filious	C. G. H.	
1. Galesa.	CYTISUS		
2. divaricatus.	clammy podded.	Canary Islands.	
3. Cajan.	pidgeon pea.	Spain, Madeira.	
4. proliferus.	filky.	Indies.	
		Canary Islands.	

## CATALOGUE.

DIADELPHIA DECANDRIA.

<b>COTUTRA</b>	<b>BLADDER-SENA</b>	<b>C. G. H.</b>	<b>G. tr.</b>
1. frutescens.	fasciat flowered.	Africa.	June, July.
2. portiania.	perennial.		August.
3. KORNIA	KORINIA, or false Acaia		
1. foliosa.	sh. leaved.	W. India.	S. tr.
<b>CORONILLA</b>	<b>CORONILLA</b>		G. tr.
1. valentina.	nice leaved.	Spain, Italy.	G. tr.
2. phoenicia.	seven leaved.	S. of France.	G. tr.
<b>HAPLOCREPIS</b>	<b>NOD. SHOE-VETCH</b>		G. M.
1. Belschiana.	farabuy.	Misotol.	G. M.
<b>ESCHYNOMENE</b>	<b>ESCHYNOMENE</b>		S. M.
1. grandiflora.	great flowered.	E. India.	S. M.
2. Sedhan.	Egyptian.	Egypt-Lance.	S. M.
3. Indica.	Indian.	Indies.	S. M.
<b>HEDY SARUM</b>	<b>HEDYSARUM</b>		S. M.
1. vespertilionis.	bat-winged.	Cochinchina.	S. M.
2. Syriaca.	moving.	E. India.	S. M.
3. gangeticum.	oval leaved.		S. M.
<b>INDIGOPERA</b>	<b>INDIGO</b>		S. M.
1. pteraloides.	long spiked.	C. G. H.	G. tr.
2. amena.	fasciat flowered.	New Holland.	G. tr.
3. Australis.	Botany bay.	C. G. H.	G. M.
4. farmentosa.	dwarf.		G. M.

DIADELPHIA DECANDRIA.

1. grandiflora.	GOAT'S RUE.	C. G. H.	May, Sept.	G. H.
2. villosa.	great flowered.	Indies.		G. H.
1. bracteata.	PSORALEA	C. G. H.		G. H.
2. bituminosa.	oval spiked.	Italy, France.	June, July.	G. H.
3. glandulosa.	bisimous.	Peru.	M. P. S.	G. H.
4. corylifolia.	striped flowered.	E. India.	May, August.	G. H.
5. decumbens.	hazle leaved.	C. G. H.	June, July.	G. H.
6. pinnata.	trailing.		May, June.	G. H.
7. angustifolia.	wing leaved.		May, July.	G. H.
1. Creticus.	narrow leaved.		May, August.	G. H.
2. jacobaeu.	BIRD'S-FOOT TREFOIL.	Spain, Levant.	June, Sept.	G. H.
3. hirsuta.	silver leaved.	Cape Verd Islands.	M. P. S.	G. H.
4. Dorycnium.	dark flowered.	S. of Europe.	June, August.	G. H.
1. arborea.	hairy.		July, Sept.	G. H.
2. marina.	shrubby.	Italy.	May, Nov.	G. H.
	MEDICK	Mediter. coasts.	June, July.	G. H.
	sea.			

DIADELPHIA DECANDRIA

# CLASSIS XVIII.

## POLYADELPHIA PENTANDRIA.

### THEOBROMA

1. Guazuma.

### THEOBROMA

halfard cedar.

### MONSONIA

1. speciosa.
2. filia.
3. lobata.

### MONSONIA

fine leaved.  
hairy. serrated.  
lobed.

### CITRUS

1. decumana.
2. trifoliata.

### CITRUS TREE

shaddock.  
three leaved.

## ICOSANDRIA.

## DODECANDRIA.

India.

C. G. H.

E. India.  
Japan.

## CATALOGUE.

March, May.

May, July.

S. H.

G. H.  
G. H.  
G. H.

G. H.  
S. H.



# POLYADELPHIA POLYANDRIA.

POLYADELPHIA POLYANDRIA.		POLYANDRIA.		SYSTEMATIC	
1. MELALEUCA	heath leaved.	St. John's wort leaved.	scaly.	July, August.	G. tr.
2. linearifolia.		St. John's wort leaved.	scaly.	July, August.	G. tr.
3. hypericifolia.		St. John's wort leaved.	scaly.	July, August.	G. tr.
4. squarrosa.		St. John's wort leaved.	scaly.	July, August.	G. tr.
5. hypericum.		St. John's wort leaved.	scaly.	July, August.	G. tr.
6. Canariensis.		St. John's wort leaved.	scaly.	July, August.	G. tr.
7. tomentosum.		St. John's wort leaved.	scaly.	July, August.	G. tr.
8. reflexum.		St. John's wort leaved.	scaly.	July, August.	G. tr.
9. ASCYRUM		St. John's wort leaved.	scaly.	July, August.	G. tr.
10. Canariensis.		St. John's wort leaved.	scaly.	July, August.	G. tr.
11. Canariensis.		St. John's wort leaved.	scaly.	July, August.	G. tr.
12. Canariensis.		St. John's wort leaved.	scaly.	July, August.	G. tr.
13. Canariensis.		St. John's wort leaved.	scaly.	July, August.	G. tr.

## CLASSIS XIX. SYNGENESIA POLYGAMIA EQUALIS.

SONCHUS	1. fruticosus.	April, July.	G. tr.
SOW THISTLE	shrubby.	April, July.	G. tr.

# CATALOGUE

237

[illegible]

## SYNGENESIA POLYGAMIA EQUALIS.

CHYSOCOMA	GOLDEY LOCKS	C. G. H.			
1. <i>Coma aurea</i> .	great shrubby.			June, Sept.	G. fr.
2. <i>cliffi</i> .	ciliated.			July, Oct.	G. fr.
SANTOLINA	LAVENDER COTTON				
1. <i>rosmarinifolia</i> .	rosemary leaved.	Spain.		July, Sept.	G. fr.
ATHANASIA					
1. <i>dentata</i> .	tooth leaved.	C. G. H.		July, August.	G. fr.
2. <i>crinifolia</i> .	flamphire leaved.				G. fr.
P. SUPERFLUA.					
TANACEUM	TANSEY				
1. <i>fruticulosum</i> .	shrubby.	C. G. H.		May, Sept.	G. fr.
2. <i>labellifolium</i> .	fan leaved.			May, Aug.	G. fr.
ARTEMISIA	WORMWOOD				
1. <i>arborescens</i> .	tree.	Levant.		June, Aug.	G. fr.
2. <i>argentea</i> .	silvery leaved.	Madeira.		June, July.	G. fr.
GNAPHALIUM	EVERLASTING				
1. <i>arborescens</i> .	tree.	C. G. H.		June, Aug.	G. fr.
2. <i>grandiflorum</i> .	great flowered.				G. fr.
3. <i>ericoides</i> .	heath leaved.			April, Aug.	G. fr.
4. <i>igneiflora</i> .	fiery.			June, Sept.	G. fr.

# CATALOGUE.

229

## SYNGENESIA P. SUPERFLUA

5. petalum.	Everlasting	C. G. H.	July, Oct.	G. tr.
6. crassifolium.	thick leaved.	C. G. H.	July, Oct.	G. tr.
7. maritimum.	sea.	C. G. H.	July, Oct.	G. tr.
8. Orientale.	Eastern.	C. G. H.	April, Sept.	G. tr.
9. cymosum.	branching.	C. G. H.	April, Sept.	G. tr.
10. glomeratum.	cluster flowered.	C. G. H.	April, Aug.	G. an.
11. odoratissimum.	sweet scented.	C. G. H.	April, Aug.	G. p.
12. retortum.	reflex leaved.	C. G. H.	July, Aug.	G. tr.
13. fulgidum.	yellow flowered.	C. G. H.	Mar. Sept.	G. p.
14. candida.	hoary.	C. G. H.	June, July.	G. tr.
15. Pseudo-China.	Chinese.	C. G. H.	June, July.	G. p.
16. venustus.	wing leaved.	C. G. H.	July, Sept.	G. tr.
17. fruticosus.	shrubby.	C. G. H.	April, June.	G. tr.
18. densum.	tooth leaved.	C. G. H.	May, June.	G. tr.
19. Cymbalaria.	ivy leaved.	C. G. H.	June, July.	G. bi.
20. Ameloides.	Cape after.	C. G. H.	March, Sept.	G. tr.

SYNGINESIA P. SUPERFLUA.

SYNGNESIA P. SUPERFLUA.		
1. lanata.	CINERARIA	G. tr.
2. gisfolia.	woolly.	G. tr.
3. populifolia.	kidney leaved.	G. tr.
4. populifolia.	paper leaved.	G. tr.
5. cuneata.	calves flowered ditto.	G. tr.
6. lobata.	purple leaved.	G. tr.
7. nativifolia.	lobed.	G. tr.
8. nativifolia.	marlow leaved.	G. tr.
9. nativifolia.	INULA	G. tr.
10. nativifolia.	climney.	G. tr.
11. nativifolia.	woolly leaved.	G. tr.
12. nativifolia.	red leaved.	G. tr.
13. nativifolia.	CHRYSAANTHEMUM	G. tr.
14. nativifolia.	che leaved.	G. tr.
15. nativifolia.	flubby.	G. tr.
16. nativifolia.	tooth leaved.	G. tr.
17. nativifolia.	pinated.	G. tr.
18. nativifolia.	flvery.	G. tr.
19. nativifolia.	SIORBECKIA	G. tr.
20. nativifolia.	SIORBECKIA	G. tr.
21. nativifolia.	SIORBECKIA	G. tr.
22. nativifolia.	SIORBECKIA	G. tr.
23. nativifolia.	SIORBECKIA	G. tr.
24. nativifolia.	SIORBECKIA	G. tr.
25. nativifolia.	SIORBECKIA	G. tr.
26. nativifolia.	SIORBECKIA	G. tr.
27. nativifolia.	SIORBECKIA	G. tr.
28. nativifolia.	SIORBECKIA	G. tr.
29. nativifolia.	SIORBECKIA	G. tr.
30. nativifolia.	SIORBECKIA	G. tr.
31. nativifolia.	SIORBECKIA	G. tr.
32. nativifolia.	SIORBECKIA	G. tr.
33. nativifolia.	SIORBECKIA	G. tr.
34. nativifolia.	SIORBECKIA	G. tr.
35. nativifolia.	SIORBECKIA	G. tr.
36. nativifolia.	SIORBECKIA	G. tr.
37. nativifolia.	SIORBECKIA	G. tr.
38. nativifolia.	SIORBECKIA	G. tr.
39. nativifolia.	SIORBECKIA	G. tr.
40. nativifolia.	SIORBECKIA	G. tr.
41. nativifolia.	SIORBECKIA	G. tr.
42. nativifolia.	SIORBECKIA	G. tr.
43. nativifolia.	SIORBECKIA	G. tr.
44. nativifolia.	SIORBECKIA	G. tr.
45. nativifolia.	SIORBECKIA	G. tr.
46. nativifolia.	SIORBECKIA	G. tr.
47. nativifolia.	SIORBECKIA	G. tr.
48. nativifolia.	SIORBECKIA	G. tr.
49. nativifolia.	SIORBECKIA	G. tr.
50. nativifolia.	SIORBECKIA	G. tr.
51. nativifolia.	SIORBECKIA	G. tr.
52. nativifolia.	SIORBECKIA	G. tr.
53. nativifolia.	SIORBECKIA	G. tr.
54. nativifolia.	SIORBECKIA	G. tr.
55. nativifolia.	SIORBECKIA	G. tr.
56. nativifolia.	SIORBECKIA	G. tr.
57. nativifolia.	SIORBECKIA	G. tr.
58. nativifolia.	SIORBECKIA	G. tr.
59. nativifolia.	SIORBECKIA	G. tr.
60. nativifolia.	SIORBECKIA	G. tr.
61. nativifolia.	SIORBECKIA	G. tr.
62. nativifolia.	SIORBECKIA	G. tr.
63. nativifolia.	SIORBECKIA	G. tr.
64. nativifolia.	SIORBECKIA	G. tr.
65. nativifolia.	SIORBECKIA	G. tr.
66. nativifolia.	SIORBECKIA	G. tr.
67. nativifolia.	SIORBECKIA	G. tr.
68. nativifolia.	SIORBECKIA	G. tr.
69. nativifolia.	SIORBECKIA	G. tr.
70. nativifolia.	SIORBECKIA	G. tr.
71. nativifolia.	SIORBECKIA	G. tr.
72. nativifolia.	SIORBECKIA	G. tr.
73. nativifolia.	SIORBECKIA	G. tr.
74. nativifolia.	SIORBECKIA	G. tr.
75. nativifolia.	SIORBECKIA	G. tr.
76. nativifolia.	SIORBECKIA	G. tr.
77. nativifolia.	SIORBECKIA	G. tr.
78. nativifolia.	SIORBECKIA	G. tr.
79. nativifolia.	SIORBECKIA	G. tr.
80. nativifolia.	SIORBECKIA	G. tr.
81. nativifolia.	SIORBECKIA	G. tr.
82. nativifolia.	SIORBECKIA	G. tr.
83. nativifolia.	SIORBECKIA	G. tr.
84. nativifolia.	SIORBECKIA	G. tr.
85. nativifolia.	SIORBECKIA	G. tr.
86. nativifolia.	SIORBECKIA	G. tr.
87. nativifolia.	SIORBECKIA	G. tr.
88. nativifolia.	SIORBECKIA	G. tr.
89. nativifolia.	SIORBECKIA	G. tr.
90. nativifolia.	SIORBECKIA	G. tr.
91. nativifolia.	SIORBECKIA	G. tr.
92. nativifolia.	SIORBECKIA	G. tr.
93. nativifolia.	SIORBECKIA	G. tr.
94. nativifolia.	SIORBECKIA	G. tr.
95. nativifolia.	SIORBECKIA	G. tr.
96. nativifolia.	SIORBECKIA	G. tr.
97. nativifolia.	SIORBECKIA	G. tr.
98. nativifolia.	SIORBECKIA	G. tr.
99. nativifolia.	SIORBECKIA	G. tr.
100. nativifolia.	SIORBECKIA	G. tr.



# SYNGENESIA P. SUPERFLUA.

1. <i>MONOTERIS</i>					
2. <i>MONOTERIS</i>					
3. <i>MONOTERIS</i>					
4. <i>MONOTERIS</i>					
5. <i>MONOTERIS</i>					
6. <i>MONOTERIS</i>					
7. <i>MONOTERIS</i>					
8. <i>MONOTERIS</i>					
9. <i>MONOTERIS</i>					
10. <i>MONOTERIS</i>					
11. <i>MONOTERIS</i>					
12. <i>MONOTERIS</i>					
13. <i>MONOTERIS</i>					
14. <i>MONOTERIS</i>					
15. <i>MONOTERIS</i>					
16. <i>MONOTERIS</i>					
17. <i>MONOTERIS</i>					
18. <i>MONOTERIS</i>					
19. <i>MONOTERIS</i>					
20. <i>MONOTERIS</i>					
21. <i>MONOTERIS</i>					
22. <i>MONOTERIS</i>					
23. <i>MONOTERIS</i>					
24. <i>MONOTERIS</i>					
25. <i>MONOTERIS</i>					
26. <i>MONOTERIS</i>					
27. <i>MONOTERIS</i>					
28. <i>MONOTERIS</i>					
29. <i>MONOTERIS</i>					
30. <i>MONOTERIS</i>					
31. <i>MONOTERIS</i>					
32. <i>MONOTERIS</i>					
33. <i>MONOTERIS</i>					
34. <i>MONOTERIS</i>					
35. <i>MONOTERIS</i>					
36. <i>MONOTERIS</i>					
37. <i>MONOTERIS</i>					
38. <i>MONOTERIS</i>					
39. <i>MONOTERIS</i>					
40. <i>MONOTERIS</i>					
41. <i>MONOTERIS</i>					
42. <i>MONOTERIS</i>					
43. <i>MONOTERIS</i>					
44. <i>MONOTERIS</i>					
45. <i>MONOTERIS</i>					
46. <i>MONOTERIS</i>					
47. <i>MONOTERIS</i>					
48. <i>MONOTERIS</i>					
49. <i>MONOTERIS</i>					
50. <i>MONOTERIS</i>					
51. <i>MONOTERIS</i>					
52. <i>MONOTERIS</i>					
53. <i>MONOTERIS</i>					
54. <i>MONOTERIS</i>					
55. <i>MONOTERIS</i>					
56. <i>MONOTERIS</i>					
57. <i>MONOTERIS</i>					
58. <i>MONOTERIS</i>					
59. <i>MONOTERIS</i>					
60. <i>MONOTERIS</i>					
61. <i>MONOTERIS</i>					
62. <i>MONOTERIS</i>					
63. <i>MONOTERIS</i>					
64. <i>MONOTERIS</i>					
65. <i>MONOTERIS</i>					
66. <i>MONOTERIS</i>					
67. <i>MONOTERIS</i>					
68. <i>MONOTERIS</i>					
69. <i>MONOTERIS</i>					
70. <i>MONOTERIS</i>					
71. <i>MONOTERIS</i>					
72. <i>MONOTERIS</i>					
73. <i>MONOTERIS</i>					
74. <i>MONOTERIS</i>					
75. <i>MONOTERIS</i>					
76. <i>MONOTERIS</i>					
77. <i>MONOTERIS</i>					
78. <i>MONOTERIS</i>					
79. <i>MONOTERIS</i>					
80. <i>MONOTERIS</i>					
81. <i>MONOTERIS</i>					
82. <i>MONOTERIS</i>					
83. <i>MONOTERIS</i>					
84. <i>MONOTERIS</i>					
85. <i>MONOTERIS</i>					
86. <i>MONOTERIS</i>					
87. <i>MONOTERIS</i>					
88. <i>MONOTERIS</i>					
89. <i>MONOTERIS</i>					
90. <i>MONOTERIS</i>					
91. <i>MONOTERIS</i>					
92. <i>MONOTERIS</i>					
93. <i>MONOTERIS</i>					
94. <i>MONOTERIS</i>					
95. <i>MONOTERIS</i>					
96. <i>MONOTERIS</i>					
97. <i>MONOTERIS</i>					
98. <i>MONOTERIS</i>					
99. <i>MONOTERIS</i>					
100. <i>MONOTERIS</i>					

## CATALOGUE

221

## P. FRUSTRANEA.

1. <i>MONOTERIS</i>					
2. <i>MONOTERIS</i>					
3. <i>MONOTERIS</i>					
4. <i>MONOTERIS</i>					
5. <i>MONOTERIS</i>					
6. <i>MONOTERIS</i>					
7. <i>MONOTERIS</i>					
8. <i>MONOTERIS</i>					
9. <i>MONOTERIS</i>					
10. <i>MONOTERIS</i>					
11. <i>MONOTERIS</i>					
12. <i>MONOTERIS</i>					
13. <i>MONOTERIS</i>					
14. <i>MONOTERIS</i>					
15. <i>MONOTERIS</i>					
16. <i>MONOTERIS</i>					
17. <i>MONOTERIS</i>					
18. <i>MONOTERIS</i>					
19. <i>MONOTERIS</i>					
20. <i>MONOTERIS</i>					
21. <i>MONOTERIS</i>					
22. <i>MONOTERIS</i>					
23. <i>MONOTERIS</i>					
24. <i>MONOTERIS</i>					
25. <i>MONOTERIS</i>					
26. <i>MONOTERIS</i>					
27. <i>MONOTERIS</i>					
28. <i>MONOTERIS</i>					
29. <i>MONOTERIS</i>					
30. <i>MONOTERIS</i>					
31. <i>MONOTERIS</i>					
32. <i>MONOTERIS</i>					
33. <i>MONOTERIS</i>					
34. <i>MONOTERIS</i>					
35. <i>MONOTERIS</i>					
36. <i>MONOTERIS</i>					
37. <i>MONOTERIS</i>					
38. <i>MONOTERIS</i>					
39. <i>MONOTERIS</i>					
40. <i>MONOTERIS</i>					
41. <i>MONOTERIS</i>					
42. <i>MONOTERIS</i>					
43. <i>MONOTERIS</i>					
44. <i>MONOTERIS</i>					
45. <i>MONOTERIS</i>					
46. <i>MONOTERIS</i>					
47. <i>MONOTERIS</i>					
48. <i>MONOTERIS</i>					
49. <i>MONOTERIS</i>					
50. <i>MONOTERIS</i>					
51. <i>MONOTERIS</i>					
52. <i>MONOTERIS</i>					
53. <i>MONOTERIS</i>					
54. <i>MONOTERIS</i>					
55. <i>MONOTERIS</i>					
56. <i>MONOTERIS</i>					
57. <i>MONOTERIS</i>					
58. <i>MONOTERIS</i>					
59. <i>MONOTERIS</i>					
60. <i>MONOTERIS</i>					
61. <i>MONOTERIS</i>					
62. <i>MONOTERIS</i>					
63. <i>MONOTERIS</i>					
64. <i>MONOTERIS</i>					
65. <i>MONOTERIS</i>					
66. <i>MONOTERIS</i>					
67. <i>MONOTERIS</i>					
68. <i>MONOTERIS</i>					
69. <i>MONOTERIS</i>					
70. <i>MONOTERIS</i>					
71. <i>MONOTERIS</i>					
72. <i>MONOTERIS</i>					
73. <i>MONOTERIS</i>					
74. <i>MONOTERIS</i>					
75. <i>MONOTERIS</i>					
76. <i>MONOTERIS</i>					
77. <i>MONOTERIS</i>					
78. <i>MONOTERIS</i>					
79. <i>MONOTERIS</i>					
80. <i>MONOTERIS</i>					
81. <i>MONOTERIS</i>					
82. <i>MONOTERIS</i>					
83. <i>MONOTERIS</i>					
84. <i>MONOTERIS</i>					
85. <i>MONOTERIS</i>					
86. <i>MONOTERIS</i>					
87. <i>MONOTERIS</i>					
88. <i>MONOTERIS</i>					
89. <i>MONOTERIS</i>					
90. <i>MONOTERIS</i>					
91. <i>MONOTERIS</i>					
92. <i>MONOTERIS</i>					
93. <i>MONOTERIS</i>					
94. <i>MONOTERIS</i>					
95. <i>MONOTERIS</i>					
96. <i>MONOTERIS</i>					
97. <i>MONOTERIS</i>					
98. <i>MONOTERIS</i>					
99. <i>MONOTERIS</i>					
100. <i>MONOTERIS</i>					

SYNGENESIA P. NECESSARIA.

P. NECESSARIA.

1. <i>Tragus</i> .	long leaved.	May, June.	G. fr.
2. <i>graminifolia</i> .	grass leaved.	June, July.	G. fr.
3. <i>fruticosa</i> .	shrubby.	July, August.	G. fr.
1. <i>ARCTOTIS</i>	superb.	July, Sept.	G. fr.
2. <i>alpina</i> .	rough.	April, July.	G. fr.
3. <i>acutis</i> .	stemless.	June, August.	G. fr.
4. <i>plantaginica</i> .	plantain leaved.	April, August.	G. fr.
5. <i>farinosa</i> .	southernwood leaved.	May, June.	G. fr.
6. <i>peltata</i> .	chaffy.	March, May.	G. fr.
1. <i>OTHONNA</i>	wormwood leaved.	July, Sept.	G. fr.
2. <i>abrotanifolia</i> .	southernwood leaved.	July, August.	G. fr.
3. <i>coronopifolia</i> .	beck's horn leaved.	July, August.	G. fr.
4. <i>sibthorpiana</i> .	tree African.	July, August.	G. fr.
1. <i>OSTEOSPERMUM</i>	poplar leaved.	July, August.	G. fr.
2. <i>grandiflorum</i> .	grass flowered.		G. fr.

SYNGENESIA P. NECESSARIA.

# SYNGENESIA P. NECESSARIA.

1. frutescens.	ERIOCEPHALUS	frutty.	ERIOCEPHALUS	July, August.	G. fr.
1. racemosus.		silver leaved.		Mar. Aug.	G. fr.
2. Africanus.		cluster leaved.		—	G. fr.

## POLYSEGREGATA.

GERA  
stiff leaved.

May, June.

## MONOGAMIA.

- LOBELIA  
pinifolia.
- LOBELIA  
tripectra.
- LOBELIA  
longiflora.
- LOBELIA  
minuta.
- LOBELIA  
Erinus.
- LOBELIA  
pubescens.

LOBELIA  
pine leaved.

LOBELIA  
tooth leaved.

June, July.  
May, Sept.  
June, August.  
June, Sept.

## CATALOGUE.

233

G. fr.  
G. fr.  
S. fr.  
G. fr.  
G. fr.

H h

## CLASSIS XX.

## GYNANDRIA DIANDRIA.

## LIMODORUM

1. Tankervilleae.
2. album.

## EPIDENDRUM

1. cochleatum.
2. ensifolium.
3. albidum.

## GUNNERA

1. Peripentia.

## LIMODORUM

Tankerville's.

tall.

## EPIDENDRUM

shell flowered.

sword leaved.

slice leaved.

## GUNNERA

marth many gold leaved.

China.

W. India.

W. India.

China, Japan.

E India.

C. G. H.

## TRIANDRIA.

## FERRARIA

1. undulata.
2. pavonia.

## FERRARIA

waved.  
spotted.

C. G. H.

Mexico.

Mar. Apr.  
May, July.June, July.  
June.Apr. May.  
May, June.S. p.  
S. p.S. p.  
S. p.  
S. p.

G. p.

G. p.  
G. p.

# **GYNANDRIA PENTANDRIA.**

## **PENTANDRIA.**

- PASSIFLORA**  
 1. *serotifolia*.  
 2. *maliformis*.  
 3. *quadrangularis*.  
 4. *laurifolia*.  
 5. *lunata*.  
 6. *hirsuta*.  
 7. *suberosa*.  
 8. *luna*.  
 9. *glauca*.  
 10. *holosericea*.  
 11. *punctata*.  
 12. *heterophylla*.  
 13. *minima*.  
 14. *normalis*.  
 15. *murucuja*.

**PASSION FLOWER**  
 low leaved.  
 apple fruited.  
 square.  
 laurel leaved.  
 crescent leaved.  
 flesh coloured.  
 cork barked.  
 yellow.  
 glaucous.  
 silky leaved.  
 dotted.  
 various leaved.  
 dwarf.  
 Carthagena.

W. India.  
 Dominica.  
 Jamaica.  
 W. India.  
 ———  
 America.  
 W. India.  
 Jamaica, Virginia.  
 Cayenne.  
 Vera Cruz.  
 Peru.  
 W. India.  
 Curacao.  
 S. America.  
 Deminica.

May, O&.  
 Aug. Sept.  
 June, July.  
 ———  
 ———  
 ———  
 May, July.  
 Aug. Sept.  
 June, Sept.  
 May, June.  
 June, Sept.  
 July.

S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.  
 S. tr.



## GYNANDRIA HEXANDRIA.

## HEXANDRIA.

## BIRTH-WORT

evergreen.

sweet scented.

tailed.

Cret.

Jamaica.

America.

Spain, Narbonne.

## DECANDRIA.

## SCREW TREE

twisted capuled.

Jamaica.

## POLYANDRIA.

## ARUM

eternale.

Egyptian.

two coloured.

three leaved.

## ARUM

1. efcalentum.

2. Colocasia.

3. bicolorum.

4. trilobum.

Indies, China.

Lerant.

Ceylon.

June.

June, July.

June, July.

June, July.

May, June.

May, June.

May, June.

May, June.

May, June.

May, June.

May, June.

May, June.

May, June.

June, July.

S. fr.

S. fr.

S. fr.

S. fr.

# GYNANDRIA POLYANDRIA.

- ARUM  
 5. seguinum.  
 6. venosum.  
 CALLA  
 1. Ethiopica.  
 POTHOS  
 1. cordata.  
 2. lanceolata.

- ARUM  
 dumb cane.  
 purple flowered.  
 CALLA  
 Ethiopian.  
 POTHOS  
 heart leaved.  
 spear leaved.

W. India.

Africa.

W. India.

March.  
 Feb. May.  
 April, May.

S. tr.  
 S. p.  
 G. p.  
 S. p.  
 S. p.

## CLASSIS XXI.

### MONOECIA MONANDRIA.

- CASUARINA  
 1. equisetifolia.  
 2. striata.  
 3. tortulosa.

- CASUARINA  
 horse tail.  
 upright.  
 cork-bark.

New Holland.

October.  
 Jan. March.

G. tr.  
 G. tr.  
 G. tr.

MONOECIA TRIANDRIA.

TRIANDRIA.

- 1. MAY. *INDIAN CORN* *June, July.* *G. an.*
- 1. COIX *JOE'S TEARS* *June, July.* *S. fr.*
- 1. LACTYSA-JOBI *JACK IN A BOX* *S. fr.*
- 1. HERNANDIA *target leaved.*

TETRANDRIA.

- 1. NETTLE *China.* *Aug. Sept.* *G. fr.*

PENTANDRIA.

- 1. XANTHIUM *fruticofum.* *July.* *G. fr.*
- 1. PARTHENIUM *cut leaved.* *July, Aug.* *G. an.*

# MONOECIA POLYANDRIA.

## POLYANDRIA.

### BEGONIA

1. *obliqua.*
1. *POTIRIUM*
1. *spinifolium.*
2. *caudatum.*

### BEGONIA

- climbing forrel.
- spiny shrubby.
- smooth shrubby.

- Indies.
- Levant.
- Casary Islands.

- S. fr.
- G. tr.
- G. tr.

- April, Aug.
- March, April.

## MONADELPHIA.

### CYPRESSUS

1. *juniperoides.*
1. *CRATON*
1. *sechiferum.*
1. *JATROPHA*
1. *multifida.*
2. *urens.*

### CYPRESS

- juniper leaved.
- CRATON
- tallow tree.
- PHYSIC NUT
- multifid.
- stinging.

- C. G. H.
- China.
- S. America.

- G. tr.
- G. tr.
- S. tr.
- S. tr.
- S. tr.
- S. tr.

- April, May.
- September.
- June, August.
- May, July.
- August.

### ENCINUS

1. *communis.*
1. *hippomane*
1. *biglandulosa.*
1. *HURA*
1. *crepitans.*

### PALEMA CHRISTI, or *Coffea glabra.*

- common.
- MANCHINEEL TREE
- laurel leaved.
- SAND BOX TREE
- common.

- Indies.
- W. India.
- W. India.

## CLASSIS XXII.

## DIOECIA TRIANDRIA.

## RESTIO

rush leaved.

C. G. H.

July.

G. tr.

## TETRANDRIA.

MYRICA, or *Castle berry myrtle*.

Azorian.

Azores.

cut leaved.

C. G. H.

heart leaved.

oak leaved.

June, July.

August.

G. tr.

G. tr.

G. tr.

G. tr.

## PENTANDRIA.

## PISTACHIA TREE

Maflick.

S. of Europe.

May.

G. tr.

## HEXANDRIA.

## SMILAX

Ceylon.

E. India.

S. tr.

## SMILAX

1. Zeylanica.



# DIOECIA DECANDRIA.

## DECANDRIA.

PAPAW TREE

common.

KIGGELARIA

African.

SCHINUS

wing leaved.

Peru.

## POLYANDRIA.

CLIFFORTIA

illex leaved.

heart leaved.

FLACOURTIA

shining leaved.

Madagascar.

## MONADELPHIA.

YEW TREE

long leaved.

C. G. H.

## CATALOGUE.

241

C. G. H.

C. G. H.

C. G. H.

S. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

G. tr.

DIOECIA MONADELPHIA.

CISSAMPELOS

1. *Cepensis*.

C. G. H.

G. tr.

SYNGENESIA.

BUTCHER'S BROOM

climbing. Canary Islands.

great flowered.

Indies.

May, July.

G. tr.

GYNANDRIA.

CLUYTIA

1. *pulchella*.
2. *alaernoides*.
3. *daphnoides*.
4. *polygonoides*.

C. G. H.

G. tr.

March, June.

G. tr.

Dec. Mar.

G. tr.

G. tr.

# CLASSIS XXIII.

## POLYGAMIA MONOECIA.

### CATALOGUE.

243

1. <i>MUSA sapientum.</i>	MUSA	-	-	W. India.	July, Nov.	S. fr.
2. <i>coccinea.</i>	Banana.	-	-	E. India.	Jan. April.	S. fr.
3. <i>GOUANIA</i>	scarlet.	-	-	-	-	S. fr.
4. <i>domingensis.</i>	CHAW STICK	-	-	-	-	S. fr.
5. <i>HOLCUS bicolor.</i>	common.	-	-	-	-	S. fr.
6. <i>Sorghum.</i>	HOLCUS	-	-	-	-	S. fr.
7. <i>PARLETARIA arborea.</i>	two coloured.	-	-	Perfia.	July.	S. fr.
8. <i>TERMINALIA ussifolia.</i>	Indian millet.	-	-	E. India.	-	S. fr.
9. <i>OPHOXYLUM</i>	PHILITORY	-	-	-	-	S. fr.
10. <i>serpentinum.</i>	tree.	-	-	Canary Islands.	March, May.	G. fr.
11. <i>verucillata.</i>	TERMINALIA	-	-	-	-	S. fr.
12. <i>ulcina.</i>	narrow leaved.	-	-	E. India.	-	S. fr.
13. <i>enifolia.</i>	OPHOXYLUM	-	-	-	-	S. fr.
14. <i>falcata.</i>	red flowered.	-	-	Indies.	May, June.	S. fr.
15. <i>myrtifolia.</i>	MIMOSA	-	-	-	-	S. fr.
	whorl leaved.	-	-	New Holland.	March, May.	G. fr.
	furze leaved.	-	-	-	-	G. fr.
	sword leaved.	-	-	-	-	G. fr.
	fickle leaved.	-	-	-	-	G. fr.
	myrtle leaved.	-	-	-	-	G. fr.



POLYGAMIA TRIOECIA.

1. <i>aculeata</i> .	1800	c. tr.
2. <i>colicata</i> .	1800	c. tr.
3. <i>benjamina</i> .	1800	c. tr.
4. <i>coriacea</i> .	1800	c. tr.
5. <i>stipulata</i> .	1800	c. tr.
6. <i>venosa</i> .	1800	c. tr.
7. <i>colicata</i> .	1800	c. tr.
8. <i>benjamina</i> .	1800	c. tr.
9. <i>coriacea</i> .	1800	c. tr.
10. <i>stipulata</i> .	1800	c. tr.

TRIOECIA.

1. <i>aculeata</i> .	1800	c. tr.
2. <i>colicata</i> .	1800	c. tr.
3. <i>benjamina</i> .	1800	c. tr.
4. <i>coriacea</i> .	1800	c. tr.
5. <i>stipulata</i> .	1800	c. tr.
6. <i>venosa</i> .	1800	c. tr.
7. <i>colicata</i> .	1800	c. tr.
8. <i>benjamina</i> .	1800	c. tr.
9. <i>coriacea</i> .	1800	c. tr.
10. <i>stipulata</i> .	1800	c. tr.

CREATONIA

1. <i>aculeata</i> .	1800	c. tr.
2. <i>colicata</i> .	1800	c. tr.
3. <i>benjamina</i> .	1800	c. tr.
4. <i>coriacea</i> .	1800	c. tr.
5. <i>stipulata</i> .	1800	c. tr.
6. <i>venosa</i> .	1800	c. tr.
7. <i>colicata</i> .	1800	c. tr.
8. <i>benjamina</i> .	1800	c. tr.
9. <i>coriacea</i> .	1800	c. tr.
10. <i>stipulata</i> .	1800	c. tr.

LOCYMIPTICES?

1. <i>aculeata</i> .	1800	c. tr.
2. <i>colicata</i> .	1800	c. tr.
3. <i>benjamina</i> .	1800	c. tr.
4. <i>coriacea</i> .	1800	c. tr.
5. <i>stipulata</i> .	1800	c. tr.
6. <i>venosa</i> .	1800	c. tr.
7. <i>colicata</i> .	1800	c. tr.
8. <i>benjamina</i> .	1800	c. tr.
9. <i>coriacea</i> .	1800	c. tr.
10. <i>stipulata</i> .	1800	c. tr.



# CLASSIS XXIV. CRYPTOGAMIA FILICES.

1. longifolia.	long leaved.	W. India.	July, Sept.	S. M.
2. arguta.	sharp notched.	Arabia, Madeira, C. G. H.	Aug. Sept.	G. M.
3. ferrulata.	various leaved.	E. India, China.	August.	S. M.
1. Hemionitis.	SPLEEN WORT			
2. Polypodium.	mule's fern.	Madeira.	June, July.	G. M.
3. aureum.	POLYPODY.	Jamaica.	March, July.	S. M.
4. trifoliatum.	golden.	W. India.		S. M.
5. splenifolium.	three leaved.	S. America.		S. M.
6. Adiantum.	spleen wort leaved.	Madeira.	June, Sept.	G. M.
7. reniforme.	MAIDEN HAIR			
8. ELECNUM	kidney leaved.	Madeira.	M. P. S.	G. M.
9. radicans.	rooting leaved.	C. G. H.		G. M.
10. Australis.	Cape.			
11. THRICOMANES	HAIR'S FOOT FERN			
12. Canariense.	Canary.	Portugal, Canaries.	M. P. S.	G. M.
13. DICKSONIA	DICKSONIA	Madeira, Azores.	June, July.	G. M.
14. culcita.	shining leaved.			

# CATALOGUE.

247

## PALMAE.

RHAPIS	China, Japan.	S. tr.
1. <i>labelliformis</i> .		
CHAMÆEROPS	S. of Europe.	G. tr.
1. <i>humilis</i> .		
CYCAS	China, Japan.	S. tr.
1. <i>revoluta</i> .		
PHOENIX	Levant.	S. tr.
1. <i>dactylifera</i> .		
ZAMIA	W. India.	S. tr.
1. <i>debilis</i> .		
2. <i>integrifolia</i> .	E. Florida.	S. tr.
BORASSUS	Coast of Coromandel.	S. tr.
1. <i>labelliformis</i> .		
CORYPHA	E. India.	S. tr.
1. <i>umbrellifera</i> .		

RHAPIS  
fan, or ground ratan.  
CHAMÆEROPS  
dwarf.  
CYCAS  
narrow leaved.  
DATE PALM  
common.  
ZAMIA  
long leaved.  
dwarf.  
PALMAIRA TREE  
common.  
FAN-PALM  
great.

Augst.  
May, July.  
Aug.  
July, Aug.  
—

FINIS.

# CATALOGUE

1871

1871

1871



1871

1871

1871

1871

